

R&S®Time Code Inserter

Release Notes

Software Version 01.00

© 2013 Rohde & Schwarz GmbH & Co. KG
Muehldorfstr. 15, 81671 Munich, Germany
Phone: +49 89 41 29 - 0
Fax: +49 89 41 29 12 164
E-mail: <mailto:info@rohde-schwarz.com>
Internet: <http://www.rohde-schwarz.com>

Subject to change – Data without tolerance limits is not binding.
R&S® is a registered trademark of Rohde & Schwarz GmbH & Co. KG.
Trade names are trademarks of the owners.

The following abbreviations are used throughout this document:
R&S®Time Code Inserter is abbreviated as R&S Time Code Inserter,
R&S®VTE is abbreviated as R&S VTE, R&S®VTC is abbreviated as R&S VTC.

Table of Contents

1	Information on the Current Version and History.....	3
1.1	Version 01.00 (April 2013).....	3
2	Modifications to the Documentation	3
3	Installation and Update	4
3.1	System Requirements	4
3.2	Installing the Software	4
3.3	Uninstalling the Software.....	5
3.4	Updating the Software.....	5
4	Customer Support	6

1 Information on the Current Version and History

1.1 Version 01.00 (April 2013)

Initial release.

2 Modifications to the Documentation

The current documentation is up-to-date.

3 Installation and Update

The R&S Time Code Inserter software is a tool for the audio/video distortion analysis function of the R&S VTC or R&S VTE.

3.1 System Requirements

The R&S Time Code Inserter software can be installed on a computer.


Computer

- Pentium[®] processor or equivalent at 133 MHz or higher
- 64 MB free memory space
- 50 MB free hard disk space
- Display resolution SVGA (800 x 600)
- Windows[®] 2000/XP/Vista/7/8 operating system; for Windows[®] XP is Service Pack 2 required

3.2 Installing the Software

1. On a computer, you can execute the "Time Code Inserter.msi" file from any drive that is accessible (e.g. local drive, network drive or connected memory stick).
2. Double-click the "Time Code Inserter.msi" file.

The setup dialog box is displayed.



3. Click "Next >" and follow the instructions of the Setup Wizard.

3.3 Uninstalling the Software

To uninstall the R&S Time Code Inserter software, choose one of the following procedures:

- ▶ Using the setup dialog:
 - Double-click the "Time Code Inserter.msi" file.
 - Select "Remove" and follow the instructions.
- ▶ Using the "Start" menu: Select "Programs", "Time Code Inserter" and then "Uninstall Time Code Inserter".

3.4 Updating the Software

1. Uninstall the software as described in section "[Uninstalling the Software](#)".
2. Install the software as described in section "[Installing the Software](#)".

4 Customer Support

Technical support – where and when you need it

For quick, expert help with any Rohde & Schwarz equipment, contact one of our Customer Support Centers. A team of highly qualified engineers provides telephone support and will work with you to find a solution to your query on any aspect of the operation, programming or applications of Rohde & Schwarz equipment.

Up-to-date information and upgrades

To keep your instrument up-to-date and to be informed about new application notes related to your instrument, please send an e-mail to the Customer Support Center stating your instrument and your wish. We will take care that you will get the right information.

Europe, Africa, Middle East

Phone +49 89 4129 12345

customersupport@rohde-schwarz.com

North America

Phone 1-888-TEST-RSA (1-888-837-8772)

customer.support@rsa.rohde-schwarz.com

Latin America

Phone +1-410-910-7988

customersupport.la@rohde-schwarz.com

Asia/Pacific

Phone +65 65 13 04 88

customersupport.asia@rohde-schwarz.com

China

Phone +86-800-810-8828 / +86-400-650-5896

customersupport.china@rohde-schwarz.com