

R&S®FSV3-K91

WLAN Measurements

User Manual



1178945502
Version 10



This manual applies to the following R&S®FSV3000 and R&S®FSVA3000 models with firmware version 2.10 and higher:

- R&S®FSV3004 (1330.5000K04) / R&S®FSVA3004 (1330.5000K05)
- R&S®FSV3007 (1330.5000K07) / R&S®FSVA3007 (1330.5000K08)
- R&S®FSV3013 (1330.5000K13) / R&S®FSVA3013 (1330.5000K14)
- R&S®FSV3030 (1330.5000K30) / R&S®FSVA3030 (1330.5000K31)
- R&S®FSV3044 (1330.5000K43) / R&S®FSVA3044 (1330.5000K44)
- R&S®FSV3050 (1330.5000K50) / R&S®FSVA3050 (1330.5000K51)

The following firmware options are described:

- R&S FSV/A-K91 WLAN 802.11a,b,g (1330.5100.02)
- R&S FSV/A-K91ac WLAN 802.11ac (1330.5116.02)
- R&S FSV/A-K91ax WLAN 802.11ax (1346.339902)
- R&S FSV/A-K91be WLAN 802.11be (1346.4966.02)
- R&S FSV/A-K91n WLAN 802.11n (1330.5139.02)
- R&S FSV/A-K91p WLAN 802.11p (1330.5122.02)

© 2023 Rohde & Schwarz GmbH & Co. KG
Muehldorfstr. 15, 81671 Muenchen, Germany
Phone: +49 89 41 29 - 0

Email: info@rohde-schwarz.com

Internet: www.rohde-schwarz.com

Subject to change – data without tolerance limits is not binding.

R&S® is a registered trademark of Rohde & Schwarz GmbH & Co. KG.

Wi-Fi® is a registered trademark of Wi-Fi Alliance®.

All other trademarks are the properties of their respective owners.

1178.9455.02 | Version 10 | R&S®FSV3-K91

Throughout this manual, products from Rohde & Schwarz are indicated without the ® symbol, e.g. R&S®FSV/A3000 is indicated as R&S FSV/A3000.

Contents

1	Documentation overview.....	7
1.1	Getting started manual.....	7
1.2	User manuals and help.....	7
1.3	Service manual.....	8
1.4	Instrument security procedures.....	8
1.5	Printed safety instructions.....	8
1.6	Data sheets and brochures.....	8
1.7	Release notes and open-source acknowledgment (OSA).....	8
1.8	Application notes, application cards, white papers, etc.....	9
1.9	Videos.....	9
2	Welcome to the WLAN application.....	10
2.1	Starting the WLAN application.....	11
2.2	Understanding the display information.....	11
3	Measurements and result displays.....	14
3.1	WLAN I/Q measurement (modulation accuracy, flatness and tolerance).....	14
3.2	Frequency sweep measurements.....	56
4	Measurement basics.....	63
4.1	Signal processing for multicarrier measurements (IEEE 802.11a, g (OFDM), j, p)	63
4.2	Signal processing for single-carrier measurements (IEEE 802.11b, g (DSSS))....	70
4.3	Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be).....	76
4.4	Signal processing for high-efficiency wireless measurements (IEEE 802.11ax)..	85
4.5	Signal processing for extremely high throughput (EHT) wireless measurements (IEEE 802.11be).....	90
4.6	Channels and carriers.....	92
4.7	Recognized vs. analyzed PPDU.....	93
4.8	Demodulation parameters - logical filters.....	93
4.9	I/Q data import and export.....	95
4.10	Basics on input from I/Q data files.....	96
4.11	Trigger basics.....	97
5	Configuration.....	102

5.1	Multiple measurement channels and sequencer function.....	102
5.2	Display configuration.....	104
5.3	WLAN I/Q measurement configuration.....	104
5.4	Frequency sweep measurements.....	188
6	Analysis.....	193
7	How to perform measurements in the WLAN application.....	194
7.1	How to determine modulation accuracy, flatness and tolerance parameters for WLAN signals.....	194
7.2	How to analyze WLAN signals in a MIMO measurement setup.....	195
7.3	How to determine the OBW, SEM, ACLR or CCDF for WLAN signals.....	201
8	Optimizing and troubleshooting the measurement.....	202
8.1	Optimizing the measurement results.....	202
8.2	Error messages and warnings.....	203
9	Remote commands for WLAN 802.11 measurements.....	205
9.1	Common suffixes.....	205
9.2	Introduction.....	206
9.3	Activating WLAN 802.11 measurements.....	211
9.4	Selecting a measurement.....	214
9.5	Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance).....	221
9.6	Configuring frequency sweep measurements on WLAN 802.11 signals.....	320
9.7	Configuring the result display.....	324
9.8	Starting a measurement.....	344
9.9	Retrieving results.....	348
9.10	Analysis.....	402
9.11	Status registers.....	405
9.12	Deprecated commands.....	408
9.13	Programming examples (R&S FSV3 WLAN application).....	413
	Annex.....	419
A	Sample rate and maximum usable I/Q bandwidth for RF input.....	419
A.1	Bandwidth extension options.....	420
A.2	Relationship between sample rate, record length and usable I/Q bandwidth.....	420

A.3	R&S FSV/A without additional bandwidth extension options.....	421
A.4	R&S FSV/A with I/Q bandwidth extension option B40 or U40.....	422
A.5	R&S FSV/A with I/Q bandwidth extension option B200.....	422
A.6	R&S FSVA with I/Q bandwidth extension option B400.....	423
A.7	R&S FSVA with I/Q bandwidth extension option B600.....	423
A.8	R&S FSVA with I/Q bandwidth extension option B1000.....	423
	List of commands (WLAN).....	425
	Index.....	436

1 Documentation overview

This section provides an overview of the R&S FSV/A user documentation. Unless specified otherwise, you find the documents at:

www.rohde-schwarz.com/manual/FSVA3000

www.rohde-schwarz.com/manual/FSV3000

Further documents are available at:

www.rohde-schwarz.com/product/FSVA3000

www.rohde-schwarz.com/product/FSV3000

1.1 Getting started manual

Introduces the R&S FSV/A and describes how to set up and start working with the product. Includes basic operations, typical measurement examples, and general information, e.g. safety instructions, etc.

A printed version is delivered with the instrument. A PDF version is available for download on the Internet.

1.2 User manuals and help

Separate user manuals are provided for the base unit and the firmware applications:

- **Base unit manual**
Contains the description of all instrument modes and functions. It also provides an introduction to remote control, a complete description of the remote control commands with programming examples, and information on maintenance, instrument interfaces and error messages. Includes the contents of the getting started manual.
- **Firmware application manual**
Contains the description of the specific functions of a firmware application, including remote control commands. Basic information on operating the R&S FSV/A is not included.

The contents of the user manuals are available as help in the R&S FSV/A. The help offers quick, context-sensitive access to the complete information for the base unit and the firmware applications.

All user manuals are also available for download or for immediate display on the Internet.

1.3 Service manual

Describes the performance test for checking the rated specifications, module replacement and repair, firmware update, troubleshooting and fault elimination, and contains mechanical drawings and spare part lists.

The service manual is available for registered users on the global Rohde & Schwarz information system (GLORIS):

[R&S®FSVA3000/FSV3000 Service manual](#)

1.4 Instrument security procedures

Deals with security issues when working with the R&S FSV/A in secure areas. It is available for download on the internet.

1.5 Printed safety instructions

Provides safety information in many languages. The printed document is delivered with the product.

1.6 Data sheets and brochures

The data sheet contains the technical specifications of the R&S FSV/A. It also lists the firmware applications and their order numbers, and optional accessories.

The brochure provides an overview of the instrument and deals with the specific characteristics.

See www.rohde-schwarz.com/brochure-datasheet/FSV3000/

www.rohde-schwarz.com/brochure-datasheet/FSVA3000

1.7 Release notes and open-source acknowledgment (OSA)

The release notes list new features, improvements and known issues of the current firmware version, and describe the firmware installation.

The software makes use of several valuable open source software packages. An open-source acknowledgment document provides verbatim license texts of the used open source software.

See www.rohde-schwarz.com/firmware/FSV3000/

www.rohde-schwarz.com/firmware/FSVA3000

1.8 Application notes, application cards, white papers, etc.

These documents deal with special applications or background information on particular topics.

See www.rohde-schwarz.com/application/FSV3000 /

www.rohde-schwarz.com/application/FSVA3000

1.9 Videos

Find various videos on Rohde & Schwarz products and test and measurement topics on YouTube: <https://www.youtube.com/@RohdeundSchwarz>

2 Welcome to the WLAN application

The R&S FSV3 WLAN application extends the functionality of the R&S FSV/A to enable accurate and reproducible Tx measurements of a WLAN device under test (DUT) in accordance with the standards specified for the device. The following standards are currently supported (if the corresponding firmware option is installed):

- IEEE standards 802.11a
- IEEE standards 802.11ac (SISO + MIMO)
- IEEE standards 802.11b
- IEEE standards 802.11be
- IEEE standards 802.11g (OFDM)
- IEEE standards 802.11g (DSSS)
- IEEE standards 802.11j
- IEEE standards 802.11n (SISO + MIMO)
- IEEE standards 802.11p
- IEEE standards 802.11ax (SISO + MIMO)

The R&S FSV3 WLAN application features:

Modulation measurements

- "Constellation" diagram for demodulated signal
- "Constellation" diagram for individual carriers
- I/Q offset and I/Q imbalance
- Modulation error (EVM) for individual carriers or symbols
- Amplitude response and group-delay distortion (spectrum flatness)
- Carrier and symbol frequency errors

Further measurements and results

- Amplitude statistics ("CCDF") and crest factor
- FFT, also over a selected part of the signal, e.g. preamble
- Payload bit information
- Freq/Phase Err vs. Preamble

This user manual contains a description of the functionality that is specific to the application, including remote control operation.

General R&S FSV/A functions

The application-independent functions for general tasks on the R&S FSV/A are also available for WLAN 802.11 measurements and are described in the R&S FSV/A user manual. In particular, this comprises the following functionality:

- Data management
- General software preferences and information

The latest version is available for download at the product homepage

<http://www.rohde-schwarz.com/product/FSV3000.html>.

Installation

You can find detailed installation instructions in the R&S FSV/A Getting Started manual or in the Release Notes.

2.1 Starting the WLAN application

The WLAN measurements require a special application on the R&S FSV/A.

To activate the WLAN application

1. Select the [MODE] key.

A dialog box opens that contains all operating modes and applications currently available on your R&S FSV/A.

2. Select the "WLAN" item.



The R&S FSV/A opens a new measurement channel for the WLAN application.

The measurement is started immediately with the default settings. It can be configured in the WLAN "Overview" dialog box, which is displayed when you select the "Overview" softkey from any menu (see [Chapter 5.3.1, "Configuration overview"](#), on page 105).

2.2 Understanding the display information

The following figure shows a measurement diagram during analyzer operation. All information areas are labeled. They are explained in more detail in the following sections.



- 1 = Channel bar for firmware and measurement settings
- 2 = Window title bar with diagram-specific (trace) information
- 3 = Diagram area with marker information
- 4 = Diagram footer with diagram-specific information, depending on result display
- 5 = Instrument status bar with error messages, progress bar and date/time display

Channel bar information

In the WLAN application, the R&S FSV/A shows the following settings:

Table 2-1: Information displayed in the channel bar in the WLAN application

Label	Description
"Sample Rate Fs"	Input sample rate
"PPDU / MCS Index / GI"	IEEE 802.11a, ac, g (OFDM), j, n, p: The PPDU type, MCS index and guard interval (GI) used for the analysis of the signal; Depending on the demodulation settings, these values are either detected automatically from the signal or the user settings are applied.
"PPDU / MCS Index / GI+HE-LTF"	WLAN 802.11ax: PPDU type, MCS index, sum of guard interval (GI) length and high efficiency long training field (HE-LTF) length used for the analysis of the signal
"PPDU / MCS/ GI+EHT-LTF"	WLAN 802.11be: PPDU type, MCS index, sum of guard interval (GI) length and extremely high throughput long training field (EHT-LTF) length used for the analysis of the signal
"PPDU / Data Rate"	WLAN 802.11b: The PPDU type and data rate used for the analysis of the signal; Depending on the demodulation settings, these values are either detected automatically from the signal or the user settings are applied.
"Standard"	Selected WLAN measurement standard

Label	Description
"Meas Setup"	Number of Transmitter (Tx) and Receiver (Rx) channels used in the measurement (for MIMO)
"Capt time / Samples"	Duration of signal capture and number of samples captured
"Data Symbols"	The minimum and maximum number of data symbols that a PPDU may have if it is to be considered in results analysis.
"PPDUs" [x of y (z)]	For statistical evaluation over PPDUs (see "PPDU Statistic Count / No of PPDUs to Analyze" on page 175): <x> PPDUs of totally required <y> PPDUs have been analyzed so far. <z> PPDUs were analyzed in the most recent sweep.

In addition, the channel bar also displays information on instrument settings that affect the measurement results even though this is not immediately apparent from the display of the measured values (e.g. transducer or trigger settings). This information is displayed only when applicable for the current measurement. For details see the R&S FSV/A Getting Started manual.

Window title bar information

For each diagram, the header provides the following information:



Figure 2-1: Window title bar information in the WLAN application

- 1 = Window number
- 2 = Window type
- 3 = Further measurement settings
- 4 = Trace color
- 5 = Trace number
- 6 = Trace mode

Diagram footer information

The diagram footer (beneath the diagram) contains the start and stop values for the displayed x-axis range.

Status bar information

Global instrument settings, the instrument status and any irregularities are indicated in the status bar beneath the diagram. Furthermore, the progress of the current operation is displayed in the status bar. Click on a displayed warning or error message to obtain more details (see also .

3 Measurements and result displays

The R&S FSV3 WLAN application provides several different measurements in order to determine the parameters described by the WLAN 802.11 specifications.

For details on selecting measurements, see [Chapter 5.2, "Display configuration"](#), on page 104.

- [WLAN I/Q measurement \(modulation accuracy, flatness and tolerance\)](#)..... 14
- [Frequency sweep measurements](#)..... 56

3.1 WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

The default WLAN I/Q measurement captures the I/Q data from the WLAN signal using a (nearly rectangular) filter with a relatively large bandwidth. The I/Q data captured with this filter includes magnitude and phase information. That allows the R&S FSV3 WLAN application to demodulate broadband signals and determine various characteristic signal parameters in just one measurement. Modulation accuracy, spectrum flatness, center frequency tolerance and symbol clock tolerance are only a few of the characteristic parameters.

Other parameters specified in the WLAN 802.11 standard require a better signal-to-noise level or a smaller bandwidth filter than the I/Q measurement provides and must be determined in separate measurements (see [Chapter 3.2, "Frequency sweep measurements"](#), on page 56).

- [Modulation accuracy, flatness and tolerance parameters](#)..... 14
- [Evaluation methods for WLAN IQ measurements](#)..... 26

3.1.1 Modulation accuracy, flatness and tolerance parameters

The default WLAN I/Q measurement (Modulation Accuracy, Flatness,...) captures the I/Q data from the WLAN signal and determines all the following I/Q parameters in a single sweep.

Table 3-1: WLAN I/Q parameters for IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be

Parameter	Description	Keyword for remote query (FETCh:BURSt:)
General measurement parameters		
Sample Rate Fs	Input sample rate	
PPDU	Type of analyzed PPDU	PPDU:TYPE
*) the limits can be changed via remote control (not manually, see Chapter 9.5.9, "Limits" , on page 313); in this case, the currently defined limits are displayed here		

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Parameter	Description	Keyword for remote query (FETCh:BURSt:)
MCS Index	Modulation and Coding Scheme (MCS) index of the analyzed PPDU	MCSindex
Data Rate	Data rate used for analysis of the signal (IEEE 802.11a only)	
GI / GI+HE-LTF / GI+EHT-LTF	Guard interval length for current measurement Guard interval and high-efficiency long training field length (IEEE 802.11ax only) Guard interval and length of EHT long training field (IEEE 802.11be only)	GINterval
Meas Setup	Number of Transmitter (Tx) and Receiver (Rx) channels used in the measurement	
Capture time	Duration of signal capture	
Samples	Number of samples captured	
Data Symbols	The minimum and maximum number of data symbols that a PPDU can have if it is to be considered in results analysis	
PPDU parameters		
Analyzed PPDU	For statistical evaluation of PPDU (see "PPDU Statistic Count / No of PPDU to Analyze" on page 175): <x> PPDU of the required <y> PPDU have been analyzed so far. <z> indicates the number of analyzed PPDU in the most recent sweep.	
Number of recognized PPDU (global)	Number of PPDU recognized in capture buffer	
Number of analyzed PPDU (global)	Number of analyzed PPDU in capture buffer	COUNT
Number of analyzed PPDU in physical channel	Number of PPDU analyzed in entire signal (if available)	COUNT:ALL
TX and Rx carrier parameters		
I/Q offset [dB]	Transmitter center frequency leakage relative to the total Tx channel power (see Chapter 3.1.1.1, "I/Q offset", on page 19)	IQOFset
Gain imbalance [%/dB]	Amplification of the quadrature phase component of the signal relative to the amplification of the in-phase component (see Chapter 3.1.1.2, "Gain imbalance", on page 19)	GIMBalance
Quadrature offset [°]	Deviation of the quadrature phase angle from the ideal 90° (see Chapter 3.1.1.3, "Quadrature offset", on page 20).	QUADoffset
*) the limits can be changed via remote control (not manually, see Chapter 9.5.9, "Limits", on page 313); in this case, the currently defined limits are displayed here		

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Parameter	Description	Keyword for remote query (FETCh:BURSt:)
I/Q skew [s]	Delay of the transmission of the data on the I path compared to the Q path (see Chapter 3.1.1.4, "I/Q skew" , on page 21)	IQSkew
PPDU power [dBm]	Mean PPDU power	
Crest factor [dB]	The ratio of the peak power to the mean power of the signal (also called Peak to Average Power Ratio, PAPR).	CRESt
MIMO Cross Power [dB]	Sum of RMS power from all cross streams	MCPower
MIMO Channel Power [dBm]	RMS power for each effective channel path from all active carriers.	MCHPower
Center frequency error [Hz]	Frequency error between the signal and the current center frequency of the R&S FSV/A; the corresponding limits specified in the standard are also indicated*) The absolute frequency error includes the frequency error of the R&S FSV/A and that of the DUT. If possible, synchronize the transmitter R&S FSV/A and the DUT using an external reference. See R&S FSV/A user manual > Instrument setup > External reference	CFERror
Symbol clock error [ppm]	Clock error between the signal and the sample clock of the R&S FSV/A in parts per million (ppm), i.e. the symbol timing error; the corresponding limits specified in the standard are also indicated *) If possible, synchronize the transmitter R&S FSV/A and the DUT using an external reference. See R&S FSV/A user manual > Instrument setup > External reference	
CPE	Common phase error	CPError
Stream parameters		
BER Pilot [%]	Bit error rate (BER) of the pilot carriers	BERPilot
EVM all carriers [%/dB]	EVM (Error Vector Magnitude) of the payload symbols over all carriers; the corresponding limits specified in the standard are also indicated*)	EVM:ALL
EVM data carriers [%/dB]	EVM (Error Vector Magnitude) of the payload symbols over all data carriers; the corresponding limits specified in the standard are also indicated*)	EVM:DATA
EVM pilot carriers [%/dB]	EVM (Error Vector Magnitude) of the payload symbols over all pilot carriers; the corresponding limits specified in the standard are also indicated*)	EVM:PILOt
*) the limits can be changed via remote control (not manually, see Chapter 9.5.9, "Limits" , on page 313); in this case, the currently defined limits are displayed here		

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Table 3-2: WLAN I/Q parameters for IEEE 802.11b or g (DSSS)

Parameter	Description	Keyword for remote query (FETCh:BURSt:)
Sample Rate Fs	Input sample rate	
PPDU	Type of the analyzed PPDU	PPDU:TYPE
Data Rate	Data rate used for analysis of the signal	
Meas Setup	Number of Transmitter (Tx) and Receiver (Rx) channels used in the measurement	
Capture time	Duration of signal capture	
No. of Samples	Number of samples captured (= sample rate * capture time)	
No. of Data Symbols	The minimum and maximum number of data symbols that a PPDU can have if it is to be considered in results analysis	
PPDU parameters		
Analyzed PDUs	For statistical evaluation of PDUs (see " PPDU Statistic Count / No of PDUs to Analyze " on page 175): <x> PDUs of the required <y> PDUs have been analyzed so far. <z> indicates the number of analyzed PDUs in the most recent sweep.	
Number of recognized PDUs (global)	Number of PDUs recognized in capture buffer	
Number of analyzed PDUs (global)	Number of analyzed PDUs in capture buffer	COUNT
Number of analyzed PDUs in physical channel	Number of PDUs analyzed in entire signal (if available)	COUNT:ALL
Peak vector error	Peak vector error (EVM) over the complete PPDU including the preamble in % and in dB; calculated according to the IEEE 802.11b or g (DSSS) definition of the normalized error vector magnitude (see " Peak vector error (IEEE method) " on page 23); The corresponding limits specified in the standard are also indicated *)	EVM:DIRect
PPDU EVM	EVM (Error Vector Magnitude) over the complete PPDU including the preamble in % and dB	PPDU:EVM:ALL
I/Q offset [dB]	Transmitter center frequency leakage relative to the total Tx channel power (see Chapter 3.1.1.1, "I/Q offset" , on page 19)	IQOFset
Gain imbalance [%/dB]	Amplification of the quadrature phase component of the signal relative to the amplification of the in-phase component (see Chapter 3.1.1.2, "Gain imbalance" , on page 19)	GIMBalance
*) the limits can be changed via remote control (not manually, see Chapter 9.5.9, "Limits" , on page 313); in this case, the currently defined limits are displayed here		

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Parameter	Description	Keyword for remote query (FETCh:BURSt:)
Quadrature error [°]	Measure for the crosstalk of the Q-branch into the I-branch (see "Gain imbalance, I/Q offset, quadrature error" on page 73).	QUADoffset
Center frequency error [Hz]	Frequency error between the signal and the current center frequency of the R&S FSV/A; the corresponding limits specified in the standard are also indicated*) The absolute frequency error includes the frequency error of the R&S FSV/A and that of the DUT. If possible, synchronize the transmitter R&S FSV/A and the DUT using an external reference. See R&S FSV/A user manual > Instrument setup > External reference	CFERror
Chip clock error [ppm]	Clock error between the signal and the chip clock of the R&S FSV/A in parts per million (ppm), i.e. the chip timing error; the corresponding limits specified in the standard are also indicated *) If possible, synchronize the transmitter R&S FSV/A and the DUT using an external reference. See R&S FSV/A user manual > Instrument setup > External reference	
Rise time	Time the signal needs to increase its power level from 10% to 90% of the maximum or the average power (depending on the reference power setting) The corresponding limits specified in the standard are also indicated *)	TRISe
Fall time	Time the signal needs to decrease its power level from 90% to 10% of the maximum or the average power (depending on the reference power setting) The corresponding limits specified in the standard are also indicated *)	TFALL
Mean power [dBm]	Mean PPDU power	
Peak power [dBm]	Peak PPDU power	PEAK
Crest factor [dB]	The ratio of the peak power to the mean power of the PPDU (also called Peak to Average Power Ratio, PAPR).	CRESt
*) the limits can be changed via remote control (not manually, see Chapter 9.5.9, "Limits" , on page 313); in this case, the currently defined limits are displayed here		

The R&S FSV3 WLAN application also performs statistical evaluation over several PPDU's and displays one or more of the following results:

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Table 3-3: Calculated summary results

Result type	Description
Min	Minimum measured value
Mean/ Limit	Mean measured value / limit defined in standard
Max/Limit	Maximum measured value / limit defined in standard

3.1.1.1 I/Q offset

An I/Q offset indicates a carrier offset with fixed amplitude. This results in a constant shift of the I/Q axes. The offset is normalized by the mean symbol power and displayed in dB.




Figure 3-1: I/Q offset in a vector diagram

3.1.1.2 Gain imbalance

An ideal I/Q modulator amplifies the I and Q signal path by exactly the same degree. The imbalance corresponds to the difference in amplification of the I and Q channel and therefore to the difference in amplitude of the signal components. In the vector diagram, the length of the I vector changes relative to the length of the Q vector.

The result is displayed in dB and %, where 1 dB offset corresponds to roughly 12 % difference between the I and Q gain, according to the following equation:

$$Imbalance [dB] = 20 \log\left(\frac{|Gain_Q|}{|Gain_I|}\right)$$

Positive values mean that the Q vector is amplified more than the I vector by the corresponding percentage. For example, using the figures mentioned above:

$$0.98 \approx 20 \log_{10}\left(\frac{1.12}{1}\right)$$

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-2: Positive gain imbalance

Negative values mean that the I vector is amplified more than the Q vector by the corresponding percentage. For example, using the figures mentioned above:

$$-0.98 \approx 20 \log_{10}\left(\frac{1}{1.12}\right)$$




Figure 3-3: Negative gain imbalance

3.1.1.3 Quadrature offset

An ideal I/Q modulator sets the phase angle between the I and Q path mixer to exactly 90 degrees. With a quadrature offset, the phase angle deviates from the ideal 90 degrees, the amplitudes of both components are of the same size. In the vector diagram, the quadrature offset causes the coordinate system to shift.

A positive quadrature offset means a phase angle greater than 90 degrees:

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-4: Positive quadrature offset

A negative quadrature offset means a phase angle less than 90 degrees:




Figure 3-5: Negative quadrature offset

3.1.1.4 I/Q skew

If transmission of the data on the I path is delayed compared to the Q path, or vice versa, the I/Q data becomes *skewed*.

The I/Q skew results can be compensated for together with [Gain imbalance](#) and [Quadrature offset](#) (see "[I/Q Mismatch Compensation](#)" on page 140).

3.1.1.5 I/Q mismatch

I/Q mismatch is a comprehensive term for [Gain imbalance](#), [Quadrature offset](#), and [I/Q skew](#).

Compensation for I/Q mismatch is useful, for example, if the device under test is known to be affected by these impairments but the EVM without these effects is of interest. Note, however, that measurements strictly according to IEEE 802.11-2012, IEEE 802.11ac-2013 WLAN standard must not use compensation.

3.1.1.6 RF carrier suppression (IEEE 802.11b, g (DSSS))

Standard definition

The RF carrier suppression, measured at the channel center frequency, shall be at least 15 dB below the peak SIN(x)/x power spectrum. The RF carrier suppression shall be measured while transmitting a repetitive 01 data sequence with the scrambler disabled using DQPSK modulation. A 100 kHz resolution bandwidth shall be used to perform this measurement.

Comparison to IQ offset measurement in the R&S FSV3 WLAN application

The IQ offset measurement in the R&S FSV3 WLAN application returns the current carrier feedthrough normalized to the mean power at the symbol timings. This measurement does not require a special test signal and is independent of the transmit filter shape.

The RF carrier suppression measured according to the standard is inversely proportional to the IQ offset measured in the R&S FSV3 WLAN application. The difference (in dB) between the two values depends on the transmit filter shape. Determine it with a reference measurement.

The following table lists the difference exemplarily for three transmit filter shapes (± 0.5 dB):

Transmit filter	– IQ-Offset [dB] – RF-Carrier-Suppression [dB]
Rectangular	11 dB
Root raised cosine, "α" = 0.3	10 dB
Gaussian, "α" = 0.3	9 dB

3.1.1.7 EVM measurement

The R&S FSV3 WLAN application provides two different types of EVM calculation.

PPDU EVM (direct method)

The PPDU EVM (direct) method evaluates the root mean square EVM over one PPDU. That is the square root of the averaged error power normalized by the averaged reference power:

$$EVM = \sqrt{\frac{\sum_{n=0}^{N-1} |x_{meas}(n) - x_{ref}(n)|^2}{\sum_{n=0}^{N-1} |x_{ref}(n)|^2}} = \sqrt{\frac{\sum_{n=0}^{N-1} |e(n)|^2}{\sum_{n=0}^{N-1} |x_{ref}(n)|^2}}$$

Before calculation of the EVM, tracking errors in the measured signal are compensated for if specified by the user. In the ideal reference signal, the tracking errors are always compensated for. Tracking errors include phase (center frequency error + common

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

phase error), timing (sampling frequency error) and gain errors. Quadrature offset and gain imbalance errors, however, are not corrected.

The PPDU EVM is not part of the IEEE standard and no limit check is specified. Nevertheless, this commonly used EVM calculation can provide some insight in modulation quality and enables comparisons to other modulation standards.




Figure 3-6: I/Q diagram for EVM calculation

Peak vector error (IEEE method)

The peak vector error (Peak EVM) is defined in section 18.4.7.8 "Transmit modulation accuracy" of the IEEE 802.11b standard. The phase, timing and gain tracking errors of the measurement signal (center frequency error, common phase error, sampling frequency error) are compensated for before EVM calculation.

The standard does not specify a normalization factor for the error vector magnitude. To get an EVM value that is independent of the level, the R&S FSV3 WLAN application normalizes the EVM values. Thus, an EVM of 100% indicates that the error power on the I- or Q-channels equals the mean power on the I- or Q-channels, respectively.

The peak vector error is the maximum EVM over all payload symbols and all active carriers for one PPDU. If more than one PPDU is analyzed the Min / Mean / Max columns show the minimum, mean or maximum Peak EVM of all analyzed PPDUs. This can be the case, for example, if several analyzed PPDUs are in the capture buffer or due to the [PPDU Statistic Count / No of PPDUs to Analyze](#) setting.

The IEEE 802.11b or g (DSSS) standards allow a peak vector error of less than 35%. In contrary to the specification, the R&S FSV3 WLAN application does not limit the measurement to 1000 chips length, but searches the maximum over the whole PPDU.

3.1.1.8 Unused tone error

Similarly to the adjacent channel power requirements for other WLAN standards, the IEEE 802.11ax standard specifies limits for power leakage into neighboring resource units (IEEE P802.11ax/D1.2, "Transmitter modulation accuracy (EVM) test" section). In high-efficiency wireless signals, the subcarriers or frequencies that are not used for active transmission are referred to as *unused tones*. Thus, the parameter that indicates the power leakage into adjacent resource units is referred to as the *unused tone error*. The R&S FSV3 WLAN application provides a dedicated result display for the IEEE 802.11ax standard for HE trigger-based PPDU.

The region in which the power leakage must be determined depends on the size and position within the channel of the resource unit being checked. Up to 3 times the number of subcarriers contained in the resource unit are checked on either side of it. Any remaining subcarriers are checked against the fixed limit of -35 dB. However, only subcarriers in the same channel are evaluated. If the resource unit is at the edge of the channel, possibly no or not enough adjacent subcarriers are available in the channel. Assuming the resource unit contains n carriers, the adjacent n subcarriers are assigned a certain limit, the next n subcarriers have another limit, and the third n subcarriers have yet another limit. All subcarriers beyond that have a fixed limit of -35 dB in relation to the EVM tolerance limit for the original resource unit ("*IEEE P802.11ax/D1.2] Equation (28-123)*").

Since the n subcarriers can be allocated to several different resource units, we refer to such a subset as an *RU group*. The RU group containing the resource unit to be checked is referred to as RU_{idx} . The other subsets evaluated on either side of the RU_{idx} are referred to as RU groups RU_{idx-1} , RU_{idx-2} , RU_{idx-3} , and RU_{idx+1} , RU_{idx+2} , RU_{idx+3} . The remaining subcarriers are referred to as the RU groups *-35 dB LHS* (left-hand side) and *-35 dB RHS* (right-hand side).

The size of the evaluated RU groups corresponds to the size of the RU_{idx} , even if the actual resource unit allocation in the channel differs. However, the R&S FSV3 WLAN application measures one unused tone value for each set of 26 subcarriers. For each RU group, the mean, maximum, and minimum of these values is determined. In the [Unused Tone Error Summary](#), the "RU Size [RU26]" is indicated as the quotient of the RU size divided by the RU26 size (see "*IEEE P802.11ax/D1.2] Equation (28-123)*"). Thus, the "RU Size [RU26]" also indicates the number of measurement points determined for each RU group.

[Figure 3-7](#) illustrates the RU groups for which the unused tone error is determined for different RU indexes. The blue dots indicate individual power measurement points in the channel.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-7: RU groups to be checked for unused tone error for different RU indexes

3.1.1.9 BER and CWER

The bit error rate (BER) and code word error rate (CWER) are displayed in the "Signal Content Detailed" result display. One value is determined for each resource unit (RU) data part.

If error correction corrects code words successfully, the BER is the ratio of the successfully corrected bits divided by the total number of bits.

The total number of bits contains:

- The code words that were corrected successfully.
- The code words without bit errors.
- No code words that could not be corrected.

The CWER is the ratio of the code words that could not be corrected divided by the total number of code words per resource unit (RU).

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

If no bit errors or code word errors are detected, the result is 0 %. If both results are 0 %, the results are highlighted green. Otherwise, the result is highlighted red.

The BER and CWER results are only available under the following conditions:

- IEEE 802.11 ax, be signals
- SISO (1 antenna)
- One user per resource unit
- Non-trigger-based PPDU
- Low Density Parity Check (LDPC) encoding; BER also for Binary Convolutional Coding (BCC)

3.1.2 Evaluation methods for WLAN IQ measurements

The captured I/Q data from the WLAN signal can be evaluated using various different methods without having to start a new measurement or sweep. Which results are displayed depends on the selected evaluation.



Result display windows

All evaluations available for the selected WLAN measurement are displayed in Smart-Grid mode.

To activate SmartGrid mode, do one of the following:

-

Select the "SmartGrid" icon from the toolbar.

- Select the "Display Config" button in the configuration "Overview" (see [Chapter 5.2, "Display configuration"](#), on page 104).
- Press the [MEAS CONFIG] hardkey and then select the "Display Config" softkey.

To close the SmartGrid mode and restore the previous softkey menu select the "Close" icon in the right-hand corner of the toolbar, or press any key.

The selected evaluation method not only affects the result display in a window, but also the results of the trace data query in remote control (see [TRACe \[: DATA \] ?](#) on page 384).

The WLAN measurements provide the following evaluation methods:

AM/AM	27
AM/PM	28
AM/EVM	28
Amplitude Tracking	29
Bitstream	29
Constellation	31
Constellation vs Carrier	33
EVM vs Carrier	34
EVM vs Chip	35
EVM vs Symbol	35

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

FFT Spectrum.....	36
Freq. Error vs Preamble.....	37
Gain Imbalance vs Carrier.....	38
Group Delay.....	39
Magnitude Capture.....	40
Phase Error vs Preamble.....	40
Phase Tracking.....	41
PLCP Header (IEEE 802.11b, g (DSSS)).....	42
PvT Full PPDU.....	43
PvT Rising Edge.....	44
PvT Falling Edge.....	45
Quad Error vs Carrier.....	45
Result Summary Detailed.....	46
Result Summary Global.....	47
Signal Content Detailed (IEEE 802.11ax, be).....	49
Signal Field.....	50
Spectrum Flatness.....	52
Spectrum Flatness Result Summary.....	54
Unused Tone Error.....	54
Unused Tone Error Summary.....	55

AM/AM


This result display shows the measured and the reference signal in the time domain. For each sample, the x-axis value represents the amplitude of the reference signal and the y-axis value represents the amplitude of the measured signal.

The reference signal is derived from the measured signal after frequency and time synchronization, channel equalization and demodulation of the signal. The equivalent time domain representation of the reference signal is calculated by reapplying all the impairments that were removed before demodulation.

The trace is determined by calculating a *polynomial regression model* of a specified degree (see "[Polynomial degree for curve fitting](#)" on page 182) for the scattered measurement vs. reference signal data. The resulting regression polynomial is indicated in the window title of the result display.

Note: The measured signal and reference signal are complex signals.

This result display is **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).



WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Remote command:

LAY:ADD? '1', RIGH, AMAM, see LAYout:ADD[:WINDow]? on page 327

Or:

CONFigure:BURSt:AM:AM[:IMMediate] on page 216

Polynomial degree:

CONFigure:BURSt:AM:AM:POLYnomial on page 338


Results:

TRACe[:DATA]?, see Chapter 9.9.4.1, "AM/AM", on page 390

AM/PM

This result display shows the measured and the reference signal in the time domain. For each sample, the x-axis value represents the amplitude of the reference signal. The y-axis value represents the angle difference of the measured signal minus the reference signal.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).



Remote command:

LAY:ADD? '1', RIGH, AMPM, see LAYout:ADD[:WINDow]? on page 327

Or:

CONFigure:BURSt:AM:PM[:IMMediate] on page 216

Querying results:

TRACe[:DATA]?, see Chapter 9.9.4.2, "AM/PM", on page 390


AM/EVM

This result display shows the measured and the reference signal in the time domain. For each sample, the x-axis value represents the amplitude of the reference signal. The y-axis value represents the length of the error vector between the measured signal and the reference signal.

The length of the error vector is normalized with the power of the corresponding reference signal sample.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)



Remote command:

LAY:ADD? '1', RIGH, AMEV, see LAYout:ADD[:WINDow]? on page 327

Or:

CONFigure:BURSt:AM:EVM[:IMMediate] on page 216

Querying results:


TRACe[:DATA]?, see Chapter 9.9.4.3, "AM/EVM", on page 390

Amplitude Tracking

Displays the average amplitude tracking result per symbol (in dB).

For each OFDM-symbol N, the amplitude error (rel. to preamble) is averaged over the pilot subcarriers of the OFDM-symbol N.

For IEEE 802.11 ac, ax, n, be only



Remote command:

LAY:ADD? '1', RIGH, ATRacking, see LAYout:ADD[:WINDow]? on page 327

Bitstream

This result display shows a demodulated payload data stream for all analyzed PPDU's of the currently captured I/Q data as indicated in the "Magnitude Capture" display. The bitstream is derived from the constellation diagram points using the 'constellation bit encoding' from the corresponding WLAN standard. See, for example, *IEEE Std. 802.11-2012 'Fig. 18-10 BPSK, QPSK, 16-QAM and 64-QAM constellation bit encoding'*. Thus, the bitstream is *NOT* channel-decoded.

For multicarrier measurements (**IEEE 802.11a, ac, g (OFDM), j, n, p**), the results are grouped by symbol and carrier.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

1 Bitstream			
Carrier	Symbol 1		
-26	000010	110111	111110
-23	000001	010100	0
-20	011001	101010	010101
-17	001010	011100	101010
-14	111100	001010	001101
-11	011011	111110	010010
-8	111100	0	001100
-5	001101	111100	101100
-2	101010	100011	NULL
1	101010	101101	101010
4	011010	000101	010001
7	0	101101	001011
10	000110	100100	100101
13	101001	111101	101011
16	011100	111001	010010
19	110100	111001	0
22	000011	101111	101111
25	001111	111100	
Carrier	Symbol 2		

Figure 3-8: Bitstream result display for IEEE 802.11a, ac, g (OFDM), j, n, p standards


For MIMO measurements (IEEE 802.11 ac, ax, n, be), the results are grouped by stream, symbol and carrier.

3 Bitstream			
Stream 1.4			
Stream 1		Stream 2	
Carrier	Symbol 1		
-122	01001010	10010110	01110110
-119	11111101	10010010	01110101
-116	10010011	00110000	10000110
-113	11000101	00010010	01111110
-110	10010101	00100101	10100100
-107	10001011	00011011	01001010
-104	10100100	0	10111101
-101	00111000	10101111	10110011
Carrier	Symbol 1		
-122	11001101	00100011	11001110
-119	11101001	10101000	00010010
-116	00000001	00101101	10100010
-113	01010001	10011000	00010010
-110	10000010	11101011	11100100
-107	01001111	11101100	11001101
-104	10010001	0	01010000
-101	00000111	00101101	01010011
Carrier	Symbol 1		
-122	01001101	00111101	10111011
-119	11100110	00000111	00001011
-116	01110110	00001011	01011101
-113	00110011	00010010	01101101
-110	01000000	00011101	00000010
-107	11100010	01000010	01000111
-104	00111110	0	11001001
-101	01001111	11001101	01001101

Figure 3-9: Bitstream result display for IEEE 802.11n MIMO measurements

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

For single-carrier measurements (**IEEE 802.11b, g (DSSS)**) the results are grouped by PPDU.



4 Bitstream			
PPDU 1			
PLCP Preamble			
0	11111111	11111111	11111111
24	11111111	11111111	11111111
48	11111111	11111111	11111111
72	11111111	11111111	11111111
96	11111111	11111111	11111111
120	11111111	00000101	11001111
PLCP Header			
0	01010000	00100000	00000000
24	00000100	11001000	01000110
PSDU			
0	10000000	01000010	00110000
24	10011100	10101011	00001101
48	11101001	10111001	00010100

Figure 3-10: Bitstream result display for IEEE 802.11b, g (DSSS) standards

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.4, "Bitstream"](#), on page 390.

Remote command:

LAY:ADD? '1',RIGH, BITS, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:STATistics:BSTReam\[:IMMediate\]](#) on page 220

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.4, "Bitstream"](#), on page 390

Constellation

This result display shows the in-phase and quadrature phase results for all payload symbols and all carriers for the analyzed PPDUs of the current capture buffer. The Tracking/Channel Estimation according to the user settings is applied.

The inphase results (I) are displayed on the x-axis, the quadrature phase (Q) results on the y-axis.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-11: Constellation result display for IEEE 802.11n MIMO measurements

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.6, "Constellation"](#), on page 392.

Remote command:

LAY:ADD? '1',RIGH, CONS, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:CONST:CSYMBOL\[:IMMediate\]](#) on page 216

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.6, "Constellation"](#), on page 392

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Constellation vs Carrier

This result display shows the in-phase and quadrature phase results for all payload symbols and all carriers for the analyzed PPDUs of the current capture buffer. The Tracking/Channel Estimation according to the user settings is applied.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).

The x-axis represents the carriers. The magnitude of the in-phase and quadrature part is shown on the y-axis, both are displayed as separate traces (I-> trace 1, Q-> trace 2).





Figure 3-12: Constellation vs. carrier result display for IEEE 802.11n MIMO measurements

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.7, "Constellation vs carrier"](#), on page 393.

Remote command:

LAY:ADD? '1',RIGH, CVC, see [LAYout:ADD\[:WINDOW\]?](#) on page 327

Or:

[CONFigure:BURSt:CONSt:CCARrier\[:IMMediate\]](#) on page 216

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.7, "Constellation vs carrier"](#), on page 393

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

EVM vs Carrier

This result display shows all EVM values recorded on a per-subcarrier basis over the number of analyzed PPDU's as defined by the "Evaluation Range > Statistics". The Tracking/Channel Estimation according to the user settings is applied (see [Chapter 5.3.6, "Tracking and channel estimation"](#), on page 137). The minimum, average and maximum traces are displayed.

For **IEEE 802.11be** measurements, the results are displayed for the RUs selected in the PPDU configuration, see ["Result displays for multi-user PPDU's"](#) on page 160.

This result display is **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).




Figure 3-13: EVM vs carrier result display for IEEE 802.11n MIMO measurements

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.10, "EVM vs carrier"](#), on page 393.

Remote command:

LAY:ADD? '1',RIGH, EVC, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

CONFigure:BURSt:EVM:ECARrier[:IMMediate] on page 217

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Querying results:


TRACe[:DATA]?, see [Chapter 9.9.4.10, "EVM vs carrier"](#), on page 393

EVM vs Chip

This result display shows the error vector magnitude per chip.

This result display is **only** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).

Since the R&S FSV3 WLAN application provides two different methods to calculate the EVM, two traces are displayed:



- "Vector Error IEEE" shows the error vector magnitude as defined in the IEEE 802.11b or g (DSSS) standards (see also ["Error vector magnitude \(EVM\) - IEEE 802.11b or g \(DSSS\) method"](#) on page 74)
- "EVM" shows the error vector magnitude calculated with an alternative method that provides higher accuracy of the estimations (see also ["Error vector magnitude \(EVM\) - R&S FSV/A method"](#) on page 74).

Remote command:

LAY:ADD? '1',RIGH, EVCH, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:EVM:EVChip\[:IMMediate\]](#) on page 217

[CONFigure:BURSt:EVM:ESYMBOL\[:IMMediate\]](#) on page 217

Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.11, "EVM vs chip"](#), on page 394

EVM vs Symbol

This result display shows all EVM values calculated on a per-carrier basis over the number of analyzed PPDU's as defined by the "Evaluation Range > Statistics" settings (see ["PPDU Statistic Count / No of PPDU's to Analyze"](#) on page 175). The "Tracking/ Channel Estimation" according to the user settings is applied (see [Chapter 5.3.6, "Tracking and channel estimation"](#), on page 137). The minimum, average and maximum traces are displayed.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-14: EVM vs symbol result display for IEEE 802.11n MIMO measurements

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).

Remote command:

LAY:ADD? '1',RIGHT, EVSY, see LAYout:ADD[:WINDow]? on page 327

Or:

CONFigure:BURSt:EVM:ESYMBOL[:IMMediate] on page 217

Querying results:

TRACe[:DATA]?, see Chapter 9.9.4.12, "EVM vs symbol", on page 394

FFT Spectrum

This result display shows the power vs frequency values obtained from an FFT. The FFT is performed over the complete data in the current capture buffer, without any correction or compensation.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-15: FFT spectrum result display for IEEE 802.11n MIMO measurements

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.13, "FFT spectrum"](#), on page 395.

Remote command:

LAY:ADD? '1',RIGH, FSP, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:SPECTrum:FFT\[:IMMediate\]](#) on page 219


Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.13, "FFT spectrum"](#), on page 395

Freq. Error vs Preamble

Displays the frequency error values recorded over the preamble part of the PPDU. The minimum, average and maximum traces are displayed.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)



Remote command:

LAY:ADD? '1', RIGH, FEVP, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:PREamble\[:IMMediate\]](#) on page 217


[CONFigure:BURSt:PREamble:SElect](#) on page 218

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.9, "Error vs preamble"](#), on page 393

Gain Imbalance vs Carrier

Displays the minimum, average and maximum gain imbalance versus carrier in individual traces. For details on gain imbalance, see [Chapter 3.1.1.2, "Gain imbalance"](#), on page 19.



Remote command:

LAY:ADD? '1', RIGH, GAIN, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:GAIN:GCARrier\[:IMMediate\]](#) on page 217

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.8, "Error vs carrier"](#), on page 393

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Group Delay

Displays all "Group Delay" (GD) values recorded on a per-subcarrier basis - over the number of analyzed PPDU's as defined by the "Evaluation Range > Statistics" settings (see "PPDU Statistic Count / No of PPDU's to Analyze" on page 175).

All 57 carriers are shown, including the unused carrier 0.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).





Figure 3-16: Group delay result display for IEEE 802.11n MIMO measurements

Group delay is a measure of phase distortion and defined as the derivation of phase over frequency.

To calculate the group delay, the estimated channel is upsampled, inactive carriers are interpolated, and phases are unwrapped before they are differentiated over the carrier frequencies. Thus, the group delay indicates the time a pulse in the channel is delayed for each carrier frequency. However, not the absolute delay is of interest, but rather the deviation between carriers. Thus, the mean delay over all carriers is deducted.

For an ideal channel, the phase increases linearly, which causes a constant time delay over all carriers. In this case, a horizontal line at the zero value would be the result.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.14, "Group delay"](#), on page 395.

Remote command:

LAY:ADD? '1',RIGH, GDEL, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

CONF:BURS:SPEC:FLAT:SEL GRD, see [CONFigure:BURSt:SPECTrum:FLATness:SElect](#) on page 219 and [CONFigure:BURSt:SPECTrum:FLATness\[:IMMediate\]](#) on page 220

Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.14, "Group delay"](#), on page 395

Magnitude Capture

The "Magnitude Capture" display shows the complete range of captured data for the last sweep. Green bars at the bottom of the "Magnitude Capture" display indicate the positions of the analyzed PPDU.

A blue bar indicates the selected PDU if the evaluation range is limited to a single PDU (see ["Analyze this PDU / PPDU to Analyze"](#) on page 174).




Figure 3-17: Magnitude capture display for single PDU evaluation

Numeric trace results are not available for this evaluation method.

Remote command:

LAY:ADD? '1',RIGH, CMEM, see [LAYout:ADD\[:WINDow\]?](#) on page 327


Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.15, "Magnitude capture"](#), on page 396

Phase Error vs Preamble

Displays the phase error values recorded over the preamble part of the PDU. A minimum, average and maximum trace is displayed.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)



Remote command:

LAY:ADD? '1', RIGH, PEVP, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:PREamble\[:IMMediate\]](#) on page 217

[CONFigure:BURSt:PREamble:SElect](#) on page 218

Querying results:

[TRACe\[:DATA\]?](#), see [Chapter 9.9.4.9, "Error vs preamble"](#), on page 393

Phase Tracking

Displays the average phase tracking result per symbol (in radians).

For each OFDM-symbol N, the pilot phase error (rel. to preamble) is averaged over the pilot subcarriers of the OFDM-symbol N.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).




Figure 3-18: Phase tracking result display for IEEE 802.11n MIMO measurements

Remote command:

LAY:ADD? '1', RIGH, PTR, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:PTRacking\[:IMMediate\]](#) on page 218

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Querying results:

`TRACe [:DATA] ?`, see [Chapter 9.9.4.16, "Phase tracking"](#), on page 396

PLCP Header (IEEE 802.11b, g (DSSS))

This result display shows the decoded data from the PLCP header of the PPDU.

This result display is **only** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**); for other standards, use [Signal Field](#) instead.

PLCP Header	Signal	Service	PSDU Length	CRC
Burst 1	01101110 11 Mbits/s	00100000 Lock/CCK / --	0000001011101001 745 µs	1011010110001010 OK
Burst 2	01101110 11 Mbits/s	00100000 Lock/CCK / --	0000001011101001 745 µs	1011010110001010 OK
Burst 3	01101110 11 Mbits/s	00100000 Lock/CCK / --	0000001011101001 745 µs	1011010110001010 OK
Burst 4	01101110 11 Mbits/s	00100000 Lock/CCK / --	0000001011101001 745 µs	1011010110001010 OK
Burst 5	01101110 11 Mbits/s	00100000 Lock/CCK / --	0000001011101001 745 µs	1011010110001010 OK

Figure 3-19: PLCP Header result display for IEEE 802.11b, g (DSSS) standards

The following information is provided:

Note: The signal field information is provided as a decoded bit sequence and, where appropriate, also in human-readable form beneath the bit sequence for each PPDU.

Table 3-4: Demodulation results in PLCP Header result display (IEEE 802.11b, g (DSSS))

Result	Description	Example
PPDU	Number of the decoded PPDU A colored block indicates that the PPDU was successfully decoded.	PPDU 1
Signal	Information in "signal" field The decoded data rate is shown below.	01101110 11 Mbits/s
Service	Information in "service" field <Symbol clock state> /<Modulation format> / <Length extension bit state> where: <Symbol clock state>: Locked / - - <Modulation format>: see Table 4-3 <Length extension bit state>: 1 (set) / - - (not set)	00100000 Lock/CCK/- -
PSDU Length	Information in "length" field Time required to transmit the PSDU	000000001111000 120 µs
CRC	Information in "CRC" field Result of cyclic redundancy code check: "OK" or "Failed"	1110100111001110 OK

Remote command:

`LAY:ADD? '1',RIGH, SFI`, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

`CONFigure:BURSt:STATistics:SFIeld[:IMMediate]` on page 220

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Querying results:

TRACe [: DATA] ?, see [Chapter 9.9.4.18, "Signal field"](#), on page 397

PvT Full PPDU

Displays the minimum, average and maximum power vs time diagram for all PPDUs.




Figure 3-20: PvT Full PPDU result display for IEEE 802.11a, ac, g (OFDM), j, n, p standards



Figure 3-21: PvT Full PPDU result display for IEEE 802.11n MIMO measurements

For single-carrier measurements (**IEEE 802.11b, g (DSSS)**), the PVT results are displayed as percentage values of the reference power. The reference can be set to either the maximum or mean power of the PPDU.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-22: PVT Full PPDU result display for IEEE 802.11b, g (DSSS) standards

Remote command:

LAY:ADD:WIND '2', RIGH, PFPP see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

CONFigure:BURSt:PVT:SElect on page 218

CONFigure:BURSt:PVT[:IMMediate] on page 218

Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.17, "Power vs time \(PVT\)"](#), on page 396

PvT Rising Edge

Displays the minimum, average and maximum power vs time diagram for the rising edge of all PPDU.




Figure 3-23: PVT Rising Edge result display

Remote command:

LAY:ADD:WIND '2', RIGH, PRIS see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

CONFigure:BURSt:PVT:SElect on page 218

CONFigure:BURSt:PVT[:IMMediate] on page 218

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Querying results:

TRACe [:DATA] ?, see [Chapter 9.9.4.17, "Power vs time \(PVT\)"](#), on page 396

PvT Falling Edge

Displays the minimum, average and maximum power vs time diagram for the falling edge of all PPDU's.




Figure 3-24: PvT Falling Edge result display

Remote command:

LAY:ADD:WIND '2', RIGH, PFAL see [LAYout:ADD\[:WINDow\] ?](#) on page 327

Or:

CONFigure:BURSt:PVT:SElect on page 218


CONFigure:BURSt:PVT[:IMMediate] on page 218

Querying results:

TRACe [:DATA] ?, see [Chapter 9.9.4.17, "Power vs time \(PVT\)"](#), on page 396

Quad Error vs Carrier

Displays the minimum, average and maximum quadrature offset (error) versus carrier in individual traces. For details on quadrature offset, see [Chapter 3.1.1.3, "Quadrature offset"](#), on page 20.



WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Remote command:

LAY:ADD? '1', RIGHT, QUAD, see LAYout:ADD[:WINDow]? on page 327

Or:

CONFigure:BURSt:QUAD:QCARrier[:IMMediate] on page 219

Querying results:

TRACe[:DATA]?, see Chapter 9.9.4.8, "Error vs carrier", on page 393

Result Summary Detailed

The *detailed* result summary contains individual measurement results for the Transmitter and Receiver channels and for the bitstream.

This result display is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).

4 Result Summary Detailed											
Tx 1:Rx 1						Tx 2:Rx 2					
4.1 Tx 1:Rx 1						4.2 Tx 2:Rx 2					
	Min	Mean	Limit	Max	Lir		Min	Mean	Limit	Max	Lir
IQ Offset	-45.70	-45.47	-20.00	-45.37	-20.00	IQ Offset	-62.45	-62.07	-20.00	-61.67	-20.00
Gain Imbalance	-0.26	-0.25		-0.24		Gain Imbalance	-0.06	-0.04		-0.02	
	-0.02	-0.02		-0.02			-0.01	-0.00		-0.00	
Quad. Offset	0.03	0.04		0.05		Quad. Offset	-0.00	0.01		0.02	
IQ Skew	-1.03	-0.41		0.92		IQ Skew	0.88	2.48		3.56	
PPDU Power	---	---		---		PPDU Power	---	---		---	
Crest Factor	---	---		---		Crest Factor	---	---		---	
Rx 1						Rx 2					
	Min	Mean	Limit	Max	Lir		Min	Mean	Limit	Max	Lir
PPDU Power	-11.94	-11.94		-11.94		PPDU Power	-15.52	-15.51		-15.51	
Crest Factor	10.87	10.88		10.88		Crest Factor	10.55	10.57		10.58	
MIMO Cross Power	---	-6.60		---		MIMO Cross Power	---	-6.60		---	
Center Freq Error	---	---		---		Center Freq Error	---	---		---	
Symbol Clock Error	---	---		---		Symbol Clock Error	---	---		---	
CPE	---	---		---		CPE	---	---		---	
Stream 1						Stream 2					
	Min	Mean	Limit	Max	Lir		Min	Mean	Limit	Max	Lir
BER Pilot	---	---	0.00	---	0.00	BER Pilot	---	---	0.00	---	0.00
EVM All Carrier	-46.94	-46.62	-22.00	-46.31	-22.00	EVM All Carrier	-47.17	-46.65	-16.00	-46.16	-16.00
EVM Data Carrier	-46.89	-46.55	-22.00	-46.23	-22.00	EVM Data Carrier	-47.13	-46.61	-16.00	-46.14	-16.00
EVM Pilot Carrier	-49.34	-48.28	-5.00	-47.53	-5.00	EVM Pilot Carrier	-48.13	-47.54	-5.00	-46.43	-5.00

Figure 3-25: Detailed Result Summary result display for IEEE 802.11n MIMO measurements

The "Result Summary Detailed" contains the following information:

Note: You can configure which results are displayed (see Chapter 5.3.9, "Result configuration", on page 179). However, the results are always calculated, regardless of their visibility.

Tx channel ("Tx All"):

- I/Q offset [dB]
- Gain imbalance [%/dB]
- Quadrature offset [°]
- I/Q skew [ps]
- PPDU power [dBm]
- Crest factor [dB]

Receive channel ("Rx All"):

- PPDU power [dBm]
- Crest factor [dB]

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

- MIMO cross power
- MIMO channel power
- Center frequency error
- Symbol clock error
- CPE

"Bitstream" ("Stream All"):

- Pilot bit error rate [%]
- EVM all carriers [%/dB]
- EVM data carriers [%/dB]
- EVM pilot carriers [%/dB]

For details on the individual parameters and the summarized values, see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Remote command:

LAY:ADD? '1',RIGH, RSD, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Querying results:

[FETCh:BURSt:ALL:FORMatted?](#) on page 355

Result Summary Global

The *global* result summary provides measurement results based on the complete signal, consisting of all channels and streams. The observation length is the number of PPDUs to be analyzed as defined by the "Evaluation Range > Statistics" settings. In contrast, the *detailed* result summary provides results for each individual channel and stream.

For MIMO measurements (IEEE 802.11 ac, ax, n, be), the global result summary provides the results for all data streams, whereas the detailed result summary provides the results for individual streams.

1 Result Summary Global						
No. of PPDUs - Recognized: 19		Analyzed: 18		Analyzed Physical Channel: 18		
PPDUs:	Min	Mean	Limit	Max	Limit	Unit
Pilot Bit Error Rate	0.00	0.00	0.00	0.00	0.00	%
EVM All Carriers	0.34	0.38	31.62	0.49	31.62	%
	-49.25	-48.46	-10.00	-46.15	-10.00	dB
EVM Data Carriers	0.34	0.38	31.62	0.50	31.62	%
	-49.25	-48.44	-10.00	-46.07	-10.00	dB
EVM Pilot Carriers	0.29	0.34	56.23	0.45	56.23	%
	-50.62	-49.31	-5.00	-46.99	-5.00	dB
Center Frequency Error	-4.34	-0.85	±100000.00	3.55	±100000.00	Hz
Symbol Clock Error	0.02	0.09	±20.00	0.17	±20.00	ppm

Figure 3-26: Global result summary for IEEE 802.11a, ac, g (OFDM), j, n, p standards

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

1 Result Summary Global						
No. of PPDU's - Recognized: 3		Analyzed: 3		Analyzed Physical Channel: 0		
PPDU's:	Min	Mean	Limit	Max	Limit	Unit
Peak Vector Error	1.18	1.37	35.00	1.47	35.00	%
PPDU EVM	0.19	0.19		0.19		%
	-54.59	-54.57		-54.54		dB
IQ Offset	-67.45	-67.33		-67.24		dB
	82.34	82.34		82.34		%
Gain Imbalance	-15.06	-15.06		-15.06		dB
	0.00	0.00		0.00		°
Quadrature Error	0.00	0.00		0.00		°
Center Freq Error	0.00	0.00	±331250.00	0.00	±331250.00	Hz
	-0.00	-0.00	±25.00	-0.00	±25.00	ppm
Rise Time	1.00	1.00	2.00	1.00	2.00	µs
Fall Time	3.18	3.18*	2.00	3.18*	2.00	µs
Mean Power	-2.62	-2.62		-2.62		dBm
	-1.67	-1.67		-1.66		dBm
Peak Power	-1.67	-1.67		-1.66		dBm
Crest Factor	0.94	0.95		0.95		dB

Figure 3-27: Global result summary for IEEE 802.11b, g (DSSS) standards

The "Result Summary Global" contains the following information:

Note: You can configure which results are displayed (see [Chapter 5.3.9, "Result configuration"](#), on page 179). However, the results are always calculated, regardless of their visibility.

(not for IEEE 802.11 be standard)

- Number of recognized PPDU's
- Number of analyzed PPDU's
- Number of analyzed PPDU's in entire physical channel, if available

IEEE 802.11 be standard: "PPDU / MCS / GI+EHT-LTF / RUS":

- PPDU type
- MCS index
- sum of guard interval (GI) length and extremely high throughput long training field (EHT-LTF) length
- RU size of the currently displayed resource unit (see also ["Result displays for multi-user PPDU's"](#) on page 89)

IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be standards:

- Pilot bit error rate [%]
- EVM all carriers [%/dB]
- EVM data carriers [%/dB]

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

- EVM pilot carriers [%/dB]
- Center frequency error [Hz]
- Symbol clock error [ppm]

IEEE 802.11b, g (DSSS) standards:

- Peak vector error
- PPDU EVM
- Quadrature offset
- Gain imbalance
- Quadrature error
- Center frequency error
- Chip clock error
- Rise time
- Fall time
- Mean power
- Peak power
- Crest power

For details on the individual results and the summarized values, see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Remote command:

LAY:ADD? '1',RIGH, RSGL, see LAYout:ADD[:WINDow]? on page 327

Querying results:

All values in result summary table:

[FETCh:BURSt:ALL:FORMatted?](#) on page 355

EVM values only of all PDUs:

[FETCh:BURSt:PPDU:EVM:ALL:AVERage?](#) on page 362

Signal Content Detailed (IEEE 802.11ax, be)

The Signal Content Detailed display contains information on the signal for *all* resource units.

This result display is only available for high-efficiency and extremely high throughput wireless signals (**IEEE 802.11ax, be**).

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

4 Signal Content Detailed							
PPDU Index	RU Index	RU Size	Object	EVM	Power	BER	CWER
1	---	---	L-LTF	---	-19.76 dBm	---	---
1	1	2x996	EHT-LTF	---	-55.47 dBm/SC	---	---
1	1	2x996	Data + Pilot	-89.72 dB	-55.47 dBm/SC	---	---
1	1	2x996	Data	-89.76 dB	---	0.00 %	0.00 %
1	1	2x996	Pilot	-87.96 dB	---	---	---
1	2	2x996	EHT-LTF	---	-55.47 dBm/SC	---	---
1	2	2x996	Data + Pilot	-88.10 dB	-53.88 dBm/SC	---	---
1	2	2x996	Data	-88.11 dB	---	0.00 %	0.00 %
1	2	2x996	Pilot	-87.96 dB	---	---	---

Figure 3-28: Signal Content Detailed result display for IEEE 802.11ax measurements

The "Signal Content Detailed" contains information for each decoded RU and for each object in the following order:

- (As of firmware version 3.20:) Legacy long training field (L-LTF)
- Long training field (HE-LTF)
- Data + Pilot
- Data only
- Pilot only

For each object, the following information is provided:

- PPDU index - sequential order of detected PPDU
- RU index - sequential order of resource unit
- RU size - size of the resource unit
- Object
- EVM in dB
- Power in dBm per subcarrier
- Bit error rate (BER)^{*)}
- Code word error rate (CWER)^{*)}

^{*)} Only if channel decoding is enabled in the Demodulation settings, see "[Demodulation Data \(Bitstream\)](#)" on page 157.

For details on the individual parameters and the summarized values, see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Remote command:

LAY:ADD? '1',RIGH, SCD, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Querying results:

[FETCh:SCDetailed:ALL?](#) on page 363

Signal Field

This result display shows the decoded data from the signal fields of each recognized PPDU. These fields contain information on the modulation used for transmission.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

This result display is **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**); use **PLCP Header (IEEE 802.11b, g (DSSS))** instead.

HT-MF20 PPDU [1] Bits	Field	Value [Binary]	Value	Info/Comment
L-SIG				
B0-B3	Rate	1101	11	
B4	Reserved	0	0	
B5-B16	Length	110001111000	483	
B17	Parity	1	1	1 PASS
B18-B23	Tail	000000	0	0 PASS
HT-SIG-1				
B0-B6	MCS	1000000	1	QPSK 1/2, Nss 1,
B7	CBW 20/40	0	0	20 MHz
B8-B23	HT-Length	0000000000100000	1024	Sig 158 / Est 158
HT-SIG-1				
B0	Smoothing	1	1	
B1	Not Sounding	1	1	
B2	Reserved	1	1	
B3	Aggregation	0	0	
B4-B5	STBC	00	0	

Figure 3-29: Signal Field display for IEEE 802.11n

The signal field information is provided as a decoded bit sequence and, where appropriate, also in human-readable form for each PPDU.

The currently applied user-defined demodulation settings are indicated in the table header for reference (e.g. "HT-MF20 PPDU [1]" in Figure 3-29). Since the demodulation settings define which PPDUs are to be analyzed, this *logical filter* can be the reason if the "Signal Field" display is not as expected.

The values for the individual demodulation parameters are described in Chapter 5.3.7, "Demodulation", on page 141.

The information differs for the different PPDU formats.

Table 3-5: Signal Field contents according to IEEE 802.11 standard

IEEE standard	PPDU format	"Signal Fields" contents	Standard reference
802.11a	Non-HT	L-SIG	[IEEE Std 802.11-2016] '17.3.4 SIGNAL field'
802.11n	HT-mixed	L-SIG, HT-SIG	[IEEE Std 802.11-2016] '19.3.9.4.3 HT-SIG definition'
802.11n	HT-greenfield	HT-SIG	[IEEE Std 802.11-2016] '19.3.9.5.4 HT-greenfield format HT-SIG'
802.11ac	VHT	L-SIG, VHT-SIG-A	[IEEE Std 802.11-2016] '21.3.8.3.3 VHT-SIG-A definition'
802.11ax	HE SU, HE ER SU	L-SIG, SIG-A	[IEEE Std 802.11ax-2021] '27.3.11.5 L-SIG field'
802.11ax	HE MU	L-SIG, HE-SIG-A, HE-SIG-B	[IEEE Std 802.11ax-2021] '27.3.11.7 HE-SIG-A field'
802.11ax	HE TB	L-SIG, HE-SIG-A	[IEEE Std 802.11ax-2021] '27.3.11.8 HE-SIG-B field'

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

IEEE standard	PPDU format	"Signal Fields" contents	Standard reference
802.11be	EHT MU non-OFDMA	L-SIG, U-SIG, EHT-SIG common field	[IEEE P802.11be/D3.2, May 2023] '36.3.12.5 L-SIG'
802.11be	EHT MU	L-SIG, U-SIG, EHT-SIG common field	[IEEE P802.11be/D3.2, May 2023] '36.3.12.7 U-SIG'
802.11be	EHT TB	L-SIG, U-SIG	[IEEE P802.11be/D3.2, May 2023] '36.3.12.8 EHT-SIG'

The "Signal Field" measurement indicates certain inconsistencies in the signal or discrepancies between the demodulation settings and the signal to be analyzed. In both cases, an appropriate warning is displayed and the results for the PPDU are highlighted orange - both in the "Signal Field" display and the "Magnitude Capture" display. If the signal was analyzed with warnings, the results – indicated by a message - also contribute to the overall analysis results.

PPDUs detected in the signal that do not pass the logical filter, i.e. are not to be included in analysis, are dismissed. An appropriate message is provided. The corresponding PPDU in the capture buffer is not highlighted.

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.18, "Signal field"](#), on page 397.

Remote command:

LAY:ADD? '1',RIGH, SFI, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Or:

[CONFigure:BURSt:STATistics:SFIeld\[:IMMediate\]](#) on page 220

Querying results:

Complete contents: [FETCh:SFIeld:ALL?](#) on page 367

(Decimal) Values: [TRACe\[:DATA\]?](#), see [Chapter 9.9.4.18, "Signal field"](#), on page 397

Spectrum Flatness


The "Spectrum Flatness" trace is derived from the magnitude of the estimated channel transfer function. Since this estimated channel is calculated from all payload symbols of the PPDU, it represents a carrier-wise mean gain of the channel. We assume the cable connection between the DUT and the R&S FSV/A adds no residual channel distortion. Then the "Spectrum Flatness" shows the spectral distortion caused by the DUT, for example the transmit filter.

This result display is **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).

The diagram shows the relative power per carrier. All carriers are displayed, including the unused carriers.

In contrast to the SISO measurements in previous Rohde & Schwarz signal and spectrum analyzers, the trace is no longer normalized to 0 dB, that is: scaled by the mean gain of all carriers.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)



For more information, see [Chapter 4.3.6, "Crosstalk and spectrum flatness"](#), on page 84.




Figure 3-30: Spectrum flatness result display for IEEE 802.11n MIMO measurements

The numeric trace results for this evaluation method are described in [Chapter 9.9.4.19, "Spectrum flatness"](#), on page 397.

Remote command:

LAY:ADD? '1',RIGH, SFL, see [LAYout:ADD\[:WINDOW\]?](#) on page 327

Or:

CONF:BURS:SPEC:FLAT:SEL FLAT (see [CONFigure:BURSt:SPECTrum:FLATness:SElect](#) on page 219) and [CONFigure:BURSt:SPECTrum:FLATness\[:IMMediate\]](#) on page 220

Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.19, "Spectrum flatness"](#), on page 397

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)

Spectrum Flatness Result Summary

Provides numeric results for the [Spectrum Flatness](#) trace. This is useful to check the maximum transmit spectral deviations defined by the IEEE 802.11 ax and be standards.

Range Low /Subc.	Range Up /Subc.	Δ Lower Limit /dB	@Subcarrier	Δ Upper Limit /dB	@Subcarrier
-1012	1012	2.9906	166	3.1331	-826
-1012	-697	4.2194	-1012	3.1331	-826
-696	-515	4.2559	-533	3.3923	-696
-509	-166	4.1220	-167	3.5353	-292
-165	-12	5.3224	-13	3.8853	-165
12	165	4.9335	128	4.7902	12

Maximum deviations are bandwidth and subcarrier dependant. The overall subcarrier range is divided into subranges by the standard. For each subrange, the "Spectrum Flatness" "Result Summary" provides the following values:

(The **first row** indicates the results for the **entire subcarrier range**.)

Table 3-6: Spectrum Flatness deviation results

Result	Description
"Range Low/Subc."	Subcarrier number at start of subrange
"Range Up/Subc."	Subcarrier number at end of subrange
"Δ Lower Limit/dB"	The minimal distance from the subcarriers in the subrange to the lower tolerance limit (defined by standard)
"@Subcarrier"	Subcarrier number with the minimal distance to the lower limit
"Δ Upper Limit/dB"	The minimal distance from the subcarriers in the subrange to the upper tolerance limit (defined by standard)
"@Subcarrier"	Subcarrier number with the minimal distance to the upper limit

If the tolerance limit defined by the standard is exceeded, the values are indicated in red font.

Remote command:

LAY:ADD? '1',RIGH, SFL, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Querying results:

[FETCh:SFSummary:ALL?](#) on page 368

Unused Tone Error

The unused tone error evaluation determines the error vector magnitude for unoccupied subcarriers, also referred to as *unused tones*. For details on this parameter, see [Chapter 3.1.1.8, "Unused tone error"](#), on page 24.

This result is required by the **IEEE 802.11ax** standard for HE trigger-based PPDU with a maximum channel bandwidth of 80 MHz.

WLAN I/Q measurement (modulation accuracy, flatness and tolerance)




Figure 3-31: Unused tone error for an RU index of 2 and an RU size of 106

The minimum, average and maximum unused tone values are displayed. The x-axis displays the RU index based on an RU size of 26 subcarriers. The individual measurement points are indicated by blue dots. The error vector magnitude limit per RU group, relative to the original RU, as specified by the IEEE 802.11ax standard, is indicated by red lines in the diagram. The result of the overall limit check for the entire channel is indicated as "Pass" or "Fail".

The "Unused Tone Error" diagram provides an overview of the unused tone error results of an entire channel at a glance. For detailed numeric results for individual RU groups, use the [Unused Tone Error Summary](#).

Remote command:

LAY:ADD? '1', RIGH, UTER, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Querying results:

TRACe[:DATA]?, see [Chapter 9.9.4.20, "Unused tone error"](#), on page 397

Unused Tone Error Summary

The unused tone error summary determines the error vector magnitude, relative to the original RU, for unoccupied subcarriers, also referred to as *unused tones*. For details on this parameter, see [Chapter 3.1.1.8, "Unused tone error"](#), on page 24.

This result is required by the **IEEE 802.11ax** standard for HE trigger-based PPDU with a maximum channel bandwidth of 80 MHz.

3 Unused Tone Error Summary								
RU Group	RU Size	Min dB	Mean dB	Max dB	Limit dB	Delta dB	Max RU26Idx	Limit Check
-35 dB LHS	4	-66.01	-66.01	-66.01	-35.00	-31.01	1	PASS
RUIdx-3	---	---	---	---	---	---	---	---
RUIdx-2	---	---	---	---	---	---	---	---
RUIdx-1	4	-66.53	-64.16	-61.43	-24.00	-37.43	5	PASS
RUIdx	4	-57.29	-57.05	-56.63	-22.00	-34.63	6	PASS
RUIdx+1	4	-67.78	-64.86	-62.16	-24.00	-38.16	10	PASS
RUIdx+2	4	-67.97	-67.82	-67.62	-34.00	-33.62	17	PASS
RUIdx+3	4	-68.18	-67.78	-67.50	-35.00	-32.50	18	PASS

Figure 3-32: Unused tone error summary for an RU index of 2 and an RU size of 106 (=4*26)

Note: For an overview of the unused tone error results of an entire channel at a glance, use the [Unused Tone Error](#) diagram.

The "Unused Tone Error Summary" provides the following information for up to 9 RU groups. Which subcarriers are evaluated in which RU group depends on the size and index of the resource unit to be checked. For details, see [Chapter 3.1.1.8, "Unused tone error"](#), on page 24.

"RU group"	Set of subcarriers for which a limit is specified in the standard
"RU size"	Size of the RU, indicated as a factor of 26 (RU26 unit)
"Min"	Minimum unused tone error measured in the RU group
"Mean"	Mean unused tone error measured in the RU group
"Max"	Maximum unused tone error measured in the RU group
"Limit"	Limit for unused tone error, relative to the original RU, as specified by the IEEE 802.11ax standard
"Delta"	Limit - Max = distance of maximum value to limit for the RU group
"Max RU26 Idx"	Index of the subcarrier with the maximum value, based on an RU size of 26
"Limit check"	Result of the limit check for the individual RU group

Remote command:

LAY:ADD? '1', RIGH, UTES, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Querying results:

[FETCh:UTESummary:ALL?](#) on page 368

Querying limit results:

[CALCulate<n>:LIMit:CONTRol\[:DATA\]?](#) on page 374

[CALCulate<n>:LIMit:UPPer\[:DATA\]?](#) on page 376

[CALCulate<n>:LIMit:FAIL?](#) on page 375

3.2 Frequency sweep measurements

As described above, the WLAN IQ measurement captures the I/Q data from the WLAN signal using a (nearly rectangular) filter with a relatively large bandwidth. However, some parameters specified in the WLAN 802.11 standard require a better signal-to-noise level or a smaller bandwidth filter than the I/Q measurement provides and must be determined in separate measurements.

Parameters that are common to several digital standards and are often required in signal and spectrum test scenarios can be determined by the standard measurements provided in the R&S FSV/A base unit (Spectrum application). These measurements are performed using a much narrower bandwidth filter, and they capture only the power level (magnitude, which we refer to as *RF data*) of the signal, as opposed to the two components provided by I/Q data.

Frequency sweep measurements can tune on a constant frequency ("Zero span measurement") or sweep a frequency range ("Frequency sweep measurement")

The signal cannot be demodulated based on the captured RF data. However, the required power information can be determined much more precisely, as more noise is filtered out of the signal.

The Frequency sweep measurements provided by the R&S FSV/A WLAN application are identical to the corresponding measurements in the base unit, but are pre-configured according to the requirements of the selected WLAN 802.11 standard.

For details on these measurements see the R&S FSV/A User Manual.

The R&S FSV/A WLAN application provides the following frequency sweep measurements:

3.2.1 Measurement types and results for frequency sweep measurements

The R&S FSV/A WLAN application provides the following pre-configured frequency sweep measurements:

Channel Power ACLR.....	57
Spectrum Emission Mask.....	58
Occupied Bandwidth.....	58
CCDF.....	59

Channel Power ACLR

"Channel Power ACLR" performs an adjacent channel power (also known as adjacent channel leakage ratio) measurement according to WLAN 802.11 specifications.

The R&S FSV/A measures the channel power and the relative power of the adjacent channels and of the alternate channels. The results are displayed in the "Result Summary".



For details see [Chapter 5.4.1, "Channel power \(ACLR\) measurements"](#), on page 189.

Remote command:

`CONFigure:BURSt:SPECTrum:ACPR[:IMMediate]` on page 221

Querying results:

`CALC:MARK:FUNC:POW:RES? ACP`, see `CALCulate<n>:MARKer<m>:FUNCtion:POWER<sb>:RESult?` on page 378

Spectrum Emission Mask

Access: "Overview" > "Select Measurement" > "SEM"

Or: [MEAS] > "Select Measurement" > "SEM"

The "Spectrum Emission Mask" (SEM) measurement determines the power of the WLAN 802.11 signal in defined offsets from the carrier and compares the power values with a spectral mask specified by the WLAN 802.11 specifications. The limits depend on the selected bandclass. Thus, the performance of the DUT can be tested and the emissions and their distance to the limit be identified.

Note: The WLAN 802.11 standard does not distinguish between spurious and spectral emissions.

For details see [Chapter 5.4.2, "Spectrum emission mask"](#), on page 190.




Figure 3-33: SEM measurement results

Remote command:

`CONFigure:BURSt:SPECTrum:MASK[:IMMEDIATE]` on page 221

Querying results:

`CALCulate<n>:LIMit:FAIL?` on page 375

`TRAC:DATA? LIST`, see `TRACe[:DATA]?` on page 384

Occupied Bandwidth

The "Occupied Bandwidth" (OBW) measurement determines the bandwidth in which a certain percentage of the total signal power is measured. The percentage of the signal power to be included in the bandwidth measurement can be changed; by default settings it is 99 %.

The occupied bandwidth is indicated as the "Occ BW" function result in the marker table; the frequency markers used to determine it are also displayed.



For details, see [Chapter 5.4.3, "Occupied bandwidth"](#), on page 191.

Remote command:

`CONFigure:BURSt:SPECTrum:OBWidth[:IMMediate]` on page 221

Querying results:

`CALC:MARK:FUNC:POW:RES? OBW`, see `CALCulate<n>:MARKer<m>:FUNCTION:POWer<sb>:RESult?` on page 378

CCDF

The "CCDF" (complementary cumulative distribution function) measurement determines the distribution of the signal amplitudes. The measurement captures a user-definable number of samples and calculates their mean power. As a result, the probability that a sample's power is higher than the calculated mean power + x dB is displayed. The crest factor is displayed in the "Result Summary".

For details see [Chapter 5.4.4, "CCDF"](#), on page 192.



Figure 3-34: CCDF measurement results

Remote command:

[CONFigure:BURSt:STATistics:CCDF\[:IMMediate\]](#) on page 221

Querying results:

[CALCulate<n>:MARKer<m>:Y?](#) on page 403

[CALCulate<n>:STATistics:RESult<res>?](#) on page 381


3.2.2 Evaluation methods for frequency sweep measurements

The evaluation methods for frequency sweep measurements in the R&S FSV/A WLAN application are identical to those in the R&S FSV/A base unit (Spectrum application).

Diagram	60
Result Summary	61
Marker Table	61
Marker Peak List	62

Diagram

Displays a basic level vs. frequency or level vs. time diagram of the measured data to evaluate the results graphically. This is the default evaluation method. Which data is displayed in the diagram depends on the "Trace" settings. Scaling for the y-axis can be configured.



Remote command:

LAY:ADD? '1',RIGH, DIAG, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Results:

Result Summary

Result summaries provide the results of specific measurement functions in a table for numerical evaluation. The contents of the result summary vary depending on the selected measurement function. See the description of the individual measurement functions for details.

2 Result Summary				
Channel	Bandwidth	Offset	Power	
TX1 (Ref)	1.229 MHz		-0.86 dBm	
Tx Total			-0.86 dBm	
Channel	Bandwidth	Offset	Lower	Upper
Adj	30.000 kHz	750.000 kHz	-79.59 dB	-80.34 dB
Alt1	30.000 kHz	1.980 MHz	-85.04 dB	-83.85 dB

Tip: To navigate within long marker tables, simply scroll through the entries with your finger on the touchscreen.

Remote command:

LAY:ADD? '1',RIGH, RSUM, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Marker Table

Displays a table with the current marker values for the active markers.

This table is displayed automatically if configured accordingly.

1 Marker Table							
Wnd	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result
2	M1		1	2.1725 ms	-6.80 dBm		
2	D2	M1	1	13.859 ms	-0.00 dB		
2	D3	M1	1	4.6259 ms	-0.00 dB		
2	D4	M1	1	9.2331 ms	-0.00 dB		

Tip: To navigate within long marker tables, simply scroll through the entries with your finger on the touchscreen.

Remote command:

LAY:ADD? '1',RIGH, MTAB, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Results:

[CALCulate<n>:MARKer<m>:X](#) on page 381

[CALCulate<n>:MARKer<m>:Y?](#) on page 403

Marker Peak List

The marker peak list determines the frequencies and levels of peaks in the spectrum or time domain. How many peaks are displayed can be defined, as well as the sort order. In addition, the detected peaks can be indicated in the diagram. The peak list can also be exported to a file for analysis in an external application.

3 Marker Peak List			
Wnd	No	X-Value	Y-Value
2	1	1.086245 ms	-75.810 dBm
2	2	2.172490 ms	-6.797 dBm
2	3	3.258736 ms	-76.448 dBm
2	4	4.831918 ms	-76.676 dBm
2	5	6.255274 ms	-76.482 dBm
2	6	6.798397 ms	-6.800 dBm
2	7	9.233084 ms	-76.519 dBm
2	8	10.075861 ms	-76.172 dBm
2	9	11.405574 ms	-6.801 dBm

Tip: To navigate within long marker peak lists, simply scroll through the entries with your finger on the touchscreen.

Remote command:

LAY:ADD? '1',RIGH, PEAK, see [LAYout:ADD\[:WINDow\]?](#) on page 327

Results:

[CALCulate<n>:MARKer<m>:X](#) on page 381

[CALCulate<n>:MARKer<m>:Y?](#) on page 403

4 Measurement basics

Some background knowledge on basic terms and principles used in WLAN measurements is provided here for a better understanding of the required configuration settings.

4.1 Signal processing for multicarrier measurements (IEEE 802.11a, g (OFDM), j, p)

This description gives a rough view of the signal processing when using the R&S FSV3 WLAN application with the IEEE 802.11a, g (OFDM), j, p standards. Details are disregarded in order to provide a concept overview.

Abbreviations

$a_{l,k}$	Symbol at symbol l of subcarrier k
EVM_k	Error vector magnitude of subcarrier k
EVM	Error vector magnitude of current packet
g	Signal gain
Δf	Frequency deviation between Tx and Rx
l	Symbol index $l = \{1 \dots \text{nof_Symbols}\}$
nof_symbols	Number of symbols of payload
H_k	Channel transfer function of subcarrier k
k	Channel index $k = \{-31 \dots 32\}$
K_{mod}	Modulation-dependent normalization factor
ξ	Relative clock error of reference oscillator
$r_{l,k}$	Subcarrier of symbol l

- [Block diagram for multicarrier measurements](#).....63
- [Literature on the IEEE 802.11a standard](#)..... 70

4.1.1 Block diagram for multicarrier measurements

A diagram of the significant blocks when using the IEEE 802.11a, g (OFDM), j, p standard in the R&S FSV3 WLAN application is shown in [Figure 4-1](#).

First the RF signal is downconverted to the IF frequency f_{IF} . The resulting IF signal $r_{\text{IF}}(t)$ is shown on the left-hand side of the figure. After bandpass filtering, the signal is sampled by an analog to digital converter (ADC) at a sample rate of f_{s1} . This digital

sequence is resampled. Thus, the sample rate of the downsampled sequence $r(i)$ is the Nyquist rate of $f_{s3} = 20$ MHz. Up to this point the digital part is implemented in an ASIC.




Figure 4-1: Block diagram for the R&S FSV3 WLAN application using the IEEE 802.11a, g (OFDM), j, p standard

In the lower part of the figure the subsequent digital signal processing is shown.

Packet search and timing detection

In the first block the **packet search** is performed. This block detects the *long symbol* (LS) and recovers the timing. The **coarse timing** is detected first. This search is implemented in the time domain. The algorithm is based on cyclic repetition within the LS after $N = 64$ samples. Numerous treatises exist on this subject, e.g. [1] to [3].

Furthermore, a coarse estimate $\Delta\hat{f}_{\text{coarse}}$ of the Rx-Tx frequency offset Δf is derived from the metric in [6]. (The hat generally indicates an estimate, e.g. \hat{x} is the estimate of x .) This can easily be understood because the phase of $r(i) \cdot \Delta r^*(i + N)$ is determined by the frequency offset. As the frequency deviation Δf can exceed half a bin (distance between neighboring subcarriers) the preceding *short symbol* (SS) is also analyzed in order to detect the ambiguity.

After the coarse timing calculation the time estimate is improved by the **fine timing** calculation. This is achieved by first estimating the coarse frequency response $\hat{H}_k^{(LS)}$, where $k = \{-26..26\}$ denotes the channel index of the *occupied* subcarriers. First the FFT of the LS is calculated. After the FFT calculation the known symbol information of the LS subcarriers is removed by dividing by the symbols. The result is a coarse estimate \hat{H}_k of the channel transfer function. In the next step, the complex channel impulse response is computed by an IFFT. Then the energy of the windowed impulse response (the window size is equal to the guard period) is calculated for each trial time. Afterwards the trial time of the maximum energy is detected. This trial time is used to adjust the timing.

Determining the payload window

Now the position of the LS is known and the starting point of the useful part of the first payload symbol can be derived. In the next block this calculated time instant is used to position the **payload window**. Only the payload part is windowed. This is sufficient because the payload is the only subject of the subsequent measurements.

In the next block the windowed sequence is **compensated** by the coarse frequency estimate $\Delta\hat{f}_{\text{coarse}}$. This is necessary because otherwise inter-channel interference (ICI) would occur in the frequency domain.

The transition to the frequency domain is achieved by an FFT of length 64. The FFT is performed symbol-wise for each symbol of the payload ("nof_symbols"). The calculated FFTs are described by $r_{l,k}$ with:

- $l = \{1 .. \text{nof_symbols}\}$ as the symbol index
- $k = \{-31 .. 32\}$ as the channel index

In case of an additive white Gaussian noise (AWGN) channel, the FFT is described by [4], [5]

$$r_{l,k} = K_{\text{mod}} \times a_{l,k} \times g_l \times H_k \times e^{j(\text{phase}_l^{(\text{common})} + \text{phase}_{l,k}^{(\text{timing})})} + n_{l,k}$$

Equation 4-1: FFT

with:

- K_{mod} : the modulation-dependant normalization factor

Signal processing for multicarrier measurements (IEEE 802.11a, g (OFDM), j, p)

- $a_{l,k}$: the symbol of subcarrier k at symbol l
- g_l : the gain at the symbol l in relation to the reference gain $g = 1$ at the long symbol (LS)
- H_k : the channel frequency response at the long symbol (LS)
- $phase_l^{(common)}$: the common phase drift phase of all subcarriers at symbol l (see [Common phase drift](#))
- $phase_{l,k}^{(timing)}$: the phase of subcarrier k at symbol l caused by the timing drift (see [Common phase drift](#))
- $n_{l,k}$: the independent Gaussian distributed noise samples

Phase drift and frequency deviation

The common phase drift in [FFT](#) is given by:

$$phase_l^{(common)} = 2\pi \times N_s / N \times \Delta f_{rest} T \times l + d\gamma_l$$

Equation 4-2: Common phase drift

with

- $N_s = 80$: the number of Nyquist samples of the symbol period
- $N = 64$: the number of Nyquist samples of the useful part of the symbol
- Δf_{rest} : the (not yet compensated) frequency deviation
- $d\gamma_l$: the phase jitter at the symbol l

In general, the coarse frequency estimate $\Delta \hat{f}_{coarse}$ (see [Figure 4-1](#)) is not error-free. Therefore the remaining frequency error Δf_{rest} represents the frequency deviation in $r_{l,k}$ not yet compensated. Consequently, the overall frequency deviation of the device under test (DUT) is calculated by:

$$\Delta f = \Delta \hat{f}_{coarse} + \Delta f_{rest}$$



The common phase drift in [Common phase drift](#) is divided into two parts to calculate the overall frequency deviation of the DUT.

The reason for the phase jitter $d\gamma_l$ in [Common phase drift](#) may be different. The nonlinear part of the phase jitter may be caused by the phase noise of the DUT oscillator. Another reason for nonlinear phase jitter may be the increase of the DUT amplifier temperature at the beginning of the PPDU. Note that besides the nonlinear part the phase jitter, $d\gamma_l$ also contains a constant part. This constant part is caused by the frequency deviation Δf_{rest} not yet compensated. To understand this, keep in mind that the measurement of the phase starts at the first symbol $l = 1$ of the payload. In contrast, the channel frequency response H_k in [FFT](#) represents the channel at the long symbol of the preamble. Consequently, the frequency deviation Δf_{rest} not yet compensated produces a phase drift between the long symbol and the first symbol of the payload. Therefore, this phase drift appears as a constant value ("DC value") in $d\gamma_l$.

Tracking the phase drift, timing jitter and gain

Referring to the IEEE 802.11a, g (OFDM), j, p measurement standard, chapter 17.3.9.7 "Transmit modulation accuracy test" [6], the common phase drift $\text{phase}_i^{(\text{common})}$ must be estimated and compensated from the pilots. Therefore this "symbol-wise phase tracking" is activated as the default setting of the R&S FSV3 WLAN application (see "Phase Tracking" on page 140).

Furthermore, the timing drift in FFT is given by:

$$\text{phase}_{i,k}^{(\text{timing})} = 2\pi \times N_s / N \times \xi \times k \times l$$

Equation 4-3: Timing drift

with ξ : the relative clock deviation of the reference oscillator

Normally, a symbol-wise timing jitter is negligible and thus not modeled in [Timing drift](#). However, there may be situations where the timing drift has to be taken into account. This is illustrated by an example: In accordance to [6], the allowed clock deviation of the DUT is up to $\xi_{\text{max}} = 20$ ppm. Furthermore, a long packet with 400 symbols is assumed. The result of [FFT](#) and [Timing drift](#) is that the phase drift of the highest sub-carrier $k = 26$ in the last symbol $l = \text{nof_symbols}$ is 93 degrees. Even in the noise-free case, this would lead to symbol errors. The example shows that it is actually necessary to estimate and compensate the clock deviation, which is accomplished in the next block.

Referring to the IEEE 802.11a, g (OFDM), j, p measurement standard [6], the timing drift $\text{phase}_{i,k}^{(\text{timing})}$ is not part of the requirements. Therefore the "time tracking" is not activated as the default setting of the R&S FSV3 WLAN application (see "[Timing Error Tracking](#)" on page 140). The time tracking option should rather be seen as a powerful analyzing option.

In addition, the tracking of the gain g_i in [FFT](#) is supported for each symbol in relation to the reference gain $g = 1$ at the time instant of the long symbol (LS). At this time the coarse channel transfer function $\hat{H}^{(\text{LS})}_k$ is calculated.

This makes sense since the sequence $r'_{i,k}$ is compensated by the coarse channel transfer function $\hat{H}^{(\text{LS})}_k$ before estimating the symbols. Consequently, a potential change of the gain at the symbol l (caused, for example, by the increase of the DUT amplifier temperature) may lead to symbol errors especially for a large symbol alphabet M of the MQAM transmission. In this case, the estimation and the subsequent compensation of the gain are useful.

Referring to the IEEE 802.11a, g (OFDM), j, p measurement standard [6], the compensation of the gain g_i is not part of the requirements. Therefore the "gain tracking" is not activated as the default setting of the R&S FSV3 WLAN application (see "[Level Error \(Gain\) Tracking](#)" on page 140).

Determining the error parameters (log likelihood function)

How can the parameters above be calculated? In this application the optimum maximum likelihood algorithm is used. In the first estimation step the symbol-independent parameters Δf_{rest} and ξ are estimated. The symbol-dependent parameters can be

neglected in this step, i.e. the parameters are set to $g_l = 1$ and $d\tilde{\gamma}_l = 0$. Referring to [FFT](#), the log likelihood function L must be calculated as a function of the trial parameters $\Delta\tilde{f}_{rest}$ and $\tilde{\xi}$. (The tilde generally describes a trial parameter. Example: \tilde{x} is the trial parameter of x .)

$$L_1(\Delta\tilde{f}_{rest}, \tilde{\xi}) = \sum_{l=1}^{nof_symbols} \sum_{k=-21, -7, 7, 21} \left| r_{l,k} - a_{l,k} \times \hat{H}_k^{(LS)} \times e^{j(\tilde{p}hase_l^{(common)} + \tilde{p}hase_{l,k}^{(timing)})} \right|^2$$

Equation 4-4: Log likelihood function (step 1)

with:

$$\tilde{p}hase_l^{(common)} = \frac{2\pi \times N_s}{N \times \Delta\tilde{f}_{rest} \times T \times l}$$

$$\tilde{p}hase_{l,k}^{(timing)} = \frac{2\pi \times N_s}{N \times \tilde{\xi} \times k \times l}$$

The trial parameters leading to the minimum of the log likelihood function are used as estimates $\Delta\tilde{f}_{rest}$ and $\tilde{\xi}$. In [Log likelihood function \(step 1\)](#) the known pilot symbols $a_{l,k}$ are read from a table.

In the second step, the log likelihood function is calculated for every symbol l as a function of the trial parameters \tilde{g}_l and $d\tilde{\gamma}_l$:

$$L_2(\tilde{g}_l, d\tilde{\gamma}_l) = \sum_{k=-21, -7, 7, 21} \left| r_{l,k} - a_{l,k} \times \tilde{g}_l \times \hat{H}_k^{(LS)} \times e^{j(\tilde{p}hase_l^{(common)} + \tilde{p}hase_{l,k}^{(timing)})} \right|^2$$

Equation 4-5: Log likelihood function (step 2)

with:

$$\tilde{p}hase_l^{(common)} = \frac{2\pi \times N_s}{N \times \Delta\hat{f}_{rest} \times T \times l + d\tilde{\gamma}_l}$$

$$\tilde{p}hase_{l,k}^{(timing)} = \frac{2\pi \times N_s}{N \times \tilde{\xi} \times k \times l}$$

Finally, the trial parameters leading to the minimum of the log likelihood function are used as estimates \tilde{g}_l and $d\tilde{\gamma}_l$.

This robust algorithm works well even at low signal to noise ratios with the Cramer Rao Bound being reached.

Compensation

After estimation of the parameters, the sequence $r_{l,k}$ is compensated in the compensation blocks.

In the upper analyzing branch the compensation is user-defined i.e. the user determines which of the parameters are compensated. This is useful in order to extract the influence of these parameters. The resulting output sequence is described by: $\gamma'_{\delta,k}$.

Data symbol estimation

In the lower compensation branch the full compensation is always performed. This separate compensation is necessary in order to avoid symbol errors. After the full compensation the secure estimation of the data symbols $\hat{a}_{i,k}$ is performed. From FFT it is clear that first the channel transfer function H_k must be removed. This is achieved by dividing the known coarse channel estimate $\tilde{H}^{(LS)}_k$ calculated from the LS. Usually an error free estimation of the data symbols can be assumed.

Improving the channel estimation

In the next block a better channel estimate $\tilde{H}^{(PL)}_k$ of the data and pilot subcarriers is calculated by using all "nof_symbols" symbols of the payload (PL). This can be accomplished at this point because the phase is compensated and the data symbols are known. The long observation interval of nof_symbols symbols (compared to the short interval of 2 symbols for the estimation of $\tilde{H}^{(LS)}_k$) leads to a nearly error-free channel estimate.

In the following equalizer block, $\tilde{H}^{(LS)}_k$ is compensated by the channel estimate. The resulting channel-compensated sequence is described by $y_{\delta,k}$. The user may either choose the coarse channel estimate $\tilde{H}^{(LS)}_k$ (from the long symbol) or the nearly error-free channel estimate $\tilde{H}^{(PL)}_k$ (from the payload) for equalization. If the improved estimate $\tilde{H}^{(LS)}_k$ is used, a 2 dB reduction of the subsequent EVM measurement can be expected.

According to the IEEE 802.11a measurement standard [6], the coarse channel estimation $\tilde{H}^{(LS)}_k$ (from the long symbol) has to be used for equalization. Therefore the default setting of the R&S FSV3 WLAN application is equalization from the coarse channel estimate derived from the long symbol.

Calculating error parameters

In the last block the parameters of the demodulated signal are calculated. The most important parameter is the error vector magnitude of the subcarrier "k" of the current packet:

$$\overline{EVM} = \sqrt{\frac{1}{\text{nof_packets}} \sum_{\text{counter}=1}^{\text{nof_packets}} EVM^2(\text{counter})}$$

Equation 4-6: Error vector magnitude of the subcarrier k in current packet

Furthermore, the packet error vector magnitude is derived by averaging the squared EVM_k versus k:

$$EVM = \sqrt{\frac{1}{52} \sum_{k=-26(k \neq 0)}^{26} EVM_k^2}$$

Equation 4-7: Error vector magnitude of the entire packet

Finally, the average error vector magnitude is calculated by averaging the packet EVM of all nof_symbols detected packets:

Signal processing for single-carrier measurements (IEEE 802.11b, g (DSSS))

$$EVM_k = \sqrt{\frac{1}{nof_symbols} \sum_{l=1}^{nof_symbols} |r_{l,k}^n - K_{mod} \times a_{l,k}|^2}$$

Equation 4-8: Average error vector magnitude

This parameter is equivalent to the "RMS average of all errors": Error_{RMS} of the IEEE 802.11a measurement commandment (see [6]).

4.1.2 Literature on the IEEE 802.11a standard

[1]	Speth, Classen, Meyr: "Frame synchronization of OFDM systems in frequency selective fading channels", VTC '97, pp. 1807-1811
[2]	Schmidl, Cox: "Robust Frequency and Timing Synchronization of OFDM", IEEE Trans. on Comm., Dec. 1997, pp. 1613-621
[3]	Minn, Zeng, Bhargava: "On Timing Offset Estimation for OFDM", IEEE Communication Letters, July 2000, pp. 242-244
[4]	Speth, Fechtel, Fock, Meyr: "Optimum receive antenna Design for Wireless Broad-Band Systems Using OFDM – Part I", IEEE Trans. On Comm. VOL. 47, NO 11, Nov. 1999
[5]	Speth, Fechtel, Fock, Meyr: "Optimum receive antenna Design for Wireless Broad-Band Systems Using OFDM – Part II", IEEE Trans. On Comm. VOL. 49, NO 4, April. 2001
[6]	IEEE 802.11a, Part 11: WLAN Medium Access Control (MAC) and Physical Layer (PHY) specifications

4.2 Signal processing for single-carrier measurements (IEEE 802.11b, g (DSSS))

This description gives a rough overview of the signal processing concept of the WLAN 802.11 application for IEEE 802.11b or g (DSSS) signals.

Abbreviations

ε	timing offset
Δf	frequency offset
$\Delta \Phi$	phase offset
\hat{g}_I	estimate of the gain factor in the I-branch
\hat{g}_Q	estimate of the gain factor in the Q-branch
$\Delta \hat{g}_Q$	accurate estimate of the crosstalk factor of the Q-branch in the I-branch
$\hat{h}_s(v)$	estimated baseband filter of the transmit antenna
$\hat{h}_r(v)$	estimated baseband filter of the receive antenna
\hat{o}_I	estimate of the IQ-offset in the I-branch

Signal processing for single-carrier measurements (IEEE 802.11b, g (DSSS))

$\hat{\omega}_Q$	estimate of the IQ-offset in the I-branch
$r(v)$	measurement signal
$\hat{s}(v)$	estimate of the reference signal
$\hat{s}_n(v)$	estimate of the power-normalized and undisturbed reference signal
ARG{...}	calculation of the angle of a complex value
EVM	error vector magnitude
IMAG{...}	calculation of the imaginary part of a complex value
PPDU	protocol data unit - a burst in the signal containing transmission data
PSDU	protocol service data unit- a burst in the signal containing service data
REAL{...}	calculation of the real part of a complex value

- [Block diagram for single-carrier measurements](#).....71
- [Calculation of signal parameters](#).....73
- [Literature on the IEEE 802.11b standard](#).....76

4.2.1 Block diagram for single-carrier measurements

A block diagram of the measurement application is shown below in [Figure 4-2](#). The baseband signal of an IEEE 802.11b or g (DSSS) wireless LAN system transmit antenna is sampled with a sample rate of 44 MHz.

The first task of the measurement application is to detect the position of the PPDU within the measurement signal $r_1(v)$. The detection algorithm is able to find the beginning of short and long PPDU and can distinguish between them. The algorithm also detects the initial state of the scrambler, which is not specified by the IEEE 802.11 standard.

If the start position of the PPDU is known, the header of the PPDU can be demodulated. The bits transmitted in the header provide information about the length of the PPDU and the modulation type used in the PSDU.

Once the start position and the PPDU length are fully known, better estimates of timing offset, timing drift, frequency offset and phase offset can be calculated using the entire data of the PPDU.

At this point of the signal processing, demodulation can be performed without decision error. After demodulation the normalized (in terms of power) and undisturbed reference signal $s(v)$ is available.

If the frequency offset is not constant and varies with time, the frequency offset and phase offset in several partitions of the PPDU must be estimated and corrected. Additionally, timing offset, timing drift and gain factor can be estimated and corrected in several partitions of the PPDU. These corrections can be switched off individually in the demodulation settings of the application.

Signal processing for single-carrier measurements (IEEE 802.11b, g (DSSS))




Figure 4-2: Signal processing for IEEE 802.11b or g (DSSS) signals

Once the normalized and undisturbed reference signal is available, the transmit antenna baseband filter (Tx filter) is estimated by minimizing the cost function of a maximum-likelihood-based estimator:

$$L_1 = \sum_{v=0}^{N-1} \left| r(v) \times e^{-j2\pi\Delta\tilde{f}v} \times e^{-j\Delta\tilde{\phi}} - \sum_{i=-L}^{+L} \tilde{h}_s(i) \times \hat{s}_n(v-i) - \tilde{\delta}_i - j\tilde{\delta}_Q \right|^2$$

Equation 4-9: Transmit antenna baseband filter (Tx filter) estimation

where:

$r(v)$: the oversampled measurement signal

$\hat{s}_n(v)$: the normalized oversampled power of the undisturbed reference signal

N : the observation length

L : the filter length

$\Delta\tilde{f}_v$: the variation parameters of the frequency offset

$\Delta\tilde{\phi}$: the variation parameters of the phase offset

$\tilde{\delta}_I \tilde{\delta}_Q$: the variation parameters of the I/Q offset

$\tilde{h}_s(i)$: the coefficients of the transmitter filter

4.2.2 Calculation of signal parameters

The frequency offset, the phase offset and the IQ-offset are estimated jointly with the coefficients of the transmit filter to increase the estimation quality.

Once the transmit filter is known, all other unknown signal parameters are estimated with a maximum-likelihood-based estimation, which minimizes the cost function:

$$L_2 = \sum_{v=0}^{N-1} \left| r(v - \tilde{\epsilon}) \times e^{-j2\pi\tilde{f}v} \times e^{-j\Delta\tilde{\phi}} - \tilde{g}_I \times s_I(v) - j\tilde{g}_Q \times s_Q(v) + \Delta\tilde{g}_Q \times s_Q(v) - \tilde{\delta}_i - j\tilde{\delta}_Q \right|^2$$

Equation 4-10: Cost function for signal parameters

where:

$\tilde{g}_I \tilde{g}_Q$: the variation parameters of the gain used in the I/Q branch

$\Delta\tilde{g}_Q$: the crosstalk factor of the Q-branch into the I-branch

$s_I(v) s_Q(v)$: the filtered reference signal of the I/Q branch

The unknown signal parameters are estimated in a joint estimation process to increase the accuracy of the estimates.

The accurate estimates of the frequency offset, the gain imbalance, the quadrature error and the normalized I/Q offset are displayed by the measurement software.

Gain imbalance, I/Q offset, quadrature error

The gain imbalance is the quotient of the estimates of the gain factor of the Q-branch, the crosstalk factor and the gain factor of the I-branch:

$$\text{Gain - imbalance} = \left| \frac{\hat{g}_Q + \Delta\hat{g}_Q}{\hat{g}_I} \right|$$

Equation 4-11: Gain imbalance

The quadrature error is a measure for the crosstalk of the Q-branch into the I-branch:

$$\text{Quadrature - Error} = \text{ARG} \{ \hat{g}_Q + j \times \Delta\hat{g}_Q \}$$

Equation 4-12: Quadrature error (crosstalk)

The normalized I/Q offset is defined as the magnitude of the I/Q offset normalized by the magnitude of the reference signal:

$$\text{IQ - Offset} = \frac{\sqrt{\hat{\sigma}_I^2 + \hat{\sigma}_Q^2}}{\sqrt{\frac{1}{2} \cdot [\hat{g}_I^2 + \hat{g}_Q^2]}}$$

Equation 4-13: I/Q offset

At this point of the signal processing all unknown signal parameters such as timing offset, frequency offset, phase offset, I/Q offset and gain imbalance have been evaluated and the measurement signal can be corrected accordingly.

Error vector magnitude (EVM) - R&S FSV/A method

Using the corrected measurement signal $r(v)$ and the estimated reference signal $\hat{s}(v)$, the modulation quality parameters can be calculated. The mean error vector magnitude (EVM) is the quotient of the root-mean-square values of the error signal power and the reference signal power:

$$\text{EVM} = \frac{\sqrt{\sum_{v=0}^{N-1} |r(v) - \hat{s}(v)|^2}}{\sqrt{\sum_{v=0}^{N-1} |\hat{s}(v)|^2}}$$

Equation 4-14: Mean error vector magnitude (EVM)

Whereas the symbol error vector magnitude is the momentary error signal magnitude normalized by the root mean square value of the reference signal power:

$$\text{EVM}(v) = \frac{|r(v) - \hat{s}(v)|}{\sqrt{\sum_{v=0}^{N-1} |\hat{s}(v)|^2}}$$

Equation 4-15: Symbol error vector magnitude

Error vector magnitude (EVM) - IEEE 802.11b or g (DSSS) method

In [2] a different algorithm is proposed to calculate the error vector magnitude. In a first step the IQ-offset in the I-branch and the IQ-offset of the Q-branch are estimated separately:

$$\hat{\delta}_I = \frac{1}{N} \sum_{v=0}^{N-1} \text{REAL}\{r(v)\}$$

Equation 4-16: I/Q offset I-branch

$$\hat{\delta}_Q = \frac{1}{N} \sum_{v=0}^{N-1} \text{IMAG}\{r(v)\}$$

Equation 4-17: I/Q offset Q-branch

where $r(v)$ is the measurement signal which has been corrected with the estimates of the timing offset, frequency offset and phase offset, but not with the estimates of the gain imbalance and I/Q offset

With these values the gain imbalance of the I-branch and the gain imbalance of the Q-branch are estimated in a non-linear estimation in a second step:

$$\hat{g}_I = \frac{1}{N} \sum_{v=0}^{N-1} |\text{REAL}\{r(v) - \hat{\delta}_I\}|$$

Equation 4-18: Gain imbalance I-branch

$$\hat{g}_Q = \frac{1}{N} \sum_{v=0}^{N-1} |\text{IMAG}\{r(v) - \hat{\delta}_Q\}|$$

Equation 4-19: Gain imbalance Q-branch

Finally, the mean error vector magnitude can be calculated with a non-data-aided calculation:

$$V_{err}(v) = \frac{\sqrt{\frac{1}{2} \sum_{v=0}^{N-1} [|\text{REAL}\{r(v)\} - \hat{\delta}_I| - \hat{g}_I]^2 + \frac{1}{2} \sum_{v=0}^{N-1} [|\text{IMAG}\{r(v)\} - \hat{\delta}_Q| - \hat{g}_Q]^2}}{\sqrt{\frac{1}{2} [\hat{g}_I^2 + \hat{g}_Q^2]^2}}$$

Equation 4-20: Mean error vector magnitude

The symbol error vector magnitude is the error signal magnitude normalized by the root mean square value of the estimate of the measurement signal power:

$$V_{err}(v) = \frac{\sqrt{\frac{1}{2} [|\text{REAL}\{r(v)\} - \hat{\delta}_I| - \hat{g}_I]^2 + \frac{1}{2} [|\text{IMAG}\{r(v)\} - \hat{\delta}_Q| - \hat{g}_Q]^2}}{\sqrt{\frac{1}{2} [\hat{g}_I^2 + \hat{g}_Q^2]^2}}$$

Equation 4-21: Symbol error vector magnitude

The advantage of this method is that no estimate of the reference signal is needed, but the I/Q offset and gain imbalance values are not estimated in a joint estimation procedure. Therefore, each estimation parameter disturbs the estimation of the other parameter and the accuracy of the estimates is lower than the accuracy of the estimations achieved by [Transmit antenna baseband filter \(Tx filter\) estimation](#). If the EVM value is dominated by Gaussian noise this method yields similar results as [Cost function for signal parameters](#).



The "EVM vs Symbol" result display shows two traces, each using a different calculation method, so you can easily compare the results (see "EVM vs Symbol" on page 35).

4.2.3 Literature on the IEEE 802.11b standard

[1]	Institute of Electrical and Electronic Engineers, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications, IEEE Std 802.11-1999, Institute of Electrical and Electronic Engineers, Inc., 1999.
[2]	Institute of Electrical and Electronic Engineers, Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: Higher-Speed Physical Layer Extensions in the 2.4 GHz Band, IEEE Std 802.11b-1999, Institute of Electrical and Electronic Engineers, Inc., 1999.

4.3 Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be)

For measurements according to the IEEE 802.11a, b, g standards, only a single transmit antenna and a single receive antenna are required (SISO = single in, single out). For measurements according to the IEEE IEEE 802.11 ac, ax, n, be standard, the R&S FSV/A can measure multiple data streams between multiple transmit antennas and multiple receive antennas (MIMO = multiple in, multiple out).



As opposed to other Rohde & Schwarz signal and spectrum analyzers, in the R&S FSV3 WLAN application, MIMO is not selected as a specific standard. Rather, when you select the IEEE 802.11ac or n standard, MIMO is automatically available. In the default configuration, a single transmit antenna and a single receive antenna are assumed, which corresponds to the common SISO setup.

Basic technologies

Some basic technologies used in MIMO systems are introduced briefly here.

For more detailed information, see the following application notes, available from the Rohde & Schwarz website:

[1MA142: "Introduction to MIMO"](#)

[1MA192: 802.11ac Technology Introduction](#)

MIMO systems use *transmit diversity* or *space-division multiplexing*, or both. With **transmit diversity**, a bit stream is transmitted simultaneously via two antennas, but with different coding in each case. This improves the signal-to-noise ratio and the cell edge capacity.

For **space-division multiplexing**, multiple (different) data streams are sent simultaneously from the transmit antennas. Each receive antenna captures the superposition of all transmit antennas. In addition, channel effects caused by reflections and scattering etc., are added to the received signals. The receiver determines the originally sent

symbols by multiplying the received symbols with the inverted channel matrix (that is, the mapping between the streams and the transmit antennas, see [Chapter 4.3.2, "Spatial mapping"](#), on page 78).

Using space-division multiplexing, the transmitted data rates can be increased significantly by using additional antennas.

To reduce the correlation between the propagation paths, the transmit antenna can delay all of the transmission signals except one. This method is referred to as *cyclic delay diversity* or **cyclic delay shift**.

The basis of the majority of the applications for broadband transmission is the **OFDM method**. In contrast to single-carrier methods, an OFDM signal is a combination of many orthogonal, separately modulated carriers. Since the data is transmitted in parallel, the symbol length is significantly smaller than in single-carrier methods with identical transmission rates.

Signal processing chain

In a test setup with multiple antennas, the R&S FSV/A is likely to receive multiple spatial streams, one from each antenna. Each stream has gone through a variety of transformations during transmission. The signal processing chain is displayed in [Figure 4-3](#), starting with the creation of the spatial streams in the transmitting device, through the wireless transmission and ending with the merging of the spatial streams in the receiving device. This processing chain has been defined by IEEE.

The following figure shows the basic processing steps performed by the transmit antenna and the complementary blocks in reverse order applied at the receive antenna:




Figure 4-3: Data flow from the transmit antenna to the receive antenna

4.3.1 Space-time block coding (STBC)

The coded bits to be transmitted are modulated to create a data stream, referred to as a *spatial stream*, by the stream parser in the transmitting device under test (see [Figure 4-3](#)).

The Space-Time Block Encoder (STBC) implements the transmit diversity technique (see ["Basic technologies"](#) on page 76). It creates multiple copies of the data streams, each encoded differently, which can then be transmitted by a number of antennas.

To do so, the STBC encodes only the *data* carriers in the spatial stream using a matrix. Each row in the matrix represents an OFDM symbol and each column represents one antenna's transmissions over time (thus the term *space-time encoder*). This means

each block represents the same data, but with a different coding. The resulting blocks are referred to as *space-time streams* (STS). Each stream is sent to a different Tx antenna. This *diversity coding* increases the signal-to-noise ratio at the receive antenna. The *pilot* carriers are inserted after the data carriers went through the STBC. Thus, only the data carriers are decoded by the analyzer to determine characteristics of the demodulated data (see also [Figure 4-6](#)).

In order to transmit the space-time streams, two or more antennas are required by the sender, and one or more antennas are required by the receive antenna.

4.3.2 Spatial mapping

The Spatial Encoder (see [Figure 4-3](#)) is responsible for the spatial multiplexing. It defines the mapping between the streams and the transmit antennas - referred to as *spatial mapping* - or as a matrix: the *spatial mapping matrix*.

In the R&S FSV3 WLAN application, the mapping can be defined using the following methods:

- **Direct mapping:** one single data stream is mapped to an exclusive Tx antenna (The spatial matrix contains "1" on the diagonal and otherwise zeros.)
- **Spatial Expansion:** multiple (different) data streams are assigned to each antenna in a defined pattern
- **User-defined mapping:** the data streams are mapped to the antennas by a user-defined matrix

User-defined spatial mapping

You can define your own spatial mapping between streams and Tx antennas.

For each antenna (Tx1..4), the complex element of each STS-stream is defined. The upper value is the real part of the complex element. The lower value is the imaginary part of the complex element.

Additionally, a "Time Shift" can be defined for cyclic delay diversity (CSD).

The stream for each antenna is calculated as:

$$\begin{pmatrix} Tx_1 - Stream \\ \cdot \\ \cdot \\ Tx_4 - Stream \end{pmatrix} = \begin{pmatrix} Tx_1, STS.1 & \cdot & \cdot & Tx_1, STS.4 \\ \cdot & & & \cdot \\ \cdot & & & \cdot \\ Tx_4, STS.1 & \cdot & \cdot & Tx_4, STS.4 \end{pmatrix} \begin{pmatrix} STS - Stream_1 \\ \cdot \\ \cdot \\ STS - Stream_4 \end{pmatrix}$$

4.3.3 Physical vs effective channels

The **effective channel** refers to the transmission path starting from the space-time stream and ending at the receive antenna. It is the product of the following components:

- the spatial mapping

Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be)

- the crosstalk inside the device under test (DUT) transmission paths
- the crosstalk of the channel between the transmit antennas and the receive antennas

For each space-time stream, at least one training field (the (V)HT-LTF) is included in every PPDU preamble (see [Figure 4-4](#)). Each sender antenna transmits these training fields, which are known by the receive antenna. The effective channel can be calculated from the received (and known) (V)HT-LTF symbols of the preamble, without knowledge of the spatial mapping matrix or the physical channel. Thus, the effective channel can always be calculated.




Figure 4-4: Training fields (TF) in the preamble of PPDUs in IEEE 802.11n standard

The effective channel is sufficient to calculate the EVM, the constellation diagram and the bitstream results of the measured signal, so these results are always available.

The **physical channel** refers to the transmission path starting from the transmit antenna streams and ending at the receive antenna. It is the product of the following components:

- the crosstalk inside the device under test (DUT) transmission paths
- the crosstalk of the channel between the transmit antennas and the receive antennas

The physical channel is derived from the effective channel using the inverted spatial mapping matrix Q :

$$H_{\text{phy}} = H_{\text{eff}}Q^{-1}$$

Thus, if the spatial mapping matrix cannot be inverted, the physical channel cannot be calculated. This may be the case, for example, if the signal contains fewer streams than Rx antenna signals, or if the spatial matrix is close to numerical singularity.

In this case, results that are based on the transmit antenna such as I/Q offset, gain imbalance and quadrature offset are not available.



Crosstalk in estimated channels

Note that the estimated channel transfer function contains crosstalk from various sources, for example:

- from the transmission paths inside the DUT
- from the connection between the analyzer and the DUT
- from the analyzer itself

The crosstalk from the analyzer can be neglected. If the analyzer and DUT are connected by cable, this source of crosstalk can also be neglected. For further information on crosstalk see [Chapter 4.3.6, "Crosstalk and spectrum flatness"](#), on page 84.

4.3.4 Capturing data from MIMO antennas

The primary purpose of many test applications that verify design parameters, or are used in production, is to determine if the transmitted signals adhere to the relevant standards and whether the physical characteristics fall within the specified limits. In such cases there is no need to measure the various transmit paths simultaneously. Instead, they can either be tested as single antenna measurements, or sequentially (with restrictions, see also [Chapter 4.3.4.1, "Sequential MIMO measurement"](#), on page 81). Then only one analyzer is needed to measure parameters such as error vector magnitude (EVM), power and I/Q imbalance.

Measurements that have to be carried out for development or certification testing are significantly more extensive. In order to fully reproduce the data in transmit signals or analyze the crosstalk between the antennas, for example, measurements must be performed simultaneously on all antennas. One analyzer is still sufficient if the system is using transmit diversity (multiple input single output – MISO). However, space-division multiplexing requires two or more analyzers to calculate the precoding matrix and demodulate the signals.

The R&S FSV3 WLAN application provides the following methods to capture data from the MIMO antennas:

- **Simultaneous MIMO operation**

The data streams are measured simultaneously by multiple analyzers. One of the analyzers is defined as a *primary*, which receives the I/Q data from the other analyzers (the *secondaries*). The IP addresses of each secondary analyzer must be provided to the primary. The only function of the secondaries is to record the data that is then accumulated centrally by the primary.

(Note that only the MIMO primary analyzer requires the R&S FSV3-K91n or ac option. The secondary analyzers do not require a R&S FSV3 WLAN application.) The number of Tx antennas on the DUT defines the number of analyzers required for this measurement setup.

Tip: Use the primary's trigger output (see [Chapter 4.11.5, "Trigger synchronization using the primary's trigger output"](#), on page 100) or an R&S Z11 trigger box (see [Chapter 4.11.6, "Trigger synchronization using an R&S FS-Z11 trigger unit"](#), on page 100) to send the same trigger signal to all devices.

Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be)

The primary calculates the measurement results based on the I/Q data captured by *all* analyzers (primary and secondaries) and displays them in the selected result displays.

- **Sequential using open switch platform**

The data streams are measured sequentially by a single analyzer connected to an additional switch platform that switches between antenna signals. No manual interaction is necessary during the measurement. The R&S FSV3 WLAN application captures the I/Q data for all antennas sequentially and calculates and displays the results (individually for each data stream) in the selected result displays automatically.

A single analyzer and the Rohde & Schwarz OSP Switch Platform is required to measure the multiple DUT Tx antennas (the switch platform must be fitted with at least one R&S®OSP-B101 option; the number depends on the number of Tx antennas to measure). The IP address of the OSP and the used module (configuration bank) must be defined on the analyzer; the required connections between the DUT Tx antennas, the switch box and the analyzer are indicated in the MIMO "Signal Capture" dialog box.

For **important restrictions** concerning sequential measurement see [Chapter 4.3.4.1, "Sequential MIMO measurement"](#), on page 81.

- **Sequential using manual operation**

The data streams are captured sequentially by a single analyzer. The antenna signals must be connected to the single analyzer input sequentially by the user.

In the R&S FSV3 WLAN application, individual capture buffers are provided (and displayed) for each antenna input source, so that results for the individual data streams can be calculated. The user must initiate data capturing for each antenna and result calculation for all data streams manually.

For **important restrictions** concerning sequential measurement see [Chapter 4.3.4.1, "Sequential MIMO measurement"](#), on page 81.

- **Single antenna measurement**

The data from the Tx antenna is measured and evaluated as a single antenna (SISO) measurement ("DUT MIMO configuration" = "1 Tx antenna").

4.3.4.1 Sequential MIMO measurement

Sequential MIMO measurement allows for MIMO analysis with a single analyzer by capturing the receive antennas one after another (sequentially). However, sequential MIMO measurement requires each Tx antenna to transmit **the same PPDU over time**. (The PPDU *content* from different Tx antennas, on the other hand, may be different.) If this requirement can not be fulfilled, use the simultaneous MIMO capture method (see [Chapter 4.3.4, "Capturing data from MIMO antennas"](#), on page 80).

In addition, the following **PPDU attributes must be identical for ALL antennas**:

- PPDU length
- PPDU type
- Channel bandwidth
- MCS Index
- Guard Interval Length
- Number of STBC Streams

Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be)

- Number of Extension Streams

Thus, for each PPDU the "Signal Field" bit vector has to be identical for ALL antennas!




Figure 4-5: Basic principle of "Sequential MIMO Measurement" with 2 receive antennas

Note that, additionally, the data contents of the sent PPDU *payloads* must also be the same for each Tx antenna, but this is not checked. Thus, useless results are returned if different data was sent.



To provide identical PPDU content for each Tx antenna in the measurement, you can use the same pseudo-random bit sequence (PRBS) with the same PRBS seed (initial bit sequence), for example, when generating the useful data for the PPDU.

4.3.5 Calculating results

When you analyze a WLAN signal in a MIMO setup, the R&S FSV/A acts as the receiving device. Since most measurement results have to be calculated at a particular stage in the processing chain, the R&S FSV3 WLAN application has to do the same decoding that the receive antenna does.

The following diagram takes a closer look at the processing chain and the results at its individual stages.

Signal processing for MIMO measurements (IEEE IEEE 802.11 ac, ax, n, be)




Figure 4-6: Results at individual processing stages

Receive antenna results

The R&S FSV3 WLAN application can determine receive antenna results directly from the captured data at the receive antenna, namely:

- PPDU Power
- Crest factor

For all other results, the R&S FSV3 WLAN application has to revert the processing steps to determine the signal characteristics at those stages.

Transmit antenna results (based on the physical channel)

If the R&S FSV3 WLAN application can determine the physical channel (see [Chapter 4.3.3, "Physical vs effective channels"](#), on page 78), it can evaluate the following results:

- "Channel Flatness" (based on the physical channel)
- "Group Delay" (based on the physical channel)
- "I/Q Offset"
- "Quadrature Offset"
- "Gain Imbalance"

Space-time stream results (based on the effective channel)

If the application knows the effective channel (see [Chapter 4.3.3, "Physical vs effective channels"](#), on page 78), it can evaluate the following results:

- "Channel Flatness" (based on the effective channel)
- "Group Delay" (based on the effective channel)
- "EVM" of pilot carriers
- "Constellation" of pilot carriers
- "Bitstream" of pilot carriers

Spatial stream results

If space-time encoding is implemented, the demodulated data must first be decoded to determine the following results:

- "EVM" of data carriers
- "Constellation" diagram
- "Bitstream"



The *pilot* carriers are inserted directly after the data carriers went through the STBC (see also [Chapter 4.3.1, "Space-time block coding \(STBC\)"](#), on page 77). Thus, only the data carriers need to be decoded by the analyzer to determine characteristics of the demodulated data. Because of this approach to calculate the "EVM", "Constellation" and "Bitstream" results, you might get results for a different number of streams for pilots and data carriers if STBC is applied.

4.3.6 Crosstalk and spectrum flatness

In contrast to the SISO measurements in previous Rohde & Schwarz signal and spectrum analyzers, the spectrum flatness trace is no longer normalized to 0 dB (scaled by the mean gain of all carriers).

For MIMO there may be different gains in the transmission paths and you do not want to lose the relation between these transmission paths. For example, in a MIMO transmission path matrix we have paths carrying power (usually the diagonal elements for the transmitted streams), but also elements with only residual crosstalk power. The power distribution of the transmission matrix depends on the spatial mapping of the transmitted streams. But even if all matrix elements carry power, the gains may be different. This is the reason why the traces are no longer scaled to 0 dB. Although the absolute gain of the "Spectrum Flatness" is not of interest, it is now maintained in order to show the different gains in the transmission matrix elements. Nevertheless, the limit lines are still symmetric to the mean trace, individually for each element of the transmission matrix.

By default, full MIMO equalizing is performed by the R&S FSV3 WLAN application. However, you can deactivate compensation for crosstalk (see ["Compensate Crosstalk\(MIMO only\)"](#) on page 141). In this case, simple main path equalizing is performed only for direct connections between Tx and Rx antennas, disregarding ancillary trans-

mission between the main paths (crosstalk). This is useful to investigate the effects of crosstalk on results such as EVM.

4.4 Signal processing for high-efficiency wireless measurements (IEEE 802.11ax)

The IEEE 802.11ax standard, also known as High Efficiency Wireless (HEW), provides mechanisms to more efficiently utilize the unlicensed spectrum bands (2.4 GHz and 5 GHz) and improve user experience.

It is particularly meant for use in dense environments with large numbers of users (referred to as *stations*) and base stations (referred to as *access points*).

Currently, the specification for this standard is still under development by the IEEE organization. The basic features and processing methods described here and used by the R&S FSV3 WLAN application are based on the draft version 1.0 from December 2016.

For more information, see also the Rohde & Schwarz White Paper [1MA222: IEEE 802.11ax Technology Introduction](#).

4.4.1 Basic signal characteristics

PPDU formats

The new 802.11ax standard introduces four new PPDU (Packet Protocol Data Unit) formats:

- **HE SU (Single User) PPDU (HE_SU)**: used to transmit to a single user
- **HE Extended Range PPDU (HE_EXT_SU)**: used to transmit to a single user who is further away from the AP, such as in outdoor scenarios; Only available for 20 MHz channel bandwidths
- **HE MU (Multi-User) PPDU (HE-MU)**: carries one or more transmissions to one or more users
- **HE Trigger-Based PPDU (HE_Trig)**: carries a single transmission and is sent in response to a trigger frame; Used for OFDMA and/or MU MIMO uplink transmission

OFDMA

This new standard allows for the OFDMA method to be employed, where the available channel bandwidth (between 20 MHz and 160 MHz) is divided between multiple users. Each user is assigned a predefined number of subcarriers (also referred to as *tones*). This subset of subcarriers is referred to as a *resource unit (RU)*. RU sizes can vary between 26 subcarriers and (2x) 996 subcarriers. All users transmit their data simultaneously, and each data packet has the same length. However, the resource units used

by the individual users may have different lengths. In other words: each user can use a different number of subcarriers or channel bandwidth.




Figure 4-7: OFDMA frequency vs time usage

The OFDMA method provides several advantages versus the OFDM method:

- Flexible bandwidth allocation per user means each user blocks only the frequency range that they need
- Each station can use a different modulation according to the current SNR
- In the time range, less overhead is required

Resource units (RUs)

Depending on the available channel bandwidth and the size of the used RUs, the following number of resource units are available at the same time:

Table 4-1: Number of RUs depending on channel bandwidth and RU size

Channel bandwidth	20 MHz	40 MHz	80 MHz	160 MHz
RU size (number of subcarriers)				
26	9	18	37	74
52	4	8	16	32
106	2	4	8	16
242	1	2	4	8
484		1	2	4
996			1	2
2*996				1

Each RU in the channel is indexed. Depending on the size of the RU and the available channel bandwidth, the RU index refers to different subcarriers.




Figure 4-8: Example: RU indexing for 20 MHz channel bandwidth

The available RUs in a channel are assigned to the users sequentially according to the current transmission requirements. Generally, one user is assigned to one RU (for MIMO see "Multi-User (MU-)MIMO" on page 88). Although the RU sizes may vary per user, if both the RU index and the RU size is known, the position of a specific user's RU within the channel is uniquely identifiable.

In [Example: RU indexing for 20 MHz channel bandwidth](#), the RUs indicated by the red boxes are uniquely identifiable by the following information:

Table 4-2: Unique identification of RUs in a channel

User	User 1	User 2	User 3	User 4	User 5
RU size	52	26	26	26 (13+13)	106
RU index	RU1	RU3	RU4	RU5	RU2

HE Signal fields and PPDU configuration

The combination of RU size and RU indexes for a channel are referred to as the RU allocation. Using 8 bits, each possible combination of RU sizes and positions for a 20 MHz channel (242 subcarriers) can be coded. These codes are defined in the 802.11ax specification.

As all WLAN signals, each HE PPDU contains a signal field (Sig-A) that defines the general PPDU configuration (see also "Signal Field" on page 50). In addition, multi-user PPDUs contain a second signal field (Sig-B) which defines the RU allocation and user assignment. The HE-Sig B field in turn consists of two parts:

Signal processing for high-efficiency wireless measurements (IEEE 802.11ax)

- Common field: contains the RU allocation coding
- User specific field: contains the user ID, MIMO, MCS and coding information




Figure 4-9: HE Sig-B field structure

The HE Sig-B field is a 20 MHz channel that provides the RU allocation for users within a 20 MHz span (242 subcarriers) of the channel. For a 40 MHz channel, two SIG-B channels are required to code the RU allocation for the entire span. For an 80 MHz channel, the common field is extended to 2 x 8 bits, so that the RU allocation of 40 MHz can be coded in one common field (RU1+RU3 or RU2+RU4). Thus, two extended common fields are required to provide the RU allocation information for the entire 80 MHz signal. However, since the 80 MHz signal contains four 20 MHz SIG-B fields, the information in the first two fields is duplicated, and thus redundant:




Figure 4-10: HE Sig-B field for 80 MHz channel bandwidth

This coding allows for the receiver to decode only 40 MHz bandwidth and still obtain the RU allocation information for the entire signal.

Multi-User (MU-)MIMO

As a rule, each resource unit is assigned to one user (see ["Resource units \(RUs\)"](#) on page 86). However, the 802.11ax standard also supports MIMO mode for HE multi-user PPDUs, both in uplink and downlink transmission. In MIMO mode, each resource unit with a size of 106 subcarriers or more can be assigned to multiple users (8, 16, or 32, depending on the channel bandwidth).

If MIMO is used with HE MU PPDUs, the location of the individual user's data is determined by the station (user) ID and spatial configuration provided in the HE-SIG-B field.

For more information on MIMO see also [Chapter 4.3, "Signal processing for MIMO measurements \(IEEE IEEE 802.11 ac, ax, n, be\)"](#), on page 76.

HE Trigger-based PPDUs

In order for the access point (AP) to decode packets from multiple users, the uplink transmissions need to be synchronized when the AP receives them. After the users receive information from the AP to trigger the uplink transmissions (by a trigger frame), they transmit the HE_Trig PPDU at a specified time.

The number of users transmitting simultaneously is defined by the high efficiency long training field (HE-LTF). The length of the HE-LTF that the users should use for uplink transmission is defined in the trigger frame sent by the access point. The trigger frame also defines the length of the expected uplink packet.

4.4.2 Demodulating 802.11ax signals in the R&S FSV3 WLAN application

In order to demodulate high-efficiency PPDUs in the R&S FSV3 WLAN application, the application must have knowledge of the used PPDU format and the PPDU configuration. For multi-user PPDUs, the RU allocation and user assignment are also required.

Depending on the available channel bandwidth, the following multi-user configuration must be defined:

- For channels with 20 MHz bandwidth, only 1 configuration is required (RU1).
- For channels with 40 MHz bandwidth, 2 configurations are required in different tabs (RU1 and RU2).
- For channels with 80 MHz bandwidth, 4 configurations are required, in 4 different tabs (RU1 to RU4), where the contents of RU1 and RU3 are identical, and RU2 and RU4 are identical.
- For channels with 2x80 MHz or 160 MHz bandwidth, 4 configurations are required for each 80-MHz-segment of the channel (Segment 1 and Segment 2).

For single user (HE SU-PPDU) and trigger-based PPDUs (UL), the configuration is detected automatically by the R&S FSV3 WLAN application. For multi-user downlink PPDUs (HE MU_PPDU), you must define the configuration manually (see "[HE PPDU Config](#)" on page 152).

For trigger-based PPDUs, you must also define the length of the HE-LTF field in the PPDUs in the R&S FSV3 WLAN application.

Result displays for multi-user PPDUs

The result displays show the demodulated data for the selected RUs. The currently displayed RUs are highlighted green in the PPDU configuration table and the result displays. For multi-user configuration, the results cannot be displayed for an individual user. If you select an RU, the rows for all users of the RU are highlighted.

By default, the first RU is selected. To view the results of different RUs, select the RUs in the table by clicking in the first column ("#"), then [Refresh](#).

4.5 Signal processing for extremely high throughput (EHT) wireless measurements (IEEE 802.11be)

The IEEE 802.11be standard, also known as extremely high throughput (EHT), provides mechanisms to process data rates over 30 Gbps. In addition, special attention is paid to keeping latency rates low (under 5 ms). It uses the unlicensed spectrum bands at 2.4 GHz, 5 GHz and 6 GHz. The standard aims at remaining compatible to previous standards in the same range. It is particularly meant for use in applications with high data volumes, such as virtual reality, gaming, or videos.

Currently, the specification for this standard is still under development by the IEEE organization. The basic features and processing methods described here and used by the R&S FSV3 WLAN application are based on the draft version 0.3 from January 2021.

4.5.1 Basic signal characteristics

PPDU formats

The new 802.11be standard introduces two new PPDU (PHY Protocol Data Unit) formats:

- **EHT MU PPDU:** extremely high throughput multi-user PPDU. This PPDU carries one or more transmissions to one or more users. Only the download PPDU is currently supported for demodulation by the R&S FSV3 WLAN application.
- **EHT Trigger-Based PPDU (UL):** carries a single transmission and is sent in response to a trigger frame; Used for OFDMA and/or MU MIMO uplink transmission
Measuring trigger-based PPDUs requires bandwidth information for the signal to be defined by the user.

The physical layer of the 802.11be standard uses some of the same methods as the 802.11ax standard, including OFDMA, resource units, and multi-user MIMO (see [Chapter 4.4, "Signal processing for high-efficiency wireless measurements \(IEEE 802.11ax\)"](#), on page 85). However, to improve the throughput, higher modulation methods are supported, such as 4096QAM. The number of spatial streams is increased to 16. And the channel bandwidth is increased to 320 MHz.

In addition, the 802.11be standard allows for multiple resource units to be assigned to a single user for high throughput requirements.

RU allocation

Similar to the 802.11ax standard, resource units are assigned to users in the RU allocation. However, as opposed to the 802.11ax standard, multiple resource units (MRUs) with up to 996 tones = 80 MHz can be assigned to a single user. The MRU allocation is defined in the signal field. To avoid a complex combination of RUs and users, the 802.11be standard defines the following restrictions for RU allocation:

Signal processing for extremely high throughput (EHT) wireless measurements (IEEE 802.11be)

- Large RUs with 242, 484, or 996 tones can only be combined with other RUs of these sizes.
- Smaller RUs with fewer than 242 tones can only be combined with other small RUs. Not all combinations of small RUs are allowed, see the specification for details.
- Each 80-MHz segment of the RU allocation that is used by a single user (without puncturing) is assigned a single 996-tone RU.
- For all other scenarios, RUs smaller than 996 tones are combined in compliance with the mentioned restrictions.

Segment puncturing

Sometimes other services use one or more subcarriers within the same range as a 802.11be standard signal. In this case, these subcarriers cannot be included in the RU allocation. The subcarriers are temporarily blocked in the 80-MHz-segment, which is thus referred to as "punctured". The subcarriers remain unused, while the remaining usable subcarriers are allocated to users as usual. The 802.11be standard defines 12 different configurations of ignored and usable carriers within an 80-MHz-segment. Only those configurations are supported. The used configuration (MRU index) must be defined in the PPDU configuration.

EHT signal fields

In addition to the common L-SIG field, the 802.11be standard introduces new signal fields named U-SIG and EHT-SIG to the EHT PPDU. They include version-specific information for the physical layer of the signal.

Multi-User (MU-)MIMO

The 802.11be standard also supports MIMO mode for EHT multi-user PPDUs, both in uplink and downlink transmission. In MIMO mode, each resource unit with a size of 106 subcarriers or more can be assigned to multiple users (8, 16, or 32, depending on the channel bandwidth).

If MIMO is used with EHT MU PPDUs, the location of the individual user's data is determined by the station (user) ID and spatial configuration provided in the EHT-SIG-B field.

For more information on MIMO see also [Chapter 4.3, "Signal processing for MIMO measurements \(IEEE IEEE 802.11 ac, ax, n, be\)"](#), on page 76.

EHT Trigger-based PPDUs

In order for the access point (AP) to decode packets from multiple users, the uplink transmissions need to be synchronized when the AP receives them. After the users receive information from the AP to trigger the uplink transmissions (by a trigger frame), they transmit the EHT_Trig PPDU at a specified time.

The number of users transmitting simultaneously is defined by the EHT long training field (EHT-LTF). The length of the EHT-LTF that the users should use for uplink transmission is defined in the trigger frame sent by the access point. The trigger frame also defines the length of the expected uplink packet.

4.5.2 Demodulating 802.11be signals in the R&S FSV3 WLAN application

In order to demodulate extremely high throughput (EHT) PPDU in the R&S FSV3 WLAN application, the application must have knowledge of the used PDU configuration. The RU allocation and user assignment, as well as the MRU assignment, are also required.

Depending on the available channel bandwidth, the following multi-user configuration must be defined:

- For channels with 20 MHz bandwidth, only 1 configuration is required (RU1).
- For channels with 40 MHz bandwidth, 2 configurations are required in different tabs (RU1 and RU2).
- For channels with 80 MHz bandwidth, 4 configurations are required, in 4 different tabs (RU1 to RU4), where the contents of RU1 and RU3 are identical, and RU2 and RU4 are identical.
- For channels with 2x80 MHz or 160 MHz bandwidth, 4 configurations are required for each 80-MHz-segment of the channel (Segment 1 and Segment 2).
- For channels with 320 MHz bandwidth, 4 configurations are required for each 80-MHz-segment of the channel (Segment 1, 2, 3, 4)

For multi-user downlink PPDU (EHT MU PDU), you must define the configuration manually (see ["EHT PDU Config"](#) on page 159).

For trigger-based PPDU, you must also define the length of the EHT-LTF field in the PPDU in the R&S FSV3 WLAN application.

Result displays for multi-user PPDU

The result displays show the demodulated data for the selected RUs. The currently displayed RUs are highlighted green in the PDU configuration table and the result displays. For multi-user configuration, the results cannot be displayed for an individual user. If you select an RU, the rows for all users of the RU are highlighted.

By default, the first RU is selected. To view the results of different RUs, select the RUs in the table by clicking in the first column ("#"), then [Refresh](#).

4.6 Channels and carriers

In an OFDM system such as WLAN, the channel is divided into carriers using FFT / IFFT. Depending on the channel bandwidth, the FFT window varies between 64 and 512 (see also [Chapter 4.8, "Demodulation parameters - logical filters"](#), on page 93). Some of these carriers can be used (active carriers), others are inactive (e.g. guard carriers at the edges). The channel can then be determined using the active carriers as known points; inactive carriers are interpolated.

4.7 Recognized vs. analyzed PPDU

A PPDU in a WLAN signal consists of the following parts:

(For IEEE 802.11n see also [Figure 4-4](#))

- **Preamble**
Information required to recognize the PPDU within the signal, for example training fields
- **Signal Field**
Information on the modulation used for transmission of the useful data
- **Payload**
The useful data

During signal processing, PPDU are recognized by their preamble symbols. The recognized PPDU and the information on the modulation used for transmission of the useful data are shown in the "Signal Field" result display (see ["Signal Field"](#) on page 50).

Not all of the recognized PPDU are analyzed. Some are dismissed because the PPDU parameters do not match the user-defined demodulation settings, which act as a *logical filter* (see also [Chapter 4.8, "Demodulation parameters - logical filters"](#), on page 93). Others may be dismissed because they contain too many or too few payload symbols (as defined by the user), or due to other irregularities or inconsistency.

Dismissed PPDU are indicated as such in the "Signal Field" result display (highlighted red, with a reason for dismissal).

PPDU with detected inconsistencies are indicated by orange highlighting and a warning in the "Signal Field" result display, but are nevertheless analyzed and included in statistical and global evaluations.

The remaining correct PPDU are highlighted green in the "Magnitude Capture" buffer and "Signal Field" result displays and analyzed according to the current user settings.

Example:

The evaluation range is configured to take the "Source of Payload Length" from the signal field. If the power period detected for a PPDU deviates from the PPDU length coded in the signal field, a warning is assigned to this PPDU. The decoded signal field length is used to analyze the PPDU. The decoded and measured PPDU length together with the appropriate information is shown in the "Signal Field" result display.

4.8 Demodulation parameters - logical filters

The demodulation settings define which PPDU are to be analyzed, thus they define a *logical filter*. They can either be defined using specific values or according to the first measured PPDU.

Which of the WLAN demodulation parameter values are supported depends on the selected digital standard, some are also interdependent.

Table 4-3: Supported modulation formats, PPDU formats and channel bandwidths depending on standard

Standard	Modulation formats	PPDU formats	Channel bandwidths
IEEE 802.11a, g (OFDM), j, p	BPSK (6 Mbps & 9 Mbps) QPSK (12 Mbps & 18 Mbps) 16QAM (24 Mbps & 36 Mbps) 64QAM (48 Mbps & 54 Mbps)	Non-HT Short PPDU Long PPDU	2.5 MHz, 5 MHz, 10 MHz, 20 MHz ^{*)}
IEEE 802.11ac	16QAM 64QAM 256QAM 1024QAM	HT-MF (Mixed format) HT-GF (Greenfield format) VHT NON-HT<Channel Bandwidth>	20 MHz ^{*)} , 40 MHz ^{*)} , 80 MHz ^{*)} , 160 MHz ^{*)}
IEEE 802.11b, g (DSSS)	DBPSK (1 Mbps) DQPSK (2 Mbps) CCK (5.5 Mbps & 11 Mbps) PBCC (5.5 Mbps & 11 Mbps)	Short PPDU Long PPDU	22 MHz
IEEE 802.11n	SISO: BPSK (6.5, 7.2, 13.5 & 15 Mbps) QPSK (13, 14.4, 19.5, 21.7, 27, 30, 40.5 & 45 Mbps) 16QAM (26, 28.9, 39, 43.3, 54, 60, 81 & 90 Mbps) 64QAM (52, 57.8, 58.5, 65, 72.2, 108, 121.5, 135, 120, 135 & 150 Mbps) MIMO: depends on the MCS index	HT-MF (Mixed format) HT-GF (Greenfield format)	20 MHz ^{*)} , 40 MHz ^{*)}
IEEE 802.11ax	BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM	HE<Channel Bandwidth>SU HE<Channel Bandwidth>MU HE<Channel Bandwidth>EXT HE<Channel Bandwidth>TB (Trigger-based)	20 MHz ^{*)} , 40 MHz ^{*)} , 80 MHz ^{*)} , 160 MHz ^{*)}

^{*)}: requires R&S FSV/A bandwidth extension option

See [Chapter A, "Sample rate and maximum usable I/Q bandwidth for RF input"](#), on page 419.

Standard	Modulation formats	PPDU formats	Channel bandwidths
		HE Ext Range SU	20 MHz ^{*)}
IEEE 802.11be	BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM	EHT MU EHT Trigger-Based (TB) EHT non-OFDMA Single User	20 MHz ^{*)} , 40 MHz ^{*)} , 80 MHz ^{*)} , 160 MHz ^{*)} , 320 MHz ^{*)}

^{*)}: requires R&S FSV/A bandwidth extension option
See [Chapter A, "Sample rate and maximum usable I/Q bandwidth for RF input"](#), on page 419.

4.9 I/Q data import and export

Baseband signals mostly occur as so-called complex baseband signals, i.e. a signal representation that consists of two channels; the inphase (I) and the quadrature (Q) channel. Such signals are referred to as I/Q signals. The complete modulation information and even distortion that originates from the RF, IF or baseband domains can be analyzed in the I/Q baseband.

Importing and exporting I/Q signals is useful for various applications:

- Generating and saving I/Q signals in an RF or baseband signal generator or in external software tools to analyze them with the R&S FSV/A later
- Capturing and saving I/Q signals with the R&S FSV/A to analyze them with the R&S FSV/A or an external software tool later

As opposed to storing trace data, which can be averaged or restricted to peak values, I/Q data is stored as it was captured, without further processing. Multi-channel data is not supported.

The data is stored as complex values in 32-bit floating-point format. The I/Q data is stored in a format with the file extension `.iq.tar`.

For a detailed description, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

For example, you can capture I/Q data using the I/Q Analyzer application, if available, and then analyze that data later using the R&S FSV3 WLAN application.



An application note on converting Rohde & Schwarz I/Q data files is available from the Rohde & Schwarz website:

[1EF85: Converting R&S I/Q data files](#)

For details on import and export functions, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

4.10 Basics on input from I/Q data files

The I/Q data to be evaluated in a particular R&S FSV/A application can not only be captured by the application itself, it can also be loaded from a file, provided it has the correct format. The file is then used as the input source for the application.

For example, you can capture I/Q data using the I/Q Analyzer application, store it to a file, and then analyze the signal parameters for that data later using the Pulse application (if available).

The I/Q data file must be in one of the following supported formats:

- .iq.tar
- .iqw
- .csv
- .mat
- .wv
- .aid

(For details, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.)



Only a single data stream can be used as input, even if multiple streams are stored in the file.



An application note on converting Rohde & Schwarz I/Q data files is available from the Rohde & Schwarz website:

[1EF85: Converting R&S I/Q data files](#)

For I/Q file input, the stored I/Q data remains available as input for any number of subsequent measurements. When the data is used as an input source, the data acquisition settings in the current application (attenuation, center frequency, measurement bandwidth, sample rate) can be ignored. As a result, these settings cannot be changed in the current application. Only the measurement time can be decreased, in order to perform measurements on an extract of the available data (from the beginning of the file) only.



For some file formats that do not provide the sample rate and measurement time or record length, you must define these parameters manually. Otherwise the traces are not visible in the result displays.

When using input from an I/Q data file, the [RUN SINGLE] function starts a single measurement (i.e. analysis) of the stored I/Q data, while the [RUN CONT] function repeatedly analyzes the same data from the file.



Sample iq.tar files

If you have the optional R&S FSV/A VSA application (R&S FSV3-K70), some sample `iq.tar` files are provided in the `C:/R_S/Instr/user/vsa/DemoSignals` directory on the R&S FSV/A.

Pre-trigger and post-trigger samples

In applications that use pre-triggers or post-triggers, if no pre-trigger or post-trigger samples are specified in the I/Q data file, or too few trigger samples are provided to satisfy the requirements of the application, the missing pre- or post-trigger values are filled up with zeros. Superfluous samples in the file are dropped, if necessary. For pre-trigger samples, values are filled up or omitted at the beginning of the capture buffer, for post-trigger samples, values are filled up or omitted at the end of the capture buffer.

4.11 Trigger basics

In a basic measurement with default settings, the measurement is started immediately. However, sometimes you want the measurement to start only when a specific condition is fulfilled, for example a signal level is exceeded, or in certain time intervals. For these cases, you can define a trigger for the measurement. In FFT sweep mode, the trigger defines when the data acquisition starts for the FFT conversion.

An "Offset" can be defined to delay the measurement after the trigger event, or to include data before the actual trigger event in time domain measurements (pre-trigger offset).

For complex tasks, advanced trigger settings are available:

- Hysteresis to avoid unwanted trigger events caused by noise
- Holdoff to define exactly which trigger event causes the trigger in a jittering signal
- [Trigger offset](#)..... 97
- [Trigger hysteresis](#).....98
- [Trigger drop-out time](#).....98
- [Trigger holdoff](#)..... 99
- [Trigger synchronization using the primary's trigger output](#).....100
- [Trigger synchronization using an R&S FS-Z11 trigger unit](#)..... 100

4.11.1 Trigger offset

An offset can be defined to delay the measurement after the trigger event, or to include data before the actual trigger event in time domain measurements (pre-trigger offset). Pre-trigger offsets are possible because the R&S FSV/A captures data continuously in the time domain, even before the trigger occurs.

See "[Trigger Offset](#)" on page 127.

4.11.2 Trigger hysteresis

Setting a hysteresis for the trigger helps avoid unwanted trigger events caused by noise, for example. The hysteresis is a threshold to the trigger level that the signal must fall below on a rising slope or rise above on a falling slope before another trigger event occurs.

Example:

In the following example, the signal does not drop below the hysteresis (threshold) before it reaches the trigger level again. Thus, the second possible trigger event on the rising edge is ignored. On the falling edge, however, two trigger events occur. The signal exceeds the hysteresis before it falls to the trigger level the second time.




Figure 4-11: Effects of the trigger hysteresis

See "Hysteresis" on page 127

4.11.3 Trigger drop-out time

If a modulated signal is instable and produces occasional "drop-outs" during a burst, you can define a minimum duration that the input signal must stay below the trigger level before triggering again. This is called the "drop-out" time. Defining a dropout time helps you stabilize triggering when the analyzer is triggering on undesired events.




Figure 4-12: Effect of the trigger drop-out time

See "Drop-Out Time" on page 127.



Drop-out times for falling edge triggers

If a trigger is set to a falling edge ("Slope" = "Falling", see "Slope" on page 128) the measurement is to start when the power level falls below a certain level. This is useful, for example, to trigger at the end of a burst, similar to triggering on the rising edge for the beginning of a burst.

If a drop-out time is defined, the power level must remain below the trigger level at least for the duration of the drop-out time (as defined above). However, if a drop-out time is defined that is longer than the pulse width, this condition cannot be met before the final pulse. Thus, a trigger event does not occur until the pulsed signal is over.




Figure 4-13: Trigger drop-out time for falling edge trigger

For gated measurements, a combination of a falling edge trigger and a drop-out time is generally not allowed.

4.11.4 Trigger holdoff

The trigger holdoff defines a waiting period before the next trigger after the current one will be recognized.




Figure 4-14: Effect of the trigger holdoff

See "Trigger Holdoff" on page 127.

4.11.5 Trigger synchronization using the primary's trigger output

For MIMO measurements in which the data from the multiple antennas is captured simultaneously by multiple analyzers (see "Simultaneous Signal Capture Setup" on page 130, the data streams to be analyzed must be synchronized in time. One possibility to ensure that all analyzers start capturing I/Q data at the same time is using the primary's trigger output functionality.

The R&S FSV/A has variable input/output connectors for trigger signals. If you set the primary's Trigger 2 Input/output connector to "Device Triggered" output, and connect it to the secondaries' trigger input connectors, the primary R&S FSV/A sends its trigger event signal to any connected secondaries. The secondaries are automatically configured to use the trigger source "External". The primary itself can be configured to use any of the following trigger sources:

- External
- I/Q Power
- IF Power
- RF Power
- Power Sensor

4.11.6 Trigger synchronization using an R&S FS-Z11 trigger unit

For MIMO measurements in which the data from the multiple antennas is captured simultaneously by multiple analyzers (see "Simultaneous Signal Capture Setup" on page 130, the data streams to be analyzed must be synchronized in time. The R&S FS-Z11 Trigger Unit can ensure that all analyzers start capturing I/Q data at the same time. Compared to using the primary's trigger out function, using the Trigger Unit

provides a more accurate synchronization of the secondaries. However, it requires the additional hardware.

The Trigger Unit is connected to the DUT and all involved analyzers. Then the Trigger Unit can be used in the following operating modes:

- **External mode:** If the DUT has a trigger output, the trigger signal from the DUT triggers all analyzers simultaneously.
The DUT's TRIGGER OUTPUT is connected to the Trigger Unit's TRIG INPUT connector. Each of the Trigger Unit's TRIG OUT connectors is connected to one of the analyzer's TRIGGER INPUT connectors.
- **Free Run mode:** This mode is used if no trigger signal is available. The primary analyzer sends a trigger impulse to the Trigger Unit to start the measurement as soon as all secondary analyzers are ready to measure.
The NOISE SOURCE output of the primary analyzer is connected to the Trigger Unit's NOISE SOURCE input. Each of the Trigger Unit's TRIG OUT connectors is connected to one of the analyzer's TRIGGER INPUT connectors. When the primary analyzer sends a signal to the Trigger Unit via its NOISE SOURCE output, the Trigger Unit triggers all analyzers simultaneously via its TRIGGER OUTPUT.
- **Manual mode:** a trigger is generated by the Trigger Unit and triggers all analyzers simultaneously. No connection to the DUT is required.
Each of the Trigger Unit's TRIG OUT connectors is connected to one of the analyzer's TRIGGER INPUT connectors. A trigger signal is generated when you press (release) the [TRIG MANUAL] button on the Trigger unit.
Note: In manual mode you must *turn on the NOISE SOURCE output* of the primary analyzer manually (see the manual of the analyzer)!

A Trigger Unit is activated in the [Trigger settings](#). The required connections between the analyzers, the trigger unit, and the DUT are visualized in the dialog box.



The NOISE SOURCE output of the primary analyzer must be connected to the Trigger Unit's NOISE SOURCE input for all operating modes to supply the power for the Trigger Unit.

For more detailed information on the R&S FS-Z11 Trigger Unit and the required connections, see the R&S FS-Z11 Trigger Unit manual.

5 Configuration

The default WLAN I/Q measurement captures the I/Q data from the WLAN signal and determines various characteristic signal parameters such as the modulation accuracy, spectrum flatness, center frequency tolerance and symbol clock tolerance in just one measurement (see [Chapter 3.1, "WLAN I/Q measurement \(modulation accuracy, flatness and tolerance\)"](#), on page 14)

Other parameters specified in the WLAN 802.11 standard must be determined in separate measurements (see [Chapter 5.4, "Frequency sweep measurements"](#), on page 188).

The settings required to configure each of these measurements are described here.

Selecting the measurement type

- ▶ To select a different measurement type, do one of the following:
 - Select the "Overview" softkey. In the "Overview", select the "Select Measurement" button. Select the required measurement.
 - Press the [MEAS] key. In the "Select Measurement" dialog box, select the required measurement.

• Multiple measurement channels and sequencer function	102
• Display configuration	104
• WLAN I/Q measurement configuration	104
• Frequency sweep measurements	188

5.1 Multiple measurement channels and sequencer function

When you activate an application, a new measurement channel is created which determines the measurement settings for that application. These settings include the input source, the type of data to be processed (I/Q or RF data), frequency and level settings, measurement functions etc. If you want to perform the same measurement but with different center frequencies, for instance, or process the same input data with different measurement functions, there are two ways to do so:


- Change the settings in the measurement channel for each measurement scenario. In this case the results of each measurement are updated each time you change the settings and you cannot compare them or analyze them together without storing them on an external medium.
- Activate a new measurement channel for the same application. In the latter case, the two measurement scenarios with their different settings are displayed simultaneously in separate tabs, and you can switch between the tabs to compare the results. For example, you can activate one WLAN measurement channel to perform a WLAN modulation accuracy measurement, and a second channel to perform an

Multiple measurement channels and sequencer function

SEM measurement using the same WLAN input source. Then you can monitor all results at the same time in the "MultiView" tab.

The number of channels that can be configured at the same time depends on the available memory on the instrument.

Only one measurement can be performed on the R&S FSV/A at any time. If one measurement is running and you start another, or switch to another channel, the first measurement is stopped. In order to perform the different measurements you configured in multiple channels, you must switch from one tab to another.

However, you can enable a Sequencer function that automatically calls up each activated measurement channel in turn. This means the measurements configured in the channels are performed one after the other in the order of the tabs. The currently active measurement is indicated by a  symbol in the tab label. The result displays of the individual channels are updated in the corresponding tab (as well as the "Multi-View") as the measurements are performed. Sequencer operation is independent of the currently *displayed* tab; for example, you can analyze the SEM measurement while the modulation accuracy measurement is being performed by the Sequencer.

For details on the Sequencer function see the R&S FSV/A User Manual.

The Sequencer functions are only available in the "MultiView" tab.

Sequencer State.....	103
Sequencer Mode.....	103

Sequencer State

Activates or deactivates the Sequencer. If activated, sequential operation according to the selected Sequencer mode is started immediately.

Remote command:

`SYSTEM:SEQuencer` on page 348

`INITiate:SEQuencer:IMMediate` on page 347

`INITiate:SEQuencer:ABORt` on page 347

Sequencer Mode

Defines how often which measurements are performed. The currently selected mode softkey is highlighted blue. During an active Sequencer process, the selected mode softkey is highlighted orange.

"Single Sequence"

Each measurement is performed once, until all measurements in all active channels have been performed.

"Continuous Sequence"

The measurements in each active channel are performed one after the other, repeatedly, in the same order, until sequential operation is stopped.


This is the default Sequencer mode.

Remote command:

`INITiate:SEQuencer:MODE` on page 347


5.2 Display configuration

The measurement results can be displayed using various evaluation methods. All evaluation methods available for the R&S FSV/A WLAN application are displayed in the evaluation bar in SmartGrid mode when you do one of the following:

- Select the  "SmartGrid" icon from the toolbar.
- Select the "Display Config" button in the "Overview".
- Select the "Display Config" softkey in any WLAN menu.

Then you can drag one or more evaluations to the display area and configure the layout as required.

Up to 16 evaluation methods can be displayed simultaneously in separate windows. The WLAN evaluation methods are described in [Chapter 3, "Measurements and result displays"](#), on page 14.

To close the SmartGrid mode and restore the previous softkey menu select the  "Close" icon in the righthand corner of the toolbar, or press any key.



For details on working with the SmartGrid see the R&S FSV/A Getting Started manual.

5.3 WLAN I/Q measurement configuration

Access: [MODE] > "WLAN 802.11"

WLAN 802.11 measurements require a special application on the R&S FSV/A.

When you activate the R&S FSV3 WLAN application, an I/Q measurement of the input signal is started automatically with the default configuration. The "WLAN" menu is displayed and provides access to the most important configuration functions.



The "Span", "Bandwidth", "Lines", and "Marker Functions" menus are not available for WLAN I/Q measurements.



Multiple access paths to functionality

The easiest way to configure a measurement channel is via the "Overview" dialog box. Alternatively, you can access the individual dialog boxes from the corresponding menu items, or via tools in the toolbars, if available.

In this documentation, only the most convenient method of accessing the dialog boxes is indicated - usually via the "Overview".

- [Configuration overview](#).....105
- [Signal description](#).....107
- [Input and frontend settings](#).....108
- [Signal capture \(data acquisition\)](#).....122


- [Synchronization and OFDM demodulation](#)..... 136
- [Tracking and channel estimation](#)..... 137
- [Demodulation](#)..... 141
- [Evaluation range](#)..... 173
- [Result configuration](#)..... 179
- [Automatic settings](#)..... 186
- [Sweep settings](#)..... 187

5.3.1 Configuration overview



Access: all menus

Throughout the measurement channel configuration, an overview of the most important currently defined settings is provided in the "Overview".



The "Overview" not only shows the main measurement settings, it also provides quick access to the main settings dialog boxes. The indicated signal flow shows which parameters affect which processing stage in the measurement. Thus, you can easily configure an entire measurement channel from input over processing to output and analysis by stepping through the dialog boxes as indicated in the "Overview".



The available settings and functions in the "Overview" vary depending on the currently selected measurement. For frequency sweep measurements see [Chapter 5.4, "Frequency sweep measurements"](#), on page 188.

For the WLAN I/Q measurement, the "Overview" provides quick access to the following configuration dialog boxes (listed in the recommended order of processing):

1. "Select Measurement"
See ["Selecting the measurement type"](#) on page 102
2. "Signal Description"
See [Chapter 5.3.2, "Signal description"](#), on page 107
3. "Input/ Frontend"
See [Chapter 5.3.3, "Input and frontend settings"](#), on page 108
4. "Signal Capture"
See [Chapter 5.3.4, "Signal capture \(data acquisition\)"](#), on page 122
5. "Synchronization / OFDM demodulation"
See [Chapter 5.3.5, "Synchronization and OFDM demodulation"](#), on page 136
6. "Tracking / Channel Estimation"
See [Chapter 5.3.6, "Tracking and channel estimation"](#), on page 137
7. "Demodulation"
See [Chapter 5.3.7, "Demodulation"](#), on page 141
8. "Evaluation Range"
See [Chapter 5.3.8, "Evaluation range"](#), on page 173
9. "Display Configuration"
See [Chapter 5.2, "Display configuration"](#), on page 104

To configure settings

- ▶ Select any button in the "Overview" to open the corresponding dialog box.

Preset Channel

Select the "Preset Channel" button in the lower left-hand corner of the "Overview" to restore all measurement settings *in the current channel* to their default values.

Note: Do not confuse the "Preset Channel" button with the [Preset] key, which restores the entire instrument to its default values and thus closes *all channels* on the R&S FSV/A (except for the default channel)!

Remote command:

[SYSTem:PRESet:CHANnel \[:EXEC\]](#) on page 214

Select Measurement

Selects a measurement to be performed.

See ["Selecting the measurement type"](#) on page 102.

Specific Settings for

The channel can contain several windows for different results. Thus, the settings indicated in the "Overview" and configured in the dialog boxes vary depending on the selected window.

Select an active window from the "Specific Settings for" selection list that is displayed in the "Overview" and in all window-specific configuration dialog boxes.


The "Overview" and dialog boxes are updated to indicate the settings for the selected window.

5.3.2 Signal description

Access: "Overview" > "Signal Description"

Or: [MEAS CONFIG] > "Signal Description"

The signal description provides information on the expected input signal.



Standard.....	107
Frequency.....	107
Tolerance Limit.....	107
Standard Version for Error Vector Magnitude (IEEE 802.11b and g (DSSS) only).....	108

Standard

Defines the WLAN standard (depending on which WLAN options are installed). The measurements are performed according to the specified standard with the correct limit values and limit lines.

Many other WLAN measurement settings depend on the selected standard (see [Chapter 4.8, "Demodulation parameters - logical filters"](#), on page 93).

Remote command:

`CONFigure:STANdard` on page 222

Frequency

Specifies the center frequency of the signal to be measured.

Remote command:

`[SENSe:]FREQuency:CENTer` on page 247

Tolerance Limit

Defines the tolerance limit to be used for the measurement. The required tolerance limit depends on the used standard:

"Prior IEEE 802.11-2012 Standard"

Tolerance limits are based on the IEEE 802.11 specification **prior to 2012**.

Default for OFDM standards (except 802.11ac).

"In line with IEEE 802.11-2012 Standard"

Tolerance limits are based on the IEEE 802.11 specification from **2012**.

Required for DSSS standards. Also possible for OFDM standards (except 802.11ac).

"In line with IEEE 802.11ac standard"

Tolerance limits are based on the **IEEE 802.11ac** specification.

Required by IEEE 802.11ac standard.

"In line with IEEE 802.11ax/D0.1"

Tolerance limits are based on the **IEEE 802.11ax** specification (draft).

Required by IEEE 802.11ax standard.

"In line with IEEE 802.11be/D0.1"

Tolerance limits are based on the **IEEE 802.11be** specification (draft).

Required by IEEE 802.11be standard.

Remote command:

[CALCulate<n>:LIMit:TOLerance](#) on page 223

Standard Version for Error Vector Magnitude (IEEE 802.11b and g (DSSS) only)

Defines the standard version to be used for the EVM measurement:

"In line with IEEE 802.11b-1999"

EVM measurement based on the IEEE 802.11b specification **prior to 2012**.

"In line with IEEE 802.11b-2012"

EVM measurement based on the IEEE 802.11b specification from **2012**.

"In line with IEEE 802.11b-2016"

EVM measurement based on the **IEEE 802.11b** specification from **2016**.

Remote command:

[CONFigure:BURSt:EVM:STANdard](#) on page 224

5.3.3 Input and frontend settings

Access: "Overview" > "Input/Frontend"

Or: [MEAS CONFIG] > "Input/Frontend"

The R&S FSV/A can analyze signals from different input sources and provide various types of output (such as noise or trigger signals).



Importing and Exporting I/Q Data

The I/Q data to be analyzed for WLAN 802.11 can not only be measured by the R&S FSV3 WLAN application itself, it can also be imported to the application, provided it has the correct format. Furthermore, the analyzed I/Q data from the R&S FSV3 WLAN application can be exported for further analysis in external applications.

For details, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

Frequency, amplitude and y-axis scaling settings represent the "frontend" of the measurement setup.

- [Input source settings](#)..... 109
- [Output settings](#)..... 113
- [Frequency settings](#)..... 114
- [Amplitude settings](#)..... 116
- [Y-axis scaling](#)..... 121

5.3.3.1 Input source settings

Access: "Overview" > "Input/Frontend" > "Input Source"

The input source determines which data the R&S FSV/A will analyze.

The default input source for the R&S FSV/A is "Radio Frequency", i.e. the signal at the "RF Input" connector of the R&S FSV/A. If no additional options are installed, this is the only available input source.



Further input sources

The R&S FSV3 WLAN application application can also process input from the following optional sources:

- I/Q Input files
- External mixer
- "Analog Baseband" interface (R&S FSV/A-B71)
- Probes

For details, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

- [Radio frequency input](#)..... 109
- [Settings for input from I/Q data files](#)..... 112

Radio frequency input

Access: "Overview" > "Input/Frontend" > "Input Source" > "Radio Frequency"

Input Source	
Radio Frequency	<input checked="" type="radio"/> On <input type="radio"/> Off
I/Q File	Input Coupling <input checked="" type="radio"/> AC <input type="radio"/> DC
	Direct Path <input checked="" type="radio"/> Auto <input type="radio"/> Off
	YIG-Preselector <input type="radio"/> On <input checked="" type="radio"/> Off
	Impedance Matching
Impedance	<input checked="" type="radio"/> 50Ω <input type="radio"/> 75Ω <input type="radio"/> User
Value	100.0 Ohm
Pad Type	<input type="radio"/> Series-R <input type="radio"/> MLP



RF Input Protection

The RF input connector of the R&S FSV/A must be protected against signal levels that exceed the ranges specified in the data sheet. Therefore, the R&S FSV/A is equipped with an overload protection mechanism for DC and signal frequencies up to 30 MHz. This mechanism becomes active as soon as the power at the input mixer exceeds the specified limit. It ensures that the connection between RF input and input mixer is cut off.

When the overload protection is activated, an error message is displayed in the status bar ("INPUT OVLD"), and a message box informs you that the RF input was disconnected. Furthermore, a status bit (bit 3) in the `STAT:QUES:POW` status register is set. In this case, you must decrease the level at the RF input connector and then close the message box. Then measurement is possible again. Reactivating the RF input is also possible via the remote command `INPut:ATTenuation:PROtection:RESet`.

Radio Frequency State	110
Input Coupling	110
Impedance	111
Direct Path	111
YIG-Preselector	111
Input Connector	112

Radio Frequency State

Activates input from the "RF Input" connector.

Remote command:

`INPut<ip>:SElect` on page 227

Input Coupling

The RF input of the R&S FSV/A can be coupled by alternating current (AC) or direct current (DC).

Not available for input from the optional "Analog Baseband" interface.

AC coupling blocks any DC voltage from the input signal. AC coupling is activated by default to prevent damage to the instrument. Very low frequencies in the input signal can be distorted.

However, some specifications require DC coupling. In this case, you must protect the instrument from damaging DC input voltages manually. For details, refer to the data sheet.

Remote command:

[INPut<ip>:COUPling](#) on page 225

Impedance

For some measurements, the reference impedance for the measured levels of the R&S FSV/A can be set to 50 Ω or 75 Ω .

Select 75 Ω if the 50 Ω input impedance is transformed to a higher impedance using a 75 Ω adapter of the RAZ type. (That corresponds to 25 Ω in series to the input impedance of the instrument.) The correction value in this case is 1.76 dB = 10 log (75 Ω /50 Ω).

Not available for input from the optional "Analog Baseband" interface. For analog baseband input, an impedance of 50 Ω is always used.

Remote command:

[INPut<ip>:IMPedance](#) on page 226

Direct Path

Enables or disables the use of the direct path for small frequencies.

In spectrum analyzers, passive analog mixers are used for the first conversion of the input signal. In such mixers, the LO signal is coupled into the IF path due to its limited isolation. The coupled LO signal becomes visible at the RF frequency 0 Hz. This effect is referred to as LO feedthrough.

To avoid the LO feedthrough the spectrum analyzer provides an alternative signal path to the A/D converter, referred to as the *direct path*. By default, the direct path is selected automatically for RF frequencies close to zero. However, this behavior can be disabled. If "Direct Path" is set to "Off", the spectrum analyzer always uses the analog mixer path.

"Auto" (Default) The direct path is used automatically for frequencies close to zero.

"Off" The analog mixer path is always used.

Remote command:

[INPut:DPATH](#) on page 226

YIG-Preselector

Enables or disables the YIG-preselector.

This setting requires an additional option R&S FSV3-B11 on the R&S FSV/A.

An internal YIG-preselector at the input of the R&S FSV/A ensures that image frequencies are rejected. However, the YIG-preselector can limit the bandwidth of the I/Q data and adds some magnitude and phase distortions. You can check the impact in the "Spectrum Flatness" and "Group Delay" result displays.

Note: Note that the YIG-preselector is active only on frequencies greater than 7.5 GHz. Therefore, switching the YIG-preselector on or off has no effect if the frequency is below that value.

For frequencies above 50 GHz (requires option R&S FSV3-B54G, for R&S FSVA3050 only), the YIG-preselector is automatically switched off (internally, not indicated in the display). In this case, image frequencies can occur, as specified in the data sheet.

Remote command:

`INPut<ip>:FILTer:YIG[:STATe]` on page 226

Input Connector

Determines which connector the input data for the measurement is taken from.

For more information on the optional "Analog Baseband" interface, see the R&S FSV/A I/Q Analyzer and I/Q Input user manual.

"RF"	(Default:) The "RF Input" connector
"RF Probe"	The "RF Input" connector with an adapter for a modular probe This setting is only available if a probe is connected to the "RF Input" connector.
"Baseband Input I"	The optional "Baseband Input I" connector This setting is only available if the optional "Analog Baseband" interface is installed and active for input.


Remote command:

`INPut:CONNector` on page 225

Settings for input from I/Q data files

Access: "Overview" > "Input/Frontend" > "Input Source" > "I/Q File"

Or: [INPUT/OUTPUT] > "Input Source Config" > "Input Source" > "I/Q File"



For details, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

I/Q Input File State	112
Select I/Q data file	113

I/Q Input File State

Enables input from the selected I/Q input file.

If enabled, the application performs measurements on the data from this file. Thus, most measurement settings related to data acquisition (attenuation, center frequency, measurement bandwidth, sample rate) cannot be changed. The measurement time can only be decreased to perform measurements on an extract of the available data only.

Note: Even when the file input is disabled, the input file remains selected and can be enabled again quickly by changing the state.

Remote command:

[INPut<ip>:SElect](#) on page 227

Select I/Q data file

Opens a file selection dialog box to select an input file that contains I/Q data.

The I/Q data file must be in one of the following supported formats:

- .iq.tar
- .iqw
- .csv
- .mat
- .wv
- .aid

For details on formats, see the R&S FSV/A I/Q Analyzer and I/Q Input user manual.

Note: Only a single data stream or channel can be used as input, even if multiple streams or channels are stored in the file.

Note: For some file formats that do not provide the sample rate and measurement time or record length, you must define these parameters manually. Otherwise the traces are not visible in the result displays.

The default storage location for I/Q data files is `C:\R_S\INSTR\USER`.

Remote command:

[INPut:FILE:PATH](#) on page 244

5.3.3.2 Output settings


Access: [Input/Output] > "Output"

The R&S FSV/A can provide output to special connectors for other devices.

For details on connectors, refer to the R&S FSV/A Getting Started manual, "Front / Rear Panel View" chapters.



How to provide trigger signals as output is described in detail in the R&S FSV/A User Manual.



Noise Source Control..... 114

Noise Source Control

Enables or disables the 28 V voltage supply for an external noise source connected to the "Noise source control / Power sensor") connector. By switching the supply voltage for an external noise source on or off in the firmware, you can enable or disable the device as required.

External noise sources are useful when you are measuring power levels that fall below the noise floor of the R&S FSV/A itself, for example when measuring the noise level of an amplifier.

In this case, you can first connect an external noise source (whose noise power level is known in advance) to the R&S FSV/A and measure the total noise power. From this value, you can determine the noise power of the R&S FSV/A. Then when you measure the power level of the actual DUT, you can deduct the known noise level from the total power to obtain the power level of the DUT.

Remote command:

[DIAGnostic:SERvice:NSource](#) on page 245

5.3.3.3 Frequency settings

Access: "Overview" > "Input/Frontend" > "Frequency"

Center Frequency.....	115
Center Frequency Stepsize.....	115
Frequency Offset.....	115

Center Frequency

Defines the center frequency of the signal in Hertz.

Remote command:

[\[SENSe:\] FREQuency: CENTer](#) on page 247

Center Frequency Stepsize

Defines the step size by which the center frequency is increased or decreased using the arrow keys.

The step size can be coupled to another value or it can be manually set to a fixed value.

- | | |
|------------|------------------------------------------------------------------------------------------------------------|
| "= Center" | Sets the step size to the value of the center frequency. The used value is indicated in the "Value" field. |
| "Manual" | Defines a fixed step size for the center frequency. Enter the step size in the "Value" field. |

Remote command:

[\[SENSe:\] FREQuency: CENTer: STEP](#) on page 248

Frequency Offset

Shifts the displayed frequency range along the x-axis by the defined offset.

This parameter has no effect on the instrument's hardware, on the captured data, or on data processing. It is simply a manipulation of the final results in which absolute frequency values are displayed. Thus, the x-axis of a spectrum display is shifted by a constant offset if it shows absolute frequencies. However, if it shows frequencies relative to the signal's center frequency, it is not shifted.

A frequency offset can be used to correct the display of a signal that is slightly distorted by the measurement setup, for example.

The allowed values range from -1 THz to 1 THz. The default setting is 0 Hz.

Remote command:


[SENSe:] FREQuency: OFFSet on page 248

5.3.3.4 Amplitude settings

Access: "Overview" > "Input/Frontend" > "Amplitude"

Amplitude settings determine how the R&S FSV/A must process or display the expected input power levels.

For Analog Baseband input, see the slightly different amplitude settings described in the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.



Reference Level Settings.....	117
└ Reference Level Mode.....	117
└ Reference Level.....	117
└ Shifting the Display (Offset).....	117
└ Unit.....	117
└ Auto Level.....	118
└ Optimize EVM.....	118
RF Attenuation.....	118
└ Attenuation Mode / Value.....	118
Using Electronic Attenuation.....	119
Input Settings.....	119
└ Preamplifier.....	119
└ Input Coupling.....	120
└ Impedance.....	120
└ Ext. PA Correction.....	120

Reference Level Settings

The reference level defines the expected maximum signal level. Signal levels above this value may not be measured correctly, which is indicated by the "IF OVLD" status display.

Reference Level Mode ← Reference Level Settings

By default, the reference level is automatically adapted to its optimal value for the current input data (continuously). At the same time, the internal attenuators and the pre-amplifier are adjusted so the signal-to-noise ratio is optimized, while signal compression, clipping and overload conditions are minimized.

In order to define the reference level manually, switch to "Manual" mode. In this case you must define the following reference level parameters.

If [Optimize EVM](#) is enabled, the reference level mode is automatically set to "Manual".

Remote command:

CONF:POW:AUTO ON, see [CONFigure:POWer:AUTO](#) on page 250

Reference Level ← Reference Level Settings

Defines the expected maximum signal level. Signal levels above this value may not be measured correctly, which is indicated by the "IF OVLD" status display.

This value is overwritten if "Auto Level" mode is turned on.

Remote command:

[DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALe\]:RLEVel](#)
on page 251

Shifting the Display (Offset) ← Reference Level Settings

Defines an arithmetic level offset. This offset is added to the measured level irrespective of the selected unit. The scaling of the y-axis is changed accordingly.

Define an offset if the signal is attenuated or amplified before it is fed into the R&S FSV/A so the application shows correct power results. All displayed power level results will be shifted by this value.

Note, however, that the [Reference Level](#) value ignores the "Reference Level Offset". It is important to know the actual power level the R&S FSV/A must handle.

To determine the required offset, consider the external attenuation or gain applied to the input signal. A positive value indicates that an attenuation took place (R&S FSV/A increases the displayed power values), a negative value indicates an external gain (R&S FSV/A decreases the displayed power values).

The setting range is ± 200 dB in 0.01 dB steps.

Remote command:

[DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALe\]:RLEVel:OFFSet](#) on page 252

Unit ← Reference Level Settings

The R&S FSV/A measures the signal voltage at the RF input.

The following units are available and directly convertible:

- dBm
- dBmV

- dB μ V

Remote command:

[INPut<ip>:IMPedance](#) on page 226

[CALCulate<n>:UNIT:POWer](#) on page 249

Auto Level ← Reference Level Settings

Automatic power level detection is performed once at the start of the next measurement sweep, and the reference level, preamplification and attenuation are adapted accordingly.

The power level is determined according to the TOI and noise figure of the used hardware, and the defined frequency and bandwidth for the measurement.

Remote command:

[CONFigure:POWer:AUTO](#) ONCE

Optimize EVM ← Reference Level Settings

Defines whether an optional iterative search is performed to determine the required settings for minimum residual EVM. If enabled, the required reference level, preamplifier and, optionally, attenuation are configured. The [Reference Level Mode](#) is set to "Manual".

Note: The R&S FSV3 WLAN application must be configured correctly to measure and demodulate the signal, otherwise optimization does not work.

"Off" (Default): No optimization performed

"Full" An optional iterative search for minimum residual EVM is performed for the available preamplifier and attenuation settings. The optimal settings are configured.

"PA only" An optional iterative search for minimum residual EVM is performed, but only the available preamplifier settings are considered during the search. The optimal settings are configured.

Remote command:

[CONFigure:POWer:AUTO:OEVM](#) on page 250

RF Attenuation

Defines the attenuation applied to the RF input.

Attenuation Mode / Value ← RF Attenuation

Defines the attenuation applied to the RF input of the R&S FSV/A.

The RF attenuation can be set automatically as a function of the selected reference level (Auto mode). Automatic attenuation ensures that no overload occurs at the RF Input connector for the current reference level. It is the default setting.

By default and when no (optional) [electronic attenuation](#) is available, mechanical attenuation is applied.

In "Manual" mode, you can set the RF attenuation in 1 dB steps (down to 0 dB). Other entries are rounded to the next integer value. The range is specified in the data sheet. If the defined reference level cannot be set for the defined RF attenuation, the reference level is adjusted accordingly and the warning "limit reached" is displayed.

NOTICE! Risk of hardware damage due to high power levels. When decreasing the attenuation manually, ensure that the power level does not exceed the maximum level allowed at the RF input, as an overload can lead to hardware damage.

Remote command:

`INPut:ATTenuation` on page 252

`INPut:ATTenuation:AUTO` on page 253

Using Electronic Attenuation

If the (optional) Electronic Attenuation hardware is installed on the R&S FSV/A, you can also activate an electronic attenuator.

In "Auto" mode, the settings are defined automatically; in "Manual" mode, you can define the mechanical and electronic attenuation separately.

Note: Electronic attenuation is not available for stop frequencies (or center frequencies in zero span) above 7 GHz.

In "Auto" mode, RF attenuation is provided by the electronic attenuator as much as possible to reduce the amount of mechanical switching required. Mechanical attenuation can provide a better signal-to-noise ratio, however.

When you switch off electronic attenuation, the RF attenuation is automatically set to the same mode (auto/manual) as the electronic attenuation was set to. Thus, the RF attenuation can be set to automatic mode, and the full attenuation is provided by the mechanical attenuator, if possible.

The electronic attenuation can be varied in 1 dB steps. If the electronic attenuation is on, the mechanical attenuation can be varied in 5 dB steps. Other entries are rounded to the next lower integer value.

If the defined reference level cannot be set for the given attenuation, the reference level is adjusted accordingly and the warning "limit reached" is displayed in the status bar.

Remote command:

`INPut:EATT:STATe` on page 254

`INPut:EATT:AUTO` on page 253

`INPut:EATT` on page 253

Input Settings

Some input settings affect the measured amplitude of the signal, as well.

The parameters "Input Coupling" and "Impedance" are identical to those in the "Input" settings.

Preamplifier ← Input Settings

If the (optional) internal preamplifier hardware is installed on the R&S FSV/A, a preamplifier can be activated for the RF input signal.

You can use a preamplifier to analyze signals from DUTs with low output power.

For R&S FSV/A, the following settings are available:

"Off" Deactivates the preamplifier.

"15 dB" The RF input signal is amplified by about 15 dB.

"30 dB" The RF input signal is amplified by about 30 dB.

For R&S FSV/A44 models, the preamplifier is only available under the following conditions:

- In zero span, the maximum center frequency is 43.5 GHz
- For frequency spans, the maximum stop frequency is 43.5 GHz
- For I/Q measurements, the maximum center frequency depends on the analysis bandwidth:

$$f_{center} \leq 43.5 \text{ GHz} - (<Analysis_bw> / 2)$$

If any of the conditions no longer apply after you change a setting, the preamplifier is automatically deactivated.

Using the preamplifier with the order number 1330.3465.02, only 30 dB preamplification is available.

Remote command:

[INPut<ip>:GAIN:STATe](#) on page 254

[INPut<ip>:GAIN\[:VALue\]](#) on page 255

Input Coupling ← Input Settings

The RF input of the R&S FSV/A can be coupled by alternating current (AC) or direct current (DC).

Not available for input from the optional "Analog Baseband" interface.

AC coupling blocks any DC voltage from the input signal. AC coupling is activated by default to prevent damage to the instrument. Very low frequencies in the input signal can be distorted.

However, some specifications require DC coupling. In this case, you must protect the instrument from damaging DC input voltages manually. For details, refer to the data sheet.

Remote command:

[INPut<ip>:COUPling](#) on page 225

Impedance ← Input Settings

For some measurements, the reference impedance for the measured levels of the R&S FSV/A can be set to 50 Ω or 75 Ω.

Select 75 Ω if the 50 Ω input impedance is transformed to a higher impedance using a 75 Ω adapter of the RAZ type. (That corresponds to 25Ω in series to the input impedance of the instrument.) The correction value in this case is 1.76 dB = 10 log (75Ω/50Ω).

Not available for input from the optional "Analog Baseband" interface. For analog baseband input, an impedance of 50 Ω is always used.

Remote command:

[INPut<ip>:IMPedance](#) on page 226

Ext. PA Correction ← Input Settings

This function is only available if an external preamplifier is connected to the R&S FSV/A, and only for frequencies above 1 GHz. For details on connection, see the preamplifier's documentation.

Using an external preamplifier, you can measure signals from devices under test with low output power, using measurement devices which feature a low sensitivity and do not have a built-in RF preamplifier.

When you connect the external preamplifier, the R&S FSV/A reads out the touchdown (.S2P) file from the EEPROM of the preamplifier. This file contains the s-parameters of the preamplifier. As soon as you connect the preamplifier to the R&S FSV/A, the preamplifier is permanently on and ready to use. However, you must enable data correction based on the stored data explicitly on the R&S FSV/A using this setting.

When enabled, the R&S FSV/A automatically compensates the magnitude and phase characteristics of the external preamplifier in the measurement results. Any internal preamplifier, if available, is disabled.

When disabled, no compensation is performed even if an external preamplifier remains connected.


Remote command:

[INPut:EGain\[:STATe\]](#) on page 254

5.3.3.5 Y-axis scaling

Access: "Overview" > "Amplitude" > "Scale" tab

The individual scaling settings that affect the vertical axis are described here. These settings are window-specific.



Range	121
Ref Level Position	122

Range

Defines the displayed y-axis range in dB.

The default value is 100 dB.

Remote command:

[DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALE\]](#) on page 255

Ref Level Position

Defines the reference level position, i.e. the position of the maximum AD converter value on the level axis in %.

0 % corresponds to the lower and 100 % to the upper limit of the diagram.

Values from -120 % to +280 % are available.

Larger values are useful for small scales, such as a power range of 10 dB or 20 dB, and low signal levels, for example 60 dB below the reference level. In this case, large reference level position values allow you to see the trace again.

Remote command:

`DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RPOSition`

on page 256

5.3.4 Signal capture (data acquisition)

Access: "Overview" > "Signal Capture"

Or: [MEAS CONFIG] > "Signal Capture"

You can define how much and how data is captured from the input signal.


- [General capture settings](#)..... 122
- [Trigger settings](#)..... 124
- [MIMO capture settings](#)..... 128

5.3.4.1 General capture settings

Access: "Overview" > "Signal Capture" > "Signal Capture" tab

Or: [MEAS CONFIG] > "Signal Capture" > "Signal Capture" tab

The general capture settings define how much and which data is to be captured during the WLAN I/Q measurement.



Input Sample Rate.....	123
Capture Time.....	123
Swap I/Q.....	123
Suppressing (Filter out) Adjacent Channels (IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be).....	123
Transmit Filter(IEEE 802.11b, g (DSSS)).....	124
Receive Filter (IEEE 802.11b, g (DSSS)).....	124
Equalizer Filter Length (IEEE 802.11b, g (DSSS)).....	124

Input Sample Rate

This is the sample rate the R&S FSV3 WLAN application expects the I/Q input data to have. If necessary, the R&S FSV/A has to resample the data.

During data processing in the R&S FSV/A, the sample rate usually changes (decreases). The RF input is captured by the R&S FSV/A using a high sample rate, and is resampled before it is processed by the R&S FSV3 WLAN application.

Remote command:

`TRACe: IQ:SRATe` on page 258

Capture Time

Specifies the duration (and therefore the amount of data) to be captured in the capture buffer. If the capture time is too short, demodulation will fail. In particular, if the result length does not fit in the capture buffer, demodulation will fail.

Remote command:

`[SENSe:] SWEp: TIME` on page 258

Swap I/Q

Activates or deactivates the inverted I/Q modulation. If the I and Q parts of the signal from the DUT are interchanged, the R&S FSV/A can do the same to compensate for it.

On	I and Q signals are interchanged Inverted sideband, $Q+j*I$
Off	I and Q signals are not interchanged Normal sideband, $I+j*Q$

Remote command:

`[SENSe:] SWAPiq` on page 257

Suppressing (Filter out) Adjacent Channels (IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be)

If activated (default), only the useful signal is analyzed, all signal data in adjacent channels is removed by the filter.

This setting improves the signal to noise ratio and thus the EVM results for signals with strong or a large number of adjacent channels. However, for some measurements information on the effects of adjacent channels on the measured signal may be of interest.

Remote command:

`[SENSe:] BANDwidth[:RESolution]:FILTer:STATe` on page 256

Transmit Filter(IEEE 802.11b, g (DSSS))

Indicates the used transmit filter setting (read-only)

See also [Chapter 4.2.1, "Block diagram for single-carrier measurements"](#), on page 71

"Auto" default filter

Remote command:

[SENSe:]DEMod:FILTer:MODulation on page 257

Receive Filter (IEEE 802.11b, g (DSSS))

Indicates the used receive filter setting (read-only)

See also [Chapter 4.2.1, "Block diagram for single-carrier measurements"](#), on page 71

"Auto" default filter

Remote command:

[SENSe:]DEMod:FILTer:MODulation on page 257

Equalizer Filter Length (IEEE 802.11b, g (DSSS))

Specifies the length of the equalizer filter in chips

Remote command:

[SENSe:]DEMod:FILTer:EFLength on page 257

5.3.4.2 Trigger settings

Access: "Overview" > "Signal Capture" > "Trigger Source"

Trigger settings determine when the R&S FSV/A starts to capture the input signal.

The screenshot shows the 'Signal Capture' configuration window. The 'Trigger Source' is set to 'Free Run'. The 'FS-Z11 Trigger' is currently 'Off'. The 'Level Mode' is set to 'Manual'. The 'Trigger Level' is '----'. The 'Trigger Offset' is '-10.0 μs'. The 'Drop-Out Time' is '0 s'. The 'Slope' is set to 'Rising'. The 'Holdoff' is '0 s'. The 'Hysteresis' is '3.0 dB'. The 'MIMO Capture' is set to 'Off'. Below the settings is a 'Connection Guideline for Trigger Unit FS-Z11' diagram. The diagram shows the DUT (Device Under Test) with RF OUTPUT 1-4 and TRIGGER OUTPUT. The FS-Z11 Trigger Unit has TRIG INPUT, TRIG OUT1-4, TRIG MANUAL, and NOISE SOURCE. The Primary Analyzer has RF INPUT, NOISE SOURCE, and TRIGGER INPUT. Secondary Analyzer 1 has RF INPUT and TRIGGER INPUT. Secondary Analyzer 2 has RF INPUT and TRIGGER INPUT. Secondary Analyzer 3 has RF INPUT and TRIGGER INPUT. The legend indicates Cable Trigger (solid line), Cable Trigger Optional (DUT with TRIGGER OUTPUT) (dashed line), and Cable RF (dotted line).

External triggers from one of the [TRIGGER INPUT/OUTPUT] connectors on the R&S FSV/A are also available.

For more information on trigger settings see [Chapter 4.11, "Trigger basics"](#), on page 97.

Trigger Source.....	125
L Free Run.....	125
L External Trigger 1/2.....	125
L I/Q Power.....	126
L Time.....	126
Trigger Level Mode.....	126
Trigger Level.....	126
Repetition Interval.....	126
Drop-Out Time.....	127
Trigger Offset.....	127
Hysteresis.....	127
Trigger Holdoff.....	127
Slope.....	128
FS-Z11 Trigger.....	128

Trigger Source

Defines the trigger source. If a trigger source other than "Free Run" is set, "TRG" is displayed in the channel bar and the trigger source is indicated.

Remote command:

[TRIGger \[:SEquence \] :SOURce](#) on page 262

Free Run ← Trigger Source

No trigger source is considered. Data acquisition is started manually or automatically and continues until stopped explicitly.

Remote command:

TRIG:SOUR IMM, see [TRIGger \[:SEquence \] :SOURce](#) on page 262

External Trigger 1/2 ← Trigger Source

Data acquisition starts when the TTL signal fed into the specified input connector meets or exceeds the specified trigger level.

(See ["Trigger Level"](#) on page 126).

Note: The "External Trigger 1" softkey automatically selects the trigger signal from the "Trigger 1 Input / Output" connector on the front panel.

For details, see the "Instrument Tour" chapter in the R&S FSV/A Getting Started manual.

"External Trigger 1"

Trigger signal from the "Trigger 1 Input / Output" connector.

"External Trigger 2"

Trigger signal from the "Trigger 2 Input / Output" connector.

Note: Connector must be configured for "Input" in the "Output" configuration

(See the R&S FSV/A user manual).

Remote command:

TRIG:SOUR EXT, TRIG:SOUR EXT2

See [TRIGger \[:SEquence \] :SOURce](#) on page 262

I/Q Power ← Trigger Source

Not available for the optional "Analog Baseband" interface.

If the R&S FSV3-B1000/-B600 bandwidth extension option is active, this trigger is not available for bandwidths ≥ 400 MHz.

Triggers the measurement when the magnitude of the sampled I/Q data exceeds the trigger threshold.

The trigger bandwidth corresponds to the "Usable I/Q Bandwidth", which depends on the sample rate of the captured I/Q data (see "Input Sample Rate" on page 123 and

See [Chapter A, "Sample rate and maximum usable I/Q bandwidth for RF input"](#), on page 419).

Remote command:

TRIG:SOUR IQP, see [TRIGger\[:SEquence\]:SOURce](#) on page 262

Time ← Trigger Source

Triggers in a specified repetition interval.

See "[Repetition Interval](#)" on page 126.

Remote command:

TRIG:SOUR TIME, see [TRIGger\[:SEquence\]:SOURce](#) on page 262

Trigger Level Mode

By default, the optimum trigger level for power triggers is automatically measured and determined at the start of each sweep (for Modulation Accuracy, Flatness, Tolerance... measurements).

In order to define the trigger level manually, switch to "Manual" mode.

Remote command:

TRIG:SEQ:LEV:POW:AUTO ON, see [TRIGger\[:SEquence\]:LEVel:POWer:AUTO](#) on page 262

Trigger Level

Defines the trigger level for the specified trigger source.

For details on supported trigger levels, see the instrument data sheet.

For time triggers, the repetition interval is defined. See "[Repetition Interval](#)" on page 126.

Remote command:

[TRIGger\[:SEquence\]:LEVel:IFPower](#) on page 261

[TRIGger\[:SEquence\]:LEVel:IQPower](#) on page 261

[TRIGger\[:SEquence\]:LEVel\[:EXTernal<port>\]](#) on page 260

For baseband input only:

[TRIGger\[:SEquence\]:LEVel:BBPower](#) on page 260

Repetition Interval

Defines the repetition interval for a time trigger.

The shortest interval is 1 μ s. The granularity of the repetition interval is 1/256 MHz.

Set the repetition interval to the exact pulse period, burst length, frame length or other repetitive signal characteristic. If the required interval cannot be set with the available granularity, configure a multiple of the interval that can be set. Thus, the trigger remains synchronized to the signal.

Remote command:

`TRIGger[:SEquence]:TIME:RINTerval` on page 264

Drop-Out Time

Defines the time that the input signal must stay below the trigger level before triggering again.

For more information on the drop-out time, see [Chapter 4.11.3, "Trigger drop-out time"](#), on page 98.

Note: For input from the optional "Analog Baseband" interface using the baseband power trigger (BBP), the default drop out time is set to 100 ns. This avoids unintentional trigger events (as no hysteresis can be configured in this case).

Remote command:

`TRIGger[:SEquence]:DTIME` on page 259

Trigger Offset

Defines the time offset between the trigger event and the start of the measurement.

For more information, see [Chapter 4.11.1, "Trigger offset"](#), on page 97.

Offset > 0:	Start of the measurement is delayed
Offset < 0:	Measurement starts earlier (pretrigger)

Remote command:

`TRIGger[:SEquence]:HOLDoff[:TIME]` on page 259

Hysteresis

Defines the distance in dB to the trigger level that the trigger source must exceed before a trigger event occurs. Setting a hysteresis avoids unwanted trigger events caused by noise oscillation around the trigger level.

This setting is only available for "IF Power" trigger sources. The range of the value is between 3 dB and 50 dB with a step width of 1 dB.

For more information, see [Chapter 4.11.2, "Trigger hysteresis"](#), on page 98.

Remote command:

`TRIGger[:SEquence]:IFPower:HYSteresis` on page 260

Trigger Holdoff

Defines the minimum time (in seconds) that must pass between two trigger events. Trigger events that occur during the holdoff time are ignored.

For more information, see [Chapter 4.11.4, "Trigger holdoff"](#), on page 99.

Remote command:

`TRIGger[:SEquence]:IFPower:HOLDoff` on page 259

Slope

For all trigger sources except time, you can define whether triggering occurs when the signal rises to the trigger level or falls down to it.

Remote command:

[TRIGger \[:SEquence\] :SLOPe](#) on page 262

FS-Z11 Trigger

If activated, the measurement is triggered by a connected R&S FS-Z11 trigger unit, simultaneously for all connected analyzers. This is useful for MIMO measurements in simultaneous measurement mode (see ["Simultaneous Signal Capture Setup"](#) on page 130).

The trigger source is automatically set to ["External Trigger 1/2"](#) on page 125. The required connections between the analyzers, the trigger unit, and the DUT are indicated in the graphic.

For details see [Chapter 4.11.6, "Trigger synchronization using an R&S FS-Z11 trigger unit"](#), on page 100.

Remote command:

[TRIGger \[:SEquence\] :SOURce](#) on page 262

5.3.4.3 MIMO capture settings

Access: "Overview" > "Signal Capture" > "MIMO Capture" tab

Or: [MEAS CONFIG] > "Signal Capture" > "MIMO Capture" tab

The following settings are **only available for the IEEE 802.11 ac, ax, n, be standards.**

Signal Capture

Signal Capture	Trigger Source	Trigger In/Out	MIMO Capture		
DUT MIMO Config.		2 Tx Antennas			
MIMO Antenna Signal Capture Setup		<input checked="" type="radio"/> Simultaneous <input type="radio"/> Sequential using OSP Switch Box <input type="radio"/> Sequential Manual			
Simultaneous Signal Capture Setup using 2 Rx Channel(s)					
LAN Status	State	Ref Status	Analyzer IP Address	Assignment	Ref Level Offset:
1	Master	<input type="radio"/> 1	10.124.0.195	Antenna Tx1	From Master 0.0 dB
2	On	<input type="radio"/> 2		Antenna Tx2	0.0 dB
3	On	<input type="radio"/> 3			0.0 dB

Joined Rx Synchronization and Tracking

Reference Frequency Coupling Slaves: External; Master: Internal

Amplitude Settings Coupling Slaves settings same as Master settings

For Simultaneous MIMO use either [Trigger Out](#) (Trigger In/Out tab) or [FS-Z11](#) (Trigger Source tab)

DUT MIMO Configuration.....	129
Time Sync.....	129
MIMO Antenna Signal Capture Setup.....	130
Simultaneous Signal Capture Setup.....	130
L LAN Status.....	130
L State.....	130
L Reference Status.....	131
L Analyzer IP Address.....	131
L Assignment.....	131
L Reference Level Offset.....	131
L Joined RX Sync and Tracking.....	131
L Reference Frequency Coupling.....	132
L Amplitude Settings Coupling.....	132
Sequential Using OSP Switch Setup.....	132
L OSP IP Address.....	133
L OSP Switch Bank Configuration.....	134
Manual Sequential MIMO Data Capture.....	134
L Single / Cont.....	135
L Calc Results.....	135
L Clear All Magnitude Capture Buffers.....	135
L RUN SGL / RUN CONT updates.....	136

DUT MIMO Configuration

Defines the number of Tx antennas of the device under test (DUT). Currently up to eight Tx antennas are supported.

Remote command:

`CONFigure:WLAN:DUTConfig` on page 270

Time Sync.

Determines whether or not the cyclic shift delay (CSD) is used for timing synchronisation.

The R&S FSV3 WLAN application uses the preamble non-HT/non-VHT/non-HE cyclic shift delay to estimate the timing offset.

For MIMO/Single Antenna MIMO signals, the applied antenna (and therefore the CSD) is detected automatically using the N_{STS} information from the "Signal Field" and the N_{VHTLTF} information counting the VHT-LTF preamble symbols. (See 802.11-2016 standard "Table 21-13—Number of VHT-LTFs required for different numbers of space-time streams". For 11n and 11ax the corresponding preamble symbols are used).

For a SISO Signal ($N_{STS} = 1$, $N_{VHTLTF} = 1$, see IEEE802.11-2016 Figure 19-2) the R&S FSV3 WLAN application assumes $CSD=0$ for the timing-offset estimation.

For antenna A0 this assumption matches with the applied signal and therefore the EVM is good.

However, for antennas A1, A2, A3, A4, if the applied signal contains a CSD other than 0, the wrong assumption leads to a wrong timing offset estimation. In this case, the CSD must be ignored to get the correct results.

"Apply CSD" (Default:) The timing offset estimation result (assuming $CSD=0$) is used for the subsequent signal analysis.

"Ignore CSD" The timing offset estimation result (assuming CSD=0) is ignored for the subsequent signal analysis.

Remote command:

[CONFigure:WLAN:MIMO:CSD](#) on page 272

MIMO Antenna Signal Capture Setup

Defines the MIMO method used by the R&S FSV/A(s) to capture data from multiple Tx antennas sent by one device under test (DUT).

"Simultaneous" Simultaneous normal MIMO operation
The number of Tx antennas set in [DUT MIMO Configuration](#) defines the number of analyzers required for this measurement setup.

"Sequential using OSP switch" Sequential using open switch platform
A single analyzer and the Rohde & Schwarz OSP Switch Platform (with at least one fitted R&S®OSP-B101 option) is required to measure the number of DUT Tx Antennas as defined in [DUT MIMO Configuration](#).

"Sequential manual" Sequential using manual operation
A single analyzer is required to measure the number of DUT Tx Antennas as defined in [DUT MIMO Configuration](#). Data capturing is performed manually via the analyzer's user interface.

Remote command:

[CONFigure:WLAN:MIMO:CAPtUre:TYPE](#) on page 271

Simultaneous Signal Capture Setup

For each RX antenna from which data is to be captured simultaneously, the settings are configured here.

LAN Status ← Simultaneous Signal Capture Setup

The LED symbol indicates the LAN connection state for each individual antenna (except for the primary):

Table 5-1: Meaning of LED colors

Color	State
gray	antenna off or IP address not available/valid
red	antenna on and IP address valid, but not accessible
green	antenna on and IP address accessible

Remote command:

[CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce:STAT<ant>](#)
on page 270

State ← Simultaneous Signal Capture Setup

Switches the corresponding secondary analyzer on or off. In "On" state the secondary analyzer captures data. This data is transferred via LAN to the primary for analysis of the MIMO system.

Remote command:

[CONFigure:WLAN:ANTMatrix:STATe<ant>](#) on page 270

Reference Status ← Simultaneous Signal Capture Setup

LEDs indicate the connection state of the device providing the individual reference frequency for each channel (for "Reference Frequency Coupling" on page 132).

Table 5-2: Meaning of LED colors

Color	State
gray	external reference off or IP address not available/valid
red	external reference on and IP address valid, but no external reference detected
green	external reference on and IP address accessible

Remote command:

[CONFigure:WLAN:ANTMatrix:ADDRESS<ant>](#) on page 267

Analyzer IP Address ← Simultaneous Signal Capture Setup

Defines the IP addresses of the secondaries connected via LAN to the primary.

Assignment ← Simultaneous Signal Capture Setup

Assignment of the expected antenna to an analyzer. For a wired connection the assignment of the Tx antenna connected to the analyzer is a possibility. For a wired connection and Direct Spatial Mapping the "Spectrum Flatness" traces in the diagonal contain the useful information, in case the signal transmitted from the antennas matches with the expected antennas. Otherwise the secondary diagonal will contain the useful traces.

Remote command:

[CONFigure:WLAN:ANTMatrix:ANTenna<ant>](#) on page 267

Reference Level Offset ← Simultaneous Signal Capture Setup

For simultaneous MIMO setups, you can set the reference level for all secondary devices to the same setting as the primary device, or define individual offsets.

"From primary" The secondary analyzers' reference levels are set to match that of the primary.

"Manual" The secondary analyzers' reference levels are specified individually and are not coupled to the reference level offset of the primary analyzer.

Remote command:

[CONFigure:WLAN:ANTMatrix:SOURce:RLEVel:OFFSet](#) on page 269

[CONFigure:WLAN:ANTMatrix:RLEVel<ant>:OFFSet](#) on page 267

Joined RX Sync and Tracking ← Simultaneous Signal Capture Setup

This command configures how PPDU synchronization and tracking is performed for multiple captured antenna signals.

"ON" RX antennas are synchronized and tracked together.

"OFF" RX antennas are synchronized and tracked separately.

Remote command:

[CONFigure:WLAN:RSYNc:JOINed](#) on page 272

Reference Frequency Coupling ← Simultaneous Signal Capture Setup

For simultaneous MIMO setups, you can set the reference frequency source for all secondary devices to the same setting as the primary device.

"Secondary reference same as primary setting"	Both the primary and all secondaries use the same reference, according to the setting at the primary.
"Secondary: External; primary: Internal"	The secondary devices are set to use the external reference from the primary. The primary device uses its internal reference. Configure the primary to send its reference frequency to all secondary devices via one of its [REF OUTPUT] connectors. (See the R&S FSV/A User Manual for details.)
"Off"	Both the primary and secondary devices use their own internal references; the frequencies are not coupled.

Remote command:

[CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce](#) on page 269

Amplitude Settings Coupling ← Simultaneous Signal Capture Setup

For simultaneous MIMO setups, you can set the amplitude settings for all secondary devices to the same setting as the primary device. Thus, for example, you can force the secondary devices to auto-level in order to achieve better results. This feature requires that the WLAN 802.11 application R&S FSV/A-K91 is installed on the secondary device.

"Secondary settings same as primary settings"	Both the primary and all secondaries use the same amplitude settings, according to the settings at the primary. All settings on the secondary are ignored (including "Reference Level Auto"). Note: if "Reference Level Auto" is set at the primary, the primary channel performs an auto-level measurement and the resulting amplitude settings are transferred to the secondaries.
"Secondary auto-level same as primary"	The secondary devices perform an auto-level at the same time as the primary. The amplitude settings are then determined automatically by each device according to the measured values. This feature requires that the WLAN 802.11 application R&S FSV/A-K91 (version 1.31 or higher) is installed on the secondary devices.
"Off"	Both the primary and secondary devices use their own amplitude settings as defined prior to the measurement; the settings are not coupled.

Remote command:

[CONFigure:WLAN:ANTMatrix:SOURce:AMPLitude:SOURce](#) on page 268

Sequential Using OSP Switch Setup

A single analyzer and the Rohde & Schwarz OSP Switch Platform (with at least one fitted R&S@OSP-B101 option) is required to measure the DUT Tx Antennas.

Note: For sequential MIMO measurements the DUT has to transmit identical PPDU's over time! The signal field, for example, has to be identical for all PPDU's. For details see [Chapter 4.3.4.1, "Sequential MIMO measurement"](#), on page 81.

This setup requires the analyzer and the OSP switch platform to be connected via LAN. A connection diagram is shown to assist you in connecting the specified number of DUT Tx antennas with the analyzer via the Rohde & Schwarz OSP switch platform.




Figure 5-1: Connection instructions for sequential MIMO using an OSP switch

The diagram shows an R&S®OSP-B101 option fitted in one of the three module slots at the rear of the OSP switch platform. The DUT Tx antennas, the OSP switching box and the analyzer have to be connected as indicated in the diagram.

- **Blue** colored arrows represent the connections between the Tx antennas of the DUT and the corresponding SMA plugs of the R&S®OSP-B101 option.
- **Green** colored arrows represent auxiliary connections of SMA plugs of the R&S®OSP-B101 option.
- **Yellow** colored arrows represent the connection between the SMA plug of the R&S®OSP-B101 option with the RF or analog baseband input of the analyzer.

OSP IP Address ← Sequential Using OSP Switch Setup

The analyzer and the R&S OSP switch platform have to be connected via LAN. Enter the IP address of the OSP switch platform.

When using an R&S®OSP130 switch platform, the IP address is shown in the front display.

When using a R&S®OSP120 switch platform, connect an external monitor to get the IP address or use the default IP address of the OSP switch platform. For details read the OSP operation manual.

An online keyboard is displayed to enter the address in dotted IPV4 format.

Tip: the LED symbol indicates the state of the OSP switch box:

Color	State
gray	OSP switch box off or IP address not available/valid
red	OSP switch box on and IP address valid, but not accessible
green	OSP switch box on and IP address accessible

Remote command:

[CONFigure:WLAN:MIMO:OSP:ADDRess](#) on page 272

OSP Switch Bank Configuration ← Sequential Using OSP Switch Setup

The R&S@OSP-B101 option is fitted in one of the three module slots (*switch banks*) at the rear of the OSP switch platform. The DUT Tx antennas are connected with the analyzer via the R&S@OSP-B101 module fitted in the OSP switch platform. Select the R&S@OSP-B101 module that is used for this connection.

Remote command:

[CONFigure:WLAN:MIMO:OSP:MODuLe](#) on page 272

Manual Sequential MIMO Data Capture

Note: For sequential MIMO measurements the DUT has to transmit identical PPDU's over time. The signal field, for example, has to be identical for all PPDU's. For details see [Chapter 4.3.4.1, "Sequential MIMO measurement"](#), on page 81.

For this MIMO method you must connect each Tx antenna of the WLAN DUT with the analyzer and start data capturing manually.

(See [Chapter 5.3.11, "Sweep settings"](#), on page 187).

The dialog box shows a preview of the capture memories (one for each RX antenna). The PPDU's detected by the application are highlighted by the green bars.

Signal Capture

Signal Capture	Trigger Source	Trigger In/Out	MIMO Capture
DUT MIMO Config.		3 Tx Antennas	
MIMO Antenna Signal Capture Setup		<input type="radio"/> Simultaneous <input type="radio"/> Sequential using OSP Switch Box <input checked="" type="radio"/> Sequential Manual	
Sequential Signal Capture Overview			
Rx 1 Capture			
Single	Cont.		
Rx 2 Capture			
Single	Cont.		
Rx 3 Capture			
Single	Cont.		
Calc Results	Clear All Magnitude Capture Buffers		
<RUN SINGLE> or <RUN CONT> updates Capture Memory Rx 1			

Remote command:

CONF:WLAN:MIMO:CAPT:TYP MAN, see [CONFigure:WLAN:MIMO:CAPTure:TYPE](#) on page 271

Single / Cont. ← Manual Sequential MIMO Data Capture

Starts a single or continuous new measurement for the corresponding antenna.

Remote command:

CONF:WLAN:MIMO:CAPT RX1, see [CONFigure:WLAN:MIMO:CAPTure](#) on page 271
[INITiate<n>\[:IMMediate\]](#) on page 346

Calc Results ← Manual Sequential MIMO Data Capture

Calculates the results for the captured antenna signals.

Remote command:

[CALCulate<n>:BURSt\[:IMMediate\]](#) on page 346

Clear All Magnitude Capture Buffers ← Manual Sequential MIMO Data Capture

Clears all the capture buffers and previews.

RUN SGL / RUN CONT updates ← Manual Sequential MIMO Data Capture


Determines which capture buffer is used to store data if a measurement is started via the global [RUN SGL] / [RUN CONT] keys.

5.3.5 Synchronization and OFDM demodulation

Access: "Overview" > "Synchronization/ OFDM-Demod."

Or: [MEAS CONFIG] > "Synch./OFDM-Demod."

Synchronization settings have an effect on which parts of the input signal are processed during the WLAN 802.11 measurement.



Power Interval Search.....	136
FFT Start Offset.....	136

Power Interval Search

If enabled, the R&S FSV3 WLAN application initially performs a coarse burst search on the input signal in which increases in the power vs time trace are detected. Further time-consuming processing is then only performed where bursts are assumed. This improves the measurement speed for signals with low duty cycle rates.

However, for signals in which the PPDU power levels differ significantly, this option should be disabled as otherwise some PPDUs may not be detected.

Remote command:

[SENSe:] DEMod:TXARea on page 273

FFT Start Offset

This command specifies the start offset of the FFT for OFDM demodulation (not for the "FFT Spectrum" display).

"AUTO"

The FFT start offset is automatically chosen to minimize the intersymbol interference.

"Guard Interval Cntr"

Guard Interval Center: The FFT start offset is placed to the center of the guard interval.

"Peak"

The peak of the fine timing metric is used to determine the FFT start offset.

Remote command:

[SENSe:] DEMod: FFT: OFFSet on page 273

5.3.6 Tracking and channel estimation

Access: "Overview" > "Tracking/Channel Estimation"

The channel estimation settings determine which channels are assumed in the input signal. Tracking settings allow for compensation of some transmission effects in the signal (see "Tracking the phase drift, timing jitter and gain" on page 67).




Figure 5-2: Tracking/channel estimation settings for MIMO setup

Channel Estimation Range.....	138
Interpolation.....	138
Wiener Relative Delay Spread.....	139
Preamble Channel Estimation.....	139
Phase Tracking.....	140

Timing Error Tracking.....	140
Level Error (Gain) Tracking.....	140
I/Q Mismatch Compensation.....	140
Pilots for Tracking.....	140
Compensate Crosstalk(MIMO only).....	141

Channel Estimation Range

Specifies the signal range used to estimate the channels.

This function is **not** available for **IEEE 802.11b or g (DSSS)**.

"Preamble (HE/EHT-LTF)" The channel estimation is performed using the preamble of the HE/ EHT-LTF as required in the standard.

Remote command:

```
[SENSe:]DEMod:CESTimation:RANGe PRE1t
```

"Preamble (L-LTF + HE/EHT-LTF)" The channel estimation is performed using the preamble of both training fields.

Remote command:

```
[SENSe:]DEMod:CESTimation:RANGe PRE2t
```

"Payload (Full tracking)" The channel estimation is performed using the preamble and the payload. The EVM results can be calculated more accurately. All tracking options are applied to the payload symbols used for payload channel estimation. (Note: this setting corresponds to the simple "Payload" setting in previous firmware versions.)

Remote command:

```
[SENSe:]DEMod:CESTimation:RANGe PFTRacking  
([SENSe:]DEMod:CESTimation 1)
```

"Payload (User tracking)" The channel estimation is performed using the preamble and the payload. The EVM results can be calculated more accurately. The user-defined tracking settings as defined in the [Tracking and channel estimation](#) are applied to the payload symbols used for payload channel estimation.

Remote command:

```
[SENSe:]DEMod:CESTimation:RANGe PUTRacking
```

Remote command:

```
[SENSe:]DEMod:CESTimation:RANGe on page 274
```

Interpolation

Defines the type of interpolation and smoothing used during estimation.

In case all subcarriers are used (4xHE-LTF), sampling points for all subcarriers are available. In this case, the interpolation function smoothes the estimated channel.

This function is only available for standards **IEEE 802.11ax, be**.

"Wiener"	<p>The unused subcarriers of the channel estimation fields (1xHE-LTF, 2xHE-LTF) are determined by Wiener interpolation. The estimated channel is smoothed. The Wiener interpolation overwrites the used subcarrier sampling points.</p> <p>In case all subcarriers are used (4xHE-LTF), sampling points for all subcarriers are available. The channel is smoothed.</p>
"None/Linear"	<p>The unused subcarriers of the channel estimation fields (1xHE-LTF, 2xHE-LTF) are determined by linear interpolation. Linear interpolation preserves the used subcarrier sampling points.</p> <p>In case all subcarriers are used (4xHE-LTF), the available sampling points for all subcarriers are preserved, and no interpolation is applied.</p>

Remote command:

[\[SENSe:\]DEMod:INTerpolate](#) on page 275

Wiener Relative Delay Spread

Defines the filter for Wiener interpolation.

By default, the filter is defined automatically. You can define a value in percent manually, between 0.01 and 50. The value is relative to the DFT (discrete Fourier transform) period that is used for the Wiener filter design. Decrease this setting to finetune the EVM result if there is negligible delay spread, for example for a wired connection.

This function is only available for standards **IEEE 802.11ax, be** and only for [Interpolation = "Wiener"](#).

Remote command:

[\[SENSe:\]DEMod:INTerpolate:WIENer:DSPRead:STate](#) on page 276

[\[SENSe:\]DEMod:INTerpolate:WIENer:DSPRead](#) on page 275

Preamble Channel Estimation

Defines which results are used for preamble tracking prior to the preamble channel estimation.

This function is only available for standards **WLAN 802.11ac and n**.

"Payload"	<p>Prior to MIMO channel estimation, global center frequency error and symbol clock error estimates are calculated using known payload pilots. (V)HT-LTF symbols are then corrected using these estimates. Symbol-wise phase tracking over (V)HT-LTF symbols is not performed.</p>
"(V)HT-LTF Symbols + Payload"	<p>Prior to MIMO channel estimation, global center frequency error and symbol clock error estimates are calculated using known payload pilots. (V)HT-LTF symbols are then corrected using these estimates. In addition, a (V)HT-LTF symbol-wise phase estimation and correction (phase tracking) is performed. In case of strong phase drifts, this can help improve the channel estimate based on (V)HT-LTF symbols. However, (V)HT-LTF symbol phase tracking only makes sense if more than one (V)HT-LTF symbol is used for channel estimation. Otherwise, phase tracking is skipped.</p>

Remote command:

[SENSe:TRACking:PREamble](#) on page 278

Phase Tracking

Activates or deactivates the compensation for phase drifts. If activated, the measurement results are compensated for phase drifts on a per-symbol basis.

Remote command:

[SENSe:TRACking:PHASe](#) on page 277

Timing Error Tracking

Activates or deactivates the compensation for timing drift. If activated, the measurement results are compensated for timing error on a per-symbol basis.

Remote command:

[SENSe:TRACking:TIME](#) on page 279

Level Error (Gain) Tracking

Activates or deactivates the compensation for level drifts within a single PPDU. If activated, the measurement results are compensated for level error on a per-symbol basis.

Remote command:

[SENSe:TRACking:LEVEl](#) on page 277

I/Q Mismatch Compensation

Activates or deactivates the compensation for I/Q mismatch.

If activated, the measurement results are compensated for gain imbalance and quadrature offset.

This setting is **not available for standards IEEE 802.11b and g (DSSS)**.

For details see [Chapter 3.1.1.5, "I/Q mismatch"](#), on page 21.

Note: For EVM measurements according to the IEEE 802.11-2012, IEEE 802.11ac-2013 WLAN standard, I/Q mismatch compensation must be deactivated.

"Off" No compensation is applied.

"Average Subcarrier"

The I/Q mismatches (gain imbalance, quadrature offset, time skew) are averaged over the subcarriers. The scalar results are applied to the subcarriers and used for I/Q mismatch compensation. Note this setting corresponds to the previous "I/Q Mismatch Compensation: On" setting.

"Per Subcarrier"

The individual I/Q mismatches per subcarrier are used for I/Q mismatch compensation.

Remote command:

[SENSe:TRACking:IQMComp](#) on page 276

Pilots for Tracking

In case tracking is used, the used pilot sequence has an effect on the measurement results.

This function is **not available for IEEE 802.11b or g (DSSS)**.

"According to standard"

The pilot sequence is determined according to the corresponding WLAN standard. In case the pilot generation algorithm of the device under test (DUT) has a problem, the non-standard-conform pilot sequence might affect the measurement results, or the R&S FSV3 WLAN application might not synchronize at all onto the signal generated by the DUT.

"Detected"

The pilot sequence detected in the WLAN signal to be analyzed is used by the R&S FSV3 WLAN application. In case the pilot generation algorithm of the device under test (DUT) has a problem, the non-standard-conform pilot sequence will not affect the measurement results. In case the pilot sequence generated by the DUT is correct, it is recommended that you use the "According to Standard" setting because it generates more accurate measurement results.

Remote command:

[SENSe:TRACking:PILots](#) on page 278

Compensate Crosstalk(MIMO only)

Activates or deactivates the compensation for crosstalk in MIMO measurement setups.

This setting is **only available for standard IEEE 802.11 ac, ax, n, be (MIMO)**.

By default, full MIMO equalizing is performed by the R&S FSV3 WLAN application. However, you can deactivate compensation for crosstalk. In this case, simple main path equalizing is performed only for direct connections between Tx and Rx antennas, disregarding ancillary transmission between the main paths (crosstalk). This is useful to investigate the effects of crosstalk on results such as EVM.

On the other hand, for cable connections, which have practically no crosstalk, you may get better EVM results if crosstalk is compensated for.

For details see [Chapter 4.3.6, "Crosstalk and spectrum flatness"](#), on page 84.

Remote command:

[SENSe:TRACking:CROSstalk](#) on page 276

5.3.7 Demodulation

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The demodulation settings define which PPDU's are to be analyzed, thus they define a *logical filter*.

The available demodulation settings vary depending on the selected digital standard in the "Signal Description" (see ["Standard"](#) on page 107).

- [Demodulation - IEEE 802.11a, g \(OFDM\), j, p](#)..... 142
- [Demodulation - IEEE 802.11ac](#)..... 145
- [Demodulation - IEEE 802.11ax](#)..... 149
- [Demodulation - IEEE 802.11be](#)..... 157

- Demodulation - IEEE 802.11b, g (DSSS).....165
- Demodulation - IEEE 802.11n.....167
- Demodulation - MIMO (IEEE 802.11 ac, ax, n, be).....172

5.3.7.1 Demodulation - IEEE 802.11a, g (OFDM), j, p

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11a, g (OFDM), j, p signals.




Figure 5-3: Demodulation settings for IEEE 802.11a, g (OFDM), j, p standard

- PPDU Analysis Mode.....142
- PPDU Format to measure.....143
- Channel Bandwidth to measure (CBW).....143
- PSDU Modulation to use.....144
- PSDU Modulation.....144
- Guard Interval Length.....144

PPDU Analysis Mode

Defines whether all or only specific PPDUs are to be analyzed.

"Auto, same type as first PPDU"

The signal symbol field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDUs identical to the first recognized PPDU are analyzed. All subsequent settings are set to "Auto" mode.

"Auto, individually for each PPDU"

All PPDUs are analyzed

"User-defined"

User-defined settings define which PPDU are analyzed. This setting is automatically selected when any of the subsequent settings are changed to a value other than "Auto".

Remote command:

[SENSe:]DEMod:FORMat[:BContent]:AUTO on page 288

PPDU Format to measure

Defines which PPDU formats are to be included in the analysis. Depending on which standards the communicating devices are using, different formats of PPDU are available. Thus you can restrict analysis to the supported formats.

Note: The PPDU format determines the available channel bandwidths.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column).

"Auto, same type as first PPDU (A1st)"

The format of the first valid PPDU is detected and subsequent PPDU are analyzed only if they have the same format.

"Auto, individually for each PPDU (AI)"

All PPDU are analyzed regardless of their format

"Meas only ...(M ...)"

Only PPDU with the specified format are analyzed

"Demod all as ...(D ...)"

All PPDU are assumed to have the specified PPDU format

Remote command:

[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE on page 287

[SENSe:]DEMod:FORMat:BANalyze on page 284

Channel Bandwidth to measure (CBW)

Defines the channel bandwidth of the PPDU taking part in the analysis. Depending on which standards the communicating devices are using, different PPDU formats and channel bandwidths are supported.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PPDU""(A1st)"

The channel bandwidth of the first valid PPDU is detected and subsequent PPDU are analyzed only if they have the same channel bandwidth.

"Meas only ... signal""(M ...)"

Only PPDU with the specified channel bandwidth are analyzed

"Demod all as ... signal""(D ...)"

All PPDU are assumed to have the specified channel bandwidth

Remote command:

[SENSe:]BANDwidth:CHANnel:AUTO:TYPE on page 282

PSDU Modulation to use

Specifies which PSDUs are to be analyzed depending on their modulation. Only PSDUs using the selected modulation are considered in measurement analysis.

For details on supported modulation depending on the standard see [Table 4-3](#).

"Auto, same type as first PPDU""(A1st)"

All PSDUs using the same modulation as the first recognized PPDU are analyzed.

"Auto, individually for each PPDU""(AI)"

All PSDUs are analyzed

"Meas only the specified PSDU Modulation""(M ...)"

Only PSDUs with the modulation specified by the [PSDU Modulation](#) setting are analyzed

"Demod all with specified PSDU modulation""(D ...)"

The PSDU modulation of the [PSDU Modulation](#) setting is used for all PSDUs.

Remote command:

[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE on page 287

[SENSe:]DEMod:FORMat:BANalyze on page 284

PSDU Modulation

If analysis is restricted to PSDU with a particular modulation type, this setting defines which type.

For details on supported modulation depending on the standard see [Table 4-3](#).

Remote command:

[SENSe:]DEMod:FORMat:BANalyze on page 284

Guard Interval Length

Defines the PPDU taking part in the analysis depending on the guard interval length.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PPDU""(A1st)"

All PPDU using the guard interval length identical to the first recognized PPDU are analyzed.

"Auto, individually for each PPDU""(AI)"

All PPDU are analyzed.

"Meas only Short""(MS)"

Only PPDU with short guard interval length are analyzed.

"Meas only Long""(ML)"

Only PPDU with long guard interval length are analyzed.

"Demod all as short"(DS)"

All PPDU are demodulated assuming short guard interval length.

"Demod all as long"(DL)"

All PPDU are demodulated assuming long guard interval length.

Remote command:

CONFigure:WLAN:GTIME:AUTO on page 280

CONFigure:WLAN:GTIME:AUTO:TYPE on page 409

CONFigure:WLAN:GTIME:SElect on page 281

5.3.7.2 Demodulation - IEEE 802.11ac

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11ac signals.




Figure 5-4: Demodulation settings for IEEE 802.11ac standard

PPDU Analysis Mode..... 146

PPDU Format to measure..... 146

Channel Bandwidth to measure (CBW)..... 146

MCS Index to use..... 147

MCS Index..... 147

Nsts to use..... 147

Nsts..... 148

STBC Field..... 148

Table info overview..... 149

Guard Interval Length..... 149

PPDU Analysis Mode

Defines whether all or only specific PPDU are to be analyzed.

"Auto, same type as first PPDU"

The signal symbol field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDU identical to the first recognized PPDU are analyzed. All subsequent settings are set to "Auto" mode.

"Auto, individually for each PPDU"

All PPDU are analyzed

"User-defined"

User-defined settings define which PPDU are analyzed. This setting is automatically selected when any of the subsequent settings are changed to a value other than "Auto".

Remote command:

[SENSe:] DEMod:FORMat [:BContent] :AUTO on page 288

PPDU Format to measure

Defines which PPDU formats are to be included in the analysis. Depending on which standards the communicating devices are using, different formats of PPDU are available. Thus you can restrict analysis to the supported formats.

Note: The PPDU format determines the available channel bandwidths.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column).

"Auto, same type as first PPDU (A1st)"

The format of the first valid PPDU is detected and subsequent PPDU are analyzed only if they have the same format.

"Auto, individually for each PPDU (AI)"

All PPDU are analyzed regardless of their format

"Meas only ...(M ...)"

Only PPDU with the specified format are analyzed

"Demod all as ...(D ...)"

All PPDU are assumed to have the specified PPDU format

Remote command:

[SENSe:] DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE on page 287

[SENSe:] DEMod:FORMat:BANalyze on page 284

Channel Bandwidth to measure (CBW)

Defines the channel bandwidth of the PPDU taking part in the analysis. Depending on which standards the communicating devices are using, different PPDU formats and channel bandwidths are supported.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see "Signal Field" on page 50).

"Auto, same type as first PPDU""(A1st)"

The channel bandwidth of the first valid PPDU is detected and subsequent PDUs are analyzed only if they have the same channel bandwidth.

"Meas only ... signal""(M ...)"

Only PDUs with the specified channel bandwidth are analyzed

"Demod all as ... signal""(D ...)"

All PDUs are assumed to have the specified channel bandwidth

Remote command:

[SENSe:]BANDwidth:CHANnel:AUTO:TYPE on page 282

MCS Index to use

Defines the PDUs taking part in the analysis depending on their Modulation and Coding Scheme (MCS) index.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see "Signal Field" on page 50).

"Auto, same type as first PPDU:""(A1st)"

All PDUs using the MCS index identical to the first recognized PDU are analyzed.

" Auto, individually for each PPDU""(AI)"

All PDUs are analyzed

"Meas only the specified MCS""(M ...)"

Only PDUs with the MCS index specified for the [MCS Index](#) setting are analyzed

"Demod all with specified MCS""(D ...)"

The [MCS Index](#) setting is used for all PDUs.

Remote command:

[SENSe:]DEMod:FORMat:MCSindex:MODE on page 289

MCS Index

Defines the MCS index of the PDUs taking part in the analysis manually. This field is enabled for "MCS index to use" = "Meas only the specified MCS" or "Demod all with specified MCS".

Remote command:

[SENSe:]DEMod:FORMat:MCSindex on page 289

Nsts to use

Defines the PDUs taking part in the analysis depending on their Nsts.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("NSTS" column, see "Signal Field" on page 50).

"Auto, same type as first PPDU""(A1st)"

All PDUs using the Nsts identical to the first recognized PPDU are analyzed.

" Auto, individually for each PPDU""(AI)"

All PDUs are analyzed

"Meas only the specified Nsts""(M ...)"

Only PDUs with the Nsts specified for the "Nsts" on page 148 setting are analyzed

"Demod all with specified Nsts""(D ...)"

The "Nsts" on page 148 setting is used for all PDUs.

Remote command:

[SENSe:]DEMod:FORMat:NSTSiNdex:MODE on page 290

Nsts

Defines the Nsts of the PDUs taking part in the analysis. This field is enabled for [Nsts to use](#) = "Meas only the specified Nsts" or "Demod all with specified Nsts".

Remote command:

[SENSe:]DEMod:FORMat:NSTSiNdex on page 290

STBC Field

Defines the PDUs taking part in the analysis according to the Space-Time Block Coding (STBC) field content.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PPDU""(A1st)"

All PDUs using a STBC field content identical to the first recognized PPDU are analyzed.

"Auto, individually for each PPDU""(AI)"

All PDUs are analyzed.

"Meas only if STBC field = 1 (+1 Stream)""(M1)"[(IEEE 802.11N)]

Only PDUs with the specified STBC field content are analyzed.

"Meas only if STBC field = 2 (+2 Stream)""(M2)"[(IEEE 802.11N)]

Only PDUs with the specified STBC field content are analyzed.

"Demod all as STBC field = 1""(D1)"[(IEEE 802.11N)]

All PDUs are analyzed assuming the specified STBC field content.

"Demod all as STBC field = 2""(D2)"[(IEEE 802.11N)]

All PDUs are analyzed assuming the specified STBC field content.

"Meas only if STBC = 1 (Nsts = 2Nss)""(M1)"[(IEEE 802.11ac)]

Only PDUs with the specified STBC field content are analyzed.

"Demod all as STBC = 1 (Nsts = 2Nss)""(D1)"[(IEEE 802.11ac)]

All PDUs are analyzed assuming the specified STBC field content.

Remote command:

CONFigure:WLAN:STBC:AUTO:TYPE on page 281

Table info overview

Depending on the selected channel bandwidth, MCS index or NSS (STBC), the relevant information from the modulation and coding scheme (MCS) as defined in the WLAN 802.11 standard is displayed here. This information is for reference only, for example so you can determine the required data rate.

Guard Interval Length

Defines the PPDU's taking part in the analysis depending on the guard interval length.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PPDU""(A1st)"

All PPDU's using the guard interval length identical to the first recognized PPDU are analyzed.

"Auto, individually for each PPDU""(AI)"

All PPDU's are analyzed.

"Meas only Short""(MS)"

Only PPDU's with short guard interval length are analyzed.

"Meas only Long""(ML)"

Only PPDU's with long guard interval length are analyzed.

"Demod all as short""(DS)"

All PPDU's are demodulated assuming short guard interval length.

"Demod all as long""(DL)"

All PPDU's are demodulated assuming long guard interval length.

Remote command:

[CONFigure:WLAN:GTIME:AUTO](#) on page 280

[CONFigure:WLAN:GTIME:AUTO:TYPE](#) on page 409

[CONFigure:WLAN:GTIME:SElect](#) on page 281

5.3.7.3 Demodulation - IEEE 802.11ax

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11ax signals.




Figure 5-5: Demodulation settings for IEEE 802.11ax standard

PPDU Analysis Mode.....	150
PPDU Format to measure.....	151
Channel Bandwidth to measure (CBW).....	151
HE PPDU Config.....	152
L HE PPDU Format.....	152
L N_{HE-LTF}	153
L Segment 1/2.....	153
L RU1-242 / RU2-242 / RU3-242 / RU4-242.....	153
L RU Count.....	153
L RU26 Index.....	153
L RU Index.....	154
L User Index.....	154
L RU Size.....	154
L MCS Index.....	154
L Nsts per User.....	154
L TX Beamforming.....	155
L DCM.....	155
L Coding.....	155
L Insert User.....	155
L Delete User.....	155
L Refresh.....	156
L OK.....	156
Guard Interval (GI) + HE-LTF Size.....	156
Demodulation Data (Bitstream).....	157

PPDU Analysis Mode

Defines whether all or only specific PPDU are to be analyzed.

"Auto, same type as first PPDU"

The signal symbol field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDU identical to the first recognized PPDU are analyzed. All subsequent settings are set to "Auto" mode.

"Auto, individually for each PPDU"

All PDUs are analyzed

"User-defined"

User-defined settings define which PDUs are analyzed. This setting is automatically selected when any of the subsequent settings are changed to a value other than "Auto".

Remote command:

`[SENSe:] DEMod:FORMat[:BContent]:AUTO` on page 288

PPDU Format to measure

Defines which PDU formats are to be included in the analysis for standard **IEEE 802.11ax**.

Note: The PDU format determines the available channel bandwidths.

In particular, extended range PDUs can only be measured with a channel bandwidth of 20 MHz. If you increase the [Channel Bandwidth to measure \(CBW\)](#), the "PDU Format to measure" is automatically set to "Auto individual for each HE SU-PPDU".

For details on supported PDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

"Auto individual for each HE SU-PPDU / HE MU-PPDU / HE Trigger-based PDU / HE Ext. Range SU-PPDU"

Only PDUs of the specified PDU type are analyzed

"Demod all as specified HE PDU"

All PDUs are assumed to have HE PDU format as defined in the [HE PDU Config](#) settings

Remote command:

`[SENSe:] DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE` on page 287

`[SENSe:] DEMod:FORMat:BANalyze` on page 284

Channel Bandwidth to measure (CBW)

Defines the channel bandwidth of the PDUs taking part in the analysis. Depending on which standards the communicating devices are using, different PDU formats and channel bandwidths are supported.

For details on supported PDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The available channel bandwidths depends on the selected PDU format.

In particular, extended range PDUs can only be measured with a channel bandwidth of 20 MHz. If you increase the "Channel Bandwidth to measure (CBW)", the [HE PDU Format](#) is automatically set to "HE SU-PPDU".

"Auto, same type as first PDU"

The channel bandwidth of the first valid PDU is detected and subsequent PDUs are analyzed only if they have the same channel bandwidth.

"Meas only ... signal"

Only PDUs with the specified channel bandwidth are analyzed

"Demod all as ... signal"

All PDUs are assumed to have the specified channel bandwidth

Remote command:

[SENSe:]BANDwidth:CHANnel:AUTO:TYPE on page 282

HE PPDU Config

Defines the PPDU configuration, which also contains the assignment of the stations (users) to the resource units (RUs), that is: the channels and subcarriers. For single user (HE SU-PPDU) and trigger-based PPDUs (UL), the configuration is detected automatically by the R&S FSV3 WLAN application. For multi-user downlink PPDUs (HE MU-PPDU), you must define the configuration manually.

For trigger-based PPDUs, you must also define the length of the HE-LTF field in the PPDUs in the R&S FSV3 WLAN application.

#	RU Count	RU26 Index	RU Index	User Index	RU Size	MCS Index	Nsts per User	TX Beam-forming	DCM	Coding
1	1	1	1	1	SU	0	1	0	0	0
2										
3										
4										
5										
6										
7										

Note: Result displays for multi-user PPDUs. For multi-user PPDUs, the result displays show the demodulated data for an individual RU at a time. In continuous sweep measurements, the results for the first RU defined in the PPDU configuration table are displayed. In single sweep measurements, you can scroll through the RUs in the table to view the results. The currently displayed RU is highlighted green in the PPDU configuration table. To view the results of a different RU, select the RU in the table, then [Refresh](#).

For details on PPDU configuration see also [Chapter 4.4, "Signal processing for high-efficiency wireless measurements \(IEEE 802.11ax\)"](#), on page 85.

HE PPDU Format ← HE PPDU Config

Defines the format of the HE PPDU. This format determines which other PPDU settings are available.

Note that the R&S FSV3 WLAN application performs plausibility checks concerning the number of RUs, RU sizes, and number of users over all segments and RU configuration tabs according to the 802.11ax standard.

"HE SU-PPDU (DL,UL)" High-efficiency single user PPDU for uplink and downlink (DL,UL)"

"HE MU-PPDU (DL)" High-efficiency multi-user PPDU for downlink to multiple users at the same time

"HE Trigger-based PPDU (UL)" High-efficiency trigger-based PPDU for uplink from multiple users at the same time

"HE Ext Range SU-PPDU" High-efficiency single-user PPDU for an extended range SU-PPDU"

Remote command:

[CONFigure:WLAN:RUConfig:HEPPdu](#) on page 293

$N_{\text{HE-LTF}}$ ← HE PPDU Config

Defines the length of the high-efficiency long training field (for **trigger-based uplink PPDUs only**). For more information see "[HE Trigger-based PPDUs](#)" on page 89.

"Auto" The length is determined automatically by the application.

"As Configured STA" The station configuration defines the used length.

"1 / 2 / 4 / 6 / 8 Symbols" The LTF of the PPDUs have a fixed length.

Remote command:

[CONFigure:WLAN:RUConfig:NHELtf](#) on page 293

Segment 1/2 ← HE PPDU Config

For **160 MHz** channels and multi-user downlink PPDUs (**MU-PPDU (DL)**) **only**: switches between the two possible 80-MHz-segments (242 tones) of the channel to be configured

RU1-242 / RU2-242 / RU3-242 / RU4-242 ← HE PPDU Config

Switches between the four possible RU allocation configuration tabs for channel bandwidths larger than 20 MHz. Each RU allocation tab configures the resource units for a 20 MHz channel.

A maximum of 9 resource units (with 26 subcarriers each) can be configured for any 20 MHz span.

RU Count ← HE PPDU Config

The number of used RUs for a single PPDU. Used to connect the results to the PPDU configuration. Up to 9 resource units can be configured for each subchannel, depending on the [RU Size](#).

RU26 Index ← HE PPDU Config

The index of the resource unit based on 26-subcarrier units. Values from 1 to 74 are possible.

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RU26index` on page 295

RU Index ← HE PPDU Config

The index of the resource unit as defined by the 802.11ax standard. This value determines the position of the resource unit within the channel.

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:COUNT:HIGHEST?` on page 294

User Index ← HE PPDU Config

The index of the user assigned to the resource unit. In standard transmissions, only one user is assigned to each RU. In MIMO transmissions, up to 8 users can be assigned to one RU (depending on the size of the RU).

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER:COUNT?` on page 297

RU Size ← HE PPDU Config

Size of the individual resource unit (= number of subcarriers or tones) for a single transmission package.

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUSize` on page 296

MCS Index ← HE PPDU Config

Modulation and Coding Scheme (MCS) index of the PPDU

- 0: BPSK 1/2
- 1: QPSK 1/2
- 2: QPSK 3/4
- 3: 16-QAM 1/2
- 4: 16-QAM 3/4
- 5: 64-QAM 2/3
- 6: 64-QAM 3/4
- 7: 64-QAM 5/6
- 8: 256-QAM 3/4
- 9: 256-QAM 5/6
- 10: 1024-QAM 3/4
- 11: 1024-QAM 5/6

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:MCSindex` on page 301

Nsts per User ← HE PPDU Config

For **MIMO** measurements only:

Number of space-time streams (NSTS) assigned to an individual user

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:NSTS` on page 302

TX Beamforming ← HE PPDU Config

Use of transmit beamforming

- [1] Beamforming is applied
- [0] No beamforming applied

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:TBEamforming` on page 302

DCM ← HE PPDU Config

Dual carrier modulation

- [1] DCM is used
- [0] DCM not used

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DCM` on page 299

Coding ← HE PPDU Config

The type of coding used by the PPDU

- [1] LDPC is used
- [0] BCC is used

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:CODing` on page 298

Insert User ← HE PPDU Config

For **HE Multi-User Downlink PPDUs** that support **MIMO** only:

Adds another user (station) for the selected resource unit (RU) to the configuration table.

A maximum of 8 users can be assigned to a single resource unit in MIMO mode.

This function is only available for RU sizes of at least 106 subcarriers.

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:INSert` on page 300

Delete User ← HE PPDU Config

Deletes the selected user (station) from the HE Multi-User Downlink PPDU configuration table (for **MIMO** configuration only).

Remote command:

`CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DELeTe` on page 299

Refresh ← HE PPDU Config

Updates the result displays for the currently selected RUs in the PPDU configuration table.

See ["Result displays for multi-user PPDUs"](#) on page 89.

Remote command:

[CONFigure:WLAN:RUConfig:REFresh](#) on page 293

OK ← HE PPDU Config

Saves the changes to the table and closes the dialog box.

Guard Interval (GI) + HE-LTF Size

Defines the PPDUs taking part in the analysis depending on the guard interval (GI) and HE long training field (LTF) length.

"Auto (HE-SIG-A), same type as first PPDU"

All HE PPDUs using the guard interval length identical to the first recognized PPDU are analyzed.

"Auto (HE-SIG-A), individually for each PPDU"

All HE PPDUs are analyzed.

"Meas only 4.0 μ s (1x HE-LTF + 1x GI1 = 3.2 + 0.8 μ s)"

Only HE PPDUs with one long training field (LTF) and one guard interval (GI) with the specified length are analyzed.
Not available for HE trigger-based PPDUs.

"Meas only 4.8 μ s (1x HE-LTF + 2x GI1 = 3.2 + 1.6 μ s)"

Only HE PPDUs with one long training field (LTF) and two guard intervals (GI) with the specified length are analyzed.
For HE trigger-based PPDUs only.

"Meas only 7.2 μ s (2x HE-LTF + 1x GI1 = 6.4 + 0.8 μ s)"

Only HE PPDUs with two long training field (LTF) and one guard interval (GI) with the specified length are analyzed.

"Meas only 8.0 μ s (2x HE-LTF + 2x GI1 = 6.4 + 1.6 μ s)"

Only HE PPDUs with two long training fields (LTF) and two guard intervals (GI) with the specified length are analyzed.

"Meas only 13.6 μ s (4x HE-LTF + 1x GI1 = 12.8 + 0.8 μ s)"

Only HE PPDUs with four long training fields (LTF) and one guard interval (GI) with the specified length are analyzed.

"Meas only 16.0 μ s (4x HE-LTF + 4x GI1 = 12.8 + 3.2 μ s)"

Only HE PPDUs with four long training fields (LTF) and four guard intervals (GI) with the specified length are analyzed.

Remote command:

[CONFigure:WLAN:GTIME:AUTO](#) on page 280

[CONFigure:WLAN:GTIME:AUTO:TYPE](#) on page 409

[CONFigure:WLAN:GTIME:SElect](#) on page 281

Demodulation Data (Bitstream)

Defines when in the demodulation process the bitstream is determined and thus which results are available.

See also [Chapter 3.1.1.9, "BER and CWER"](#), on page 25.

"After Constellation Demapping (per Sub-carrier)" (Default:) No channel decoding is performed. Processing time is reduced, but BER and CWER results are not available.

"After LDPC/BCC Decoder" Decoding is performed, providing BER and CWER results. Measurement time is increased compared to non-decoding process.

Remote command:

[SENSe:] DEMod:DATA on page 283

5.3.7.4 Demodulation - IEEE 802.11be

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11be signals.




Figure 5-6: Demodulation settings for IEEE 802.11be standard

**Result displays for multi-user PPDUs**

The result displays show the demodulated data for the selected RUs. The currently displayed RUs are highlighted green in the PPDU configuration table and the result displays. For multi-user configuration, the results cannot be displayed for an individual user. If you select an RU, the rows for all users of the RU are highlighted.

By default, the first RU is selected. To view the results of different RUs, select the RUs in the table by clicking in the first column ("#"), then [Refresh](#).

PPDU Analysis Mode.....	158
PPDU Format to measure.....	158
Channel Bandwidth to measure (CBW).....	159
EHT PPDU Config.....	159
L EHT PPDU Format.....	161
L $N_{\text{EHT-LTF}}$	161
L Segment 1/2/3/4.....	161
L RU1-242 / RU2-242 / RU3-242 / RU4-242.....	161
L RU number.....	161
L RU Count.....	162
L RU26 Index.....	162
L RU Index.....	162
L User Index.....	162
L RU Size.....	162
L MRU Index.....	162
L MCS Index.....	163
L Nsts per User.....	163
L TX Beamforming.....	163
L DCM.....	163
L Coding.....	163
L Insert User.....	164
L Delete User.....	164
L Select All.....	164
L Deselect All.....	164
L Refresh.....	164
L OK.....	164
Guard Interval (GI) + EHT-LTF Size.....	164
Demodulation Data (Bitstream).....	165

PPDU Analysis Mode

Defines whether all or only specific PPDU are to be analyzed.

"Auto, same type as first PPDU"

The signal symbol field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDU identical to the first recognized PPDU are analyzed. All subsequent settings are set to "Auto" mode.

"Auto, individually for each PPDU"

All PPDU are analyzed

"User-defined"

User-defined settings define which PPDU are analyzed. This setting is automatically selected when any of the subsequent settings are changed to a value other than "Auto".

Remote command:

[SENSe:] DEMod: FORMat [: BCONtent] : AUTO on page 288

PPDU Format to measure

Defines which PPDU formats are to be included in the analysis for standard **IEEE 802.11be**.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

"Auto, same type as first PPDU"

The format of the first valid PPDU is detected and subsequent PDUs are analyzed only if they have the same format.

"Demod all as specified EHT PPDU"

All PDUs are assumed to have EHT PPDU format as defined in the [EHT PPDU Config](#) settings

"Auto individual for each EHT MU-PPDU"

Signal is decoded and analyzed according to the U-SIG and EHT-SIG content. The decoded information is indicated in the [EHT PPDU Config](#) settings.

"Auto individual for each EHT Trigger-based PPDU"

Signal is decoded and analyzed according to the U-SIG content. The decoded information is indicated in the [EHT PPDU Config](#) settings.

Remote command:

[\[SENSe:\] DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE](#) on page 287

[\[SENSe:\] DEMod:FORMat:BANalyze](#) on page 284

Channel Bandwidth to measure (CBW)

Defines the channel bandwidth of the PDUs taking part in the analysis. Depending on which standards the communicating devices are using, different PDU formats and channel bandwidths are supported.

For details on supported PDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The available channel bandwidths depend on the selected PDU format.

"Auto, same type as first PPDU"

The channel bandwidth of the first valid PDU is detected and subsequent PDUs are analyzed only if they have the same channel bandwidth.

"Meas only ... signal"

Only PDUs with the specified channel bandwidth are analyzed

"Demod all as ... signal"

All PDUs are assumed to have the specified channel bandwidth

Remote command:

[\[SENSe:\] BANDwidth:CHANnel:AUTO:TYPE](#) on page 282

EHT PPDU Config

Defines the PDU configuration, which also contains the assignment of the stations (users) to the resource units (RUs), that is: the channels and subcarriers. For multi-user downlink PDUs (EHT MU_PPDU), you must define the configuration manually.

EHT PPDU Configuration

EHT PPDU Format: EHT MU PPDU (DL) | N_{EHT-LTF}: As Configured AP/STA

Segment 1 | Segment 2 | Segment 3 | Segment 4

RU1-242 | RU2-242 | RU3-242 | RU4-242

#	RU Count	RU26 Index	RU Index	User Index	RU Size	MRU Index	MCS Index	Nsts per User	TX Beam-forming	DCM	Coding
1	1	1	1	1	26	1	9	1	0	0	0
2	2	2	2	1	26	1	10	1	0	0	0
3	3	3	3	1	26	1	1	1	0	0	0
4	4	4	4	1	26	1	10	1	0	0	0
5	5	5	5	1	26	1	7	1	0	0	0
6	6	6	6	1	26	1	1	1	0	0	0
7	7	7	7	1	26	1	3	1	0	0	0
8	8	8	8	1	26	1	6	1	0	0	0

Buttons: Insert User, Delete User, Select All, Deselect All, Refresh, OK, Cancel

Note: Result displays for multi-user PPDUs.

The result displays show the demodulated data for the selected RUs. The currently displayed RUs are highlighted green in the PPDU configuration table and the result displays. For multi-user configuration, the results cannot be displayed for an individual user. If you select an RU, the rows for all users of the RU are highlighted.

By default, the first RU is selected. To view the results of different RUs, select the RUs in the table by clicking in the first column ("#"), then [Refresh](#).




Figure 5-7: Result display for all RUs except 2 and 5

For details on PPDU configuration see also [Chapter 4.5, "Signal processing for extremely high throughput \(EHT\) wireless measurements \(IEEE 802.11be\)"](#), on page 90.

EHT PDU Format ← EHT PDU Config

Defines the format of the EHT PDU. This format determines which other PDU settings are available.

Note that the R&S FSV3 WLAN application does not perform plausibility checks concerning the number of RUs, RU sizes, and number of users over all segments and RU configuration tabs according to the 802.11be standard.

"EHT MU PDU (DL)"

Extremely high throughput multi-user PDU for downlink

"EHT Trigger-based PDU (UL)"

Extremely high throughput trigger-based PDU for uplink

Remote command:

[CONFigure:WLAN:RUConfig:EHTPpdu](#) on page 292

N_{EHT-LTF} ← EHT PDU Config

Defines the length of the high-efficiency long training field. For more information see "[HE Trigger-based PPDUs](#)" on page 89.

"Auto" The length is determined automatically by the application.

"As Configured AP/STA"

The access point or station configuration defines the used length.

"1 / 2 / 4 / 6 / 8 Symbols"

The LTF of the PPDUs have a fixed length.

Remote command:

[CONFigure:WLAN:RUConfig:NHELtf](#) on page 293

Segment 1/2/3/4 ← EHT PDU Config

For **160 MHz/320 MHz** channels only: switches between the four possible 80-MHz-segments (4*242 tones) of the channel to be configured.

RU1-242 / RU2-242 / RU3-242 / RU4-242 ← EHT PDU Config

Switches between the four possible RU allocation configuration tabs for channel bandwidths larger than 20 MHz. Each RU allocation tab configures the resource units for a 20 MHz channel.

A maximum of 9 resource units (with 26 subcarriers each) can be configured for any 20 MHz span.

RU number ← EHT PDU Config

Consecutive number of the RUs for a single user and PDU. Select the number to toggle the selection of results to be displayed. Highlighted rows are selected.

Note: For multi-user configuration, the results cannot be displayed for an individual user. If you select an RU, the rows for all users of the RU are highlighted.

Remote command:

[CONFigure:WLAN:RUConfig:COUNT:ACTive](#) on page 292

RU Count ← EHT PPDU Config

The number of used RUs for a single PPDU. Used to connect the results to the PPDU configuration. Up to 9 resource units can be configured for each subchannel (=242 subcarriers). The RU Count for the 80-MHz-segments (RU1-242, RU2-242, RU3-242, RU4-242) is cumulative.

RU26 Index ← EHT PPDU Config

The index of the resource unit based on 26-subcarrier units. Values from 1 to 144 are possible.

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:RU26index` on page 295

RU Index ← EHT PPDU Config

The index of the resource unit as defined by the 802.11be standard (based on resource units of the specified [RU Size](#)). This value determines the position of the resource unit within the channel. Values from 1 to 144 are possible, depending on the [RU Size](#).

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:RUIndex` on page 295

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:COUNT:HIGHest?` on page 294

User Index ← EHT PPDU Config

The index of the user assigned to the resource unit. In standard transmissions, only one user is assigned to each RU. In MIMO transmissions, up to 8 users can be assigned to one RU (depending on the size of the RU). MIMO is only supported for RUs with at least 242 subcarriers.

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER:COUNT?` on page 297

RU Size ← EHT PPDU Config

Size of the individual resource unit (= number of subcarriers or tones) for a single transmission package.

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:RUSize` on page 296

MRU Index ← EHT PPDU Config

Index of the subcarrier and resource allocation for multiple RUs (MRU) as defined by the 802.11be standard. This index determines the position of the ignored subcarriers and used RUs within the spectrum. Depending on the MRU size, values from 1 up to 12 are possible.

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:MRUindex` on page 294

MCS Index ← EHT PDU Config

Modulation and Coding Scheme (MCS) index of the PPDU

- 0: BPSK 1/2
- 1: QPSK 1/2
- 2: QPSK 3/4
- 3: 16-QAM 1/2
- 4: 16-QAM 3/4
- 5: 64-QAM 2/3
- 6: 64-QAM 3/4
- 7: 64-QAM 5/6
- 8: 256-QAM 3/4
- 9: 256-QAM 5/6
- 10: 1024-QAM 3/4
- 11: 1024-QAM 5/6
- 12: 4096-QAM 3/4
- 13: 4096-QAM 5/6

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:MCSindex` on page 301

Nsts per User ← EHT PDU Config

For MIMO measurements only:

Number of space-time streams (NSTS) for each user

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:NSTS` on page 302

TX Beamforming ← EHT PDU Config

Use of transmit beamforming

- [1] Beamforming is applied
- [0] No beamforming applied

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:TBeamforming` on page 302

DCM ← EHT PDU Config

Dual carrier modulation

- [1] DCM is used
- [0] DCM not used

Remote command:

`CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DCM` on page 299

Coding ← EHT PDU Config

The type of coding used by the PPDU

- [1] LDPC is used

[0] BCC is used

Remote command:

[CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:CODing](#) on page 298

Insert User ← EHT PPDU Config

For PPDUs that support **MIMO** only:

Adds another user (station) for the selected resource unit (RU) to the configuration table.

A maximum of 8 users can be assigned to a single resource unit in MIMO mode.

This function is only available for RU sizes of at least 106 subcarriers.

Remote command:

[CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:INSert](#) on page 300

Delete User ← EHT PPDU Config

Deletes the selected user (station) from the HE Multi-User Downlink PPDU configuration table (for **MIMO** configuration only).

Remote command:

[CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DELeTe](#) on page 299

Select All ← EHT PPDU Config

Selects all RUs for the result display. Selected RUs are highlighted green.

Deselect All ← EHT PPDU Config

Deselects all RUs excepts the first RU for the result display. Only the first RU is highlighted.

Refresh ← EHT PPDU Config

Updates the result displays for the currently selected RUs in the PPDU configuration table.

See "[Result displays for multi-user PPDUs](#)" on page 89.

Remote command:

[CONFigure:WLAN:RUConfig:REFresh](#) on page 293

OK ← EHT PPDU Config

Saves the changes to the table and closes the dialog box.

Guard Interval (GI) + EHT-LTF Size

Defines the PPDUs taking part in the analysis depending on the guard interval (GI) and the EHT long training field (LTF) length.

"Auto (EHT-SIG), same type as first PPDU"

All PPDUs using the guard interval length identical to the first recognized PPDU are analyzed.

"Auto (EHT-SIG), individually for each PPDU"

All PPDUs are analyzed.

"Meas only 4.0µs (1x EHT-LTF + 1x GI1 = 3.2 + 0.8 µs)"

Only EHT PPDUs with one long training field (LTF) and one guard interval (GI) with the specified length are analyzed.

Not available for HE trigger-based PPDUs.

"Meas only 4.8µs (1x EHT-LTF + 2x GI1 = 3.2 + 1.6µs)"

Only EHT PPDUs with one long training field (LTF) and two guard intervals (GI) with the specified length are analyzed.

"Meas only 7.2µs (2x EHT-LTF + 1x GI1 = 6.4 + 0.8µs)"

Only EHT PPDUs with two long training field (LTF) and one guard interval (GI) with the specified length are analyzed.

"Meas only 8.0µs (2x EHT-LTF + 2x GI1 = 6.4 + 1.6µs)"

Only HEHTE PPDUs with two long training fields (LTF) and two guard intervals (GI) with the specified length are analyzed.

"Meas only 13.6µs (4x EHT-LTF + 1x GI1 = 12.8 + 0.8µs)"

Only EHT PPDUs with four long training fields (LTF) and one guard interval (GI) with the specified length are analyzed.

"Meas only 16.0µs (4x EHT-LTF + 4x GI1 = 12.8 + 3.2µs)"

Only EHT PPDUs with four long training fields (LTF) and four guard intervals (GI) with the specified length are analyzed.

Remote command:

[CONFigure:WLAN:GTIME:AUTO](#) on page 280

[CONFigure:WLAN:GTIME:AUTO:TYPE](#) on page 409

[CONFigure:WLAN:GTIME:SElect](#) on page 281

Demodulation Data (Bitstream)

Defines when in the demodulation process the bitstream is determined and thus which results are available.

See also [Chapter 3.1.1.9, "BER and CWER"](#), on page 25.

"After Constellation Demapping (per Sub-carrier)" (Default:) No channel decoding is performed. Processing time is reduced, but BER and CWER results are not available.

"After LDPC/BCC Decoder" Decoding is performed, providing BER and CWER results. Measurement time is increased compared to non-decoding process.

Remote command:

[\[SENSe:\] DEMod:DATA](#) on page 283

5.3.7.5 Demodulation - IEEE 802.11b, g (DSSS)

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11b or g (DSSS) signals.




Figure 5-8: Demodulation settings for IEEE 802.11b, g (DSSS) signals

PPDU Format to measure[/] PSDU Modulation to use.....	166
PPDU Format.....	167
PSDU Modulation.....	167

PPDU Format to measure[/] PSDU Modulation to use

Defines which PPDU formats/modulations are to be included in the analysis. Depending on which standards the communicating devices are using, different formats of PPDUs are available. Thus you can restrict analysis to the supported formats.

Note: The PPDU format determines the available channel bandwidths.

For details on supported PPDU formats, modulations, and channel bandwidths depending on the standard see [Table 4-3](#).

"Auto, same type as first PPDU"

The format/modulation of the first valid PPDU is detected and subsequent PPDUs are analyzed only if they have the same format.

"Auto, individually for each PPDU"

All PPDUs are analyzed regardless of their format/modulation

"Meas only ..."

Only PPDUs with the specified format or PSDUs with the specified modulation are analyzed

"Demod all as ..."

All PPDUs are assumed to have the specified PPDU format/ PSDU modulation

Remote command:

[SENSe:] DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE on page 287

[SENSe:] DEMod:FORMat:BANalyze on page 284

[SENSe:] DEMod:FORMat:SIGSymbol on page 291

PPDU Format

If analysis is restricted to PPDUs with a particular format (see [PPDU Format to measure\[/\] PSDU Modulation to use](#)), this setting defines which type.

For details on supported modulation depending on the standard see [Table 4-3](#).

Remote command:

[SENSe:] DEMod:FORMat:BANalyze on page 284

[SENSe:] DEMod:FORMat:BANalyze:BTYPe on page 286

PSDU Modulation

If analysis is restricted to PSDU with a particular modulation type, this setting defines which type.

For details on supported modulation depending on the standard see [Table 4-3](#).

Remote command:

[SENSe:] DEMod:FORMat:BANalyze on page 284

5.3.7.6 Demodulation - IEEE 802.11n

Access: "Overview" > "Demodulation"

Or: [MEAS CONFIG] > "Demod."

The following settings are available for demodulation of IEEE 802.11n signals.

Demodulation X

Demodulation **MIMO**

PPDUs to Analyze

PPDU Analysis Mode: Auto, same type as first PPDU for each property to analyze

PPDU Format to measure: Auto, same type as first PPDU

Channel Bandwidth to measure: Auto, same type as first PPDU up to CBW40 MHz

MCS Index to use: Auto, same type as first PPDU

MCS Index: 0

STBC Field: Auto, same type as first PPDU

Extension Spatial Streams (sounding): Auto, same type as first PPDU

MCS Index	Modulation				R	Nscs	Nsp	Ncpes	Ncpes	Ncs	Data Rate (Mb/s)	
	Stream 1	Stream 2	Stream 3	Stream 4							800ns GI	400ns GI
...

Guard Interval Length: Auto, same type as first PPDU

Figure 5-9: Demodulation settings for IEEE 802.11n standard

PPDU Analysis Mode.....	168
PPDU Format to measure.....	169
Channel Bandwidth to measure (CBW).....	169
MCS Index to use.....	169
MCS Index.....	170
STBC Field.....	170
Extension Spatial Streams (sounding).....	171
Table info overview.....	171
Guard Interval Length.....	171

PPDU Analysis Mode

Defines whether all or only specific PPDU are to be analyzed.

"Auto, same type as first PPDU"

The signal symbol field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDU identical to the first recognized PPDU are analyzed. All subsequent settings are set to "Auto" mode.

"Auto, individually for each PPDU"

All PPDU are analyzed

"User-defined"

User-defined settings define which PPDU are analyzed. This setting is automatically selected when any of the subsequent settings are changed to a value other than "Auto".

Remote command:

[SENSe:] DEMod:FORMat [:BContent] :AUTO on page 288

PPDU Format to measure

Defines which PPDU formats are to be included in the analysis. Depending on which standards the communicating devices are using, different formats of PDUs are available. Thus you can restrict analysis to the supported formats.

Note: The PPDU format determines the available channel bandwidths.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column).

"Auto, same type as first PPDU (A1st)"

The format of the first valid PPDU is detected and subsequent PDUs are analyzed only if they have the same format.

"Auto, individually for each PPDU (AI)"

All PDUs are analyzed regardless of their format

"Meas only ... (M ...)"

Only PDUs with the specified format are analyzed

"Demod all as ... (D ...)"

All PDUs are assumed to have the specified PPDU format

Remote command:

[\[SENSe:\] DEMod: FORMat: BANalyze: BTYPE: AUTO: TYPE](#) on page 287

[\[SENSe:\] DEMod: FORMat: BANalyze](#) on page 284

Channel Bandwidth to measure (CBW)

Defines the channel bandwidth of the PDUs taking part in the analysis. Depending on which standards the communicating devices are using, different PPDU formats and channel bandwidths are supported.

For details on supported PPDU formats and channel bandwidths depending on the standard see [Table 4-3](#).

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PDU" (A1st)"

The channel bandwidth of the first valid PDU is detected and subsequent PDUs are analyzed only if they have the same channel bandwidth.

"Meas only ... signal" (M ...)"

Only PDUs with the specified channel bandwidth are analyzed

"Demod all as ... signal" (D ...)"

All PDUs are assumed to have the specified channel bandwidth

Remote command:

[\[SENSe:\] BANDwidth: CHANnel: AUTO: TYPE](#) on page 282

MCS Index to use

Defines the PDUs taking part in the analysis depending on their Modulation and Coding Scheme (MCS) index.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see "Signal Field" on page 50).

"Auto, same type as first PPDU""(A1st)"

All PDUs using the MCS index identical to the first recognized PDU are analyzed.

" Auto, individually for each PPDU""(AI)"

All PDUs are analyzed

"Meas only the specified MCS""(M ...)"

Only PDUs with the MCS index specified for the [MCS Index](#) setting are analyzed

"Demod all with specified MCS""(D ...)"

The [MCS Index](#) setting is used for all PDUs.

Remote command:

[\[SENSe:\]DEMod:FORMat:MCSindex:MODE](#) on page 289

MCS Index

Defines the MCS index of the PDUs taking part in the analysis manually. This field is enabled for "MCS index to use" = "Meas only the specified MCS" or "Demod all with specified MCS".

Remote command:

[\[SENSe:\]DEMod:FORMat:MCSindex](#) on page 289

STBC Field

Defines the PDUs taking part in the analysis according to the Space-Time Block Coding (STBC) field content.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see "Signal Field" on page 50).

"Auto, same type as first PPDU""(A1st)"

All PDUs using a STBC field content identical to the first recognized PDU are analyzed.

"Auto, individually for each PPDU""(AI)"

All PDUs are analyzed.

"Meas only if STBC field = 1 (+1 Stream)""(M1)"[(IEEE 802.11N)]

Only PDUs with the specified STBC field content are analyzed.

"Meas only if STBC field = 2 (+2 Stream)""(M2)"[(IEEE 802.11N)]

Only PDUs with the specified STBC field content are analyzed.

"Demod all as STBC field = 1""(D1)"[(IEEE 802.11N)]

All PDUs are analyzed assuming the specified STBC field content.

"Demod all as STBC field = 2""(D2)"[(IEEE 802.11N)]

All PDUs are analyzed assuming the specified STBC field content.

"Meas only if STBC = 1 (Nsts = 2Nss)""(M1)"[(IEEE 802.11ac)]

Only PDUs with the specified STBC field content are analyzed.

"Demod all as STBC = 1 (Nsts = 2Nss)"(D1)"[(IEEE 802.11ac)]

All PPDU are analyzed assuming the specified STBC field content.

Remote command:

[CONFigure:WLAN:STBC:AUTO:TYPE](#) on page 281

Extension Spatial Streams (sounding)

Defines the PPDU taking part in the analysis according to the Ness field content.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("NESS" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PDU"(A1st)" All PPDU using a Ness value identical to the first recognized PDU are analyzed.

"Auto, individually for each PDU"(AI)" All PPDU are analyzed.

"Meas only if Ness = <x>"(M ...)" Only PPDU with the specified Ness value are analyzed.

"Demod all as Ness = <x>" All PPDU are analyzed assuming the specified Ness value.

Remote command:

[CONFigure:WLAN:EXTension:AUTO:TYPE](#) on page 280

Table info overview

Depending on the selected channel bandwidth, MCS index or NSS (STBC), the relevant information from the modulation and coding scheme (MCS) as defined in the WLAN 802.11 standard is displayed here. This information is for reference only, for example so you can determine the required data rate.

Guard Interval Length

Defines the PPDU taking part in the analysis depending on the guard interval length.

Note: The terms in brackets in the following description indicate how the setting is referred to in the "Signal Field" result display ("Format" column, see ["Signal Field"](#) on page 50).

"Auto, same type as first PDU"(A1st)" All PPDU using the guard interval length identical to the first recognized PDU are analyzed.

"Auto, individually for each PDU"(AI)" All PPDU are analyzed.

"Meas only Short"(MS)" Only PPDU with short guard interval length are analyzed.

"Meas only Long"(ML)" Only PPDU with long guard interval length are analyzed.

"Demod all as short"(DS)" All PPDU are demodulated assuming short guard interval length.

"Demod all as long"(DL)"

All PPDUs are demodulated assuming long guard interval length.

Remote command:

CONFigure:WLAN:GTIme:AUTO on page 280

CONFigure:WLAN:GTIme:AUTO:TYPE on page 409

CONFigure:WLAN:GTIme:SElect on page 281

5.3.7.7 Demodulation - MIMO (IEEE 802.11 ac, ax, n, be)

Access: "Overview" > "Demodulation" > "MIMO" tab

Or: [MEAS CONFIG] > "Demod." > "MIMO" tab

The MIMO settings define the mapping between streams and antennas.

This tab is **only available for the standard IEEE 802.11 ac, ax, n, be (MIMO)**.

Tx	STS.1	STS.2	STS.3	STS.4	Time shift (ns)
1	1.00	1.00	1.00	1.00	0
	0.00	0.00	0.00	0.00	
2	-1.00	1.00	-1.00	1.00	0
	0.00	0.00	0.00	0.00	
3	-1.00	-1.00	1.00	1.00	0
	0.00	0.00	0.00	0.00	
4	1.00	-1.00	-1.00	1.00	0
	0.00	0.00	0.00	0.00	

Spatial Mapping Mode..... 172

Power Normalise..... 173

User Defined Spatial Mapping..... 173

Spatial Mapping Mode

Defines the mapping between streams and antennas.

For details see [Chapter 4.3.2, "Spatial mapping"](#), on page 78.

"Direct" The mapping between streams and antennas is the identity matrix. See also section "20.3.11.10.1 Spatial Mapping" of the IEEE 802.11n WLAN standard.

"Spatial Expansion:" For this mode all streams contribute to all antennas. See also section "20.3.11.10.1 Spatial Mapping" of the IEEE 802.11n WLAN standard.

"User defined" The mapping between streams and antennas is defined by the [User Defined Spatial Mapping](#) table.

Remote command:

CONFigure:WLAN:SMApping:MODE on page 303

Power Normalise

Specifies whether an amplification of the signal power due to the spatial mapping is performed according to the matrix entries.

- "On" Spatial mapping matrix is scaled by a constant factor to obtain a passive spatial mapping matrix which does not increase the total transmitted power.
- "Off" Normalization step is omitted

Remote command:

[CONFigure:WLAN:SMAPping:NORMAlise](#) on page 304

User Defined Spatial Mapping

Define your own spatial mapping between streams and antennas.

For each antenna (Tx1..4), the complex element of each STS-Stream is defined. The upper value is the real part of the complex element. The lower value is the imaginary part of the complex element.

Additionally, a "Time Shift" can be defined for cyclic delay diversity (CSD).

Remote command:

[CONFigure:WLAN:SMAPping:TX<ch>](#) on page 304

[CONFigure:WLAN:SMAPping:TX<ch>:STReam<ant>](#) on page 304

[CONFigure:WLAN:SMAPping:TX<ch>:TIMeshift](#) on page 305

5.3.8 Evaluation range

Access: "Overview" > "Evaluation Range"

Or: [MEAS CONFIG] > "Evaluation Range"

The evaluation range defines which objects the result displays are based on. The available settings depend on the selected standard.

- [Evaluation range settings for IEEE 802.11a, ac, ax, g \(OFDM\), j, n, p, be](#)..... 173
- [Evaluation range settings for IEEE 802.11b, g \(DSSS\)](#)..... 176

5.3.8.1 Evaluation range settings for IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be

Access: "Overview" > "Evaluation Range"

Or: [MEAS CONFIG] > "Evaluation Range"

The following settings are available to configure the evaluation range for standards IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be.




Figure 5-10: Evaluation range settings for IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be standards

Analyze this PPDU / PPDU to Analyze.....	174
Stop RUN on Limit Check Fail.....	175
PPDU Statistic Count / No of PPDUs to Analyze.....	175
Source of Payload Length.....	175
Equal PPDU Length.....	175
(Min./Max.) No. of Data Symbols.....	176
Analysis Interval Offset/Analysis Interval Length.....	176

Analyze this PPDU / PPDU to Analyze

If enabled, the WLAN I/Q results are based on one individual PPDU only, namely the defined "PPDU to Analyze". The result displays are updated to show the results for the new evaluation range. The selected PPDU is marked by a blue bar in PPDU-based results (see [Chapter 3.1.2, "Evaluation methods for WLAN IQ measurements"](#), on page 26).

Note: "AM/AM", "AM/EVM" and "AM/PM" results are not updated when single PPDU analysis is selected.

Remote command:

[SENSe:] BURSt:SElect:STATe on page 308

[SENSe:] BURSt:SElect on page 307

Stop RUN on Limit Check Fail

If enabled, the measurement is stopped if the limit check fails at any time during the measurement. This is particularly useful if statistical evaluation is performed. If a value exceeds the limit, the R&S FSV3 WLAN application stops acquiring data, thus allowing you to determine the cause of the limit violation.

If the limit check fails, an error message in the status bar and a status bit in the SYNC register (bit 3) indicate the failure.

Remote command:

[SENSe:] SWEEp:LIMit:ABORt:STATe on page 313

PPDU Statistic Count / No of PPDUs to Analyze

If the statistic count is enabled, the specified number of PPDUs is taken into consideration for the statistical evaluation. Sweeps are performed continuously until the required number of PPDUs are available. The number of captured and required PPDUs, as well as the number of PPDUs detected in the current sweep, are indicated as "Analyzed PPDUs" in the channel bar.

(See "Channel bar information" on page 12).

If disabled, all valid PPDUs in the current capture buffer are considered. Note that in this case, the number of PPDUs contributing to the current results may vary extremely.

Remote command:

[SENSe:] BURSt:COUNT:STATe on page 307

[SENSe:] BURSt:COUNT on page 307

Source of Payload Length

Defines which signal source is used to determine the payload length of a PPDU.

"Take from Signal Field" [(IEEE 802.11 a, j, p)]

Uses the length defined by the signal field

"L-Signal" [(IEEE 802.11 ac, ax)]

Determines the length of the L signal

"HT-Signal" [(IEEE 802.11 n)]

Determines the length of the HT signal

"Estimate from signal"

Uses an estimated length

Remote command:

CONFigure:WLAN:PAYLoad:LENGth:SRC on page 306

Equal PPDU Length

If enabled, only PPDUs with the specified (Min./Max.) Payload Length are considered for measurement analysis.

If disabled, a maximum and minimum (Min./Max.) Payload Length can be defined and all PPDUs whose length is within this range are considered.

Remote command:

IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:EQUal on page 310

IEEE 802.11 b, g (DSSS):

[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal on page 309

[SENSe:]DEMod:FORMat:BANalyze:DBYTes:EQUal on page 308

(Min./Max.) No. of Data Symbols

If the [Equal PPDU Length](#) setting is enabled, the number of data symbols defines the exact length a PPDU must have to be considered for analysis.

If the [Equal PPDU Length](#) setting is disabled, you can define the minimum and maximum number of data symbols a PPDU must contain to be considered in measurement analysis.

Remote command:

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MIN on page 312

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MAX on page 312

Analysis Interval Offset/Analysis Interval Length

The analysis interval defines the symbol range that is actually evaluated by the individual result display. By default it is defined as the length of the detected PPDU, possibly restricted by the minimum or maximum number of data symbols. However, it can be restricted further.

The "Analysis Interval Offset" specifies the number of data symbols from the start of each PPDU that are to be skipped before symbols take part in analysis.

If "Analysis Interval Length" is enabled, then the number of PPDU data symbols after the "Analysis Interval Offset" which are to be analyzed can be specified.

If "Analysis Interval Length" is disabled, then all PPDU data symbols after the "Analysis Interval Offset" are evaluated.

Remote command:

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:OFFSet on page 313

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe on page 311

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth on page 311

5.3.8.2 Evaluation range settings for IEEE 802.11b, g (DSSS)

Access: "Overview" > "Evaluation Range"

Or: [MEAS CONFIG] > "Evaluation Range"

The following settings are available to configure the evaluation range for standards IEEE 802.11b, g (DSSS).

Figure 5-11: Evaluation range settings for IEEE 802.11b and g (DSSS) standards

PPDU Statistic Count / No of PPDU's to Analyze.....	177
Equal PPDU Length.....	178
(Min./Max.) Payload Length.....	178
PVT [:] Average Length.....	178
PVT : Reference Power.....	178
Peak Vector Error : Meas Range.....	178

PPDU Statistic Count / No of PPDU's to Analyze

If the statistic count is enabled, the specified number of PPDU's is taken into consideration for the statistical evaluation. Sweeps are performed continuously until the required number of PPDU's are available. The number of captured and required PPDU's, as well as the number of PPDU's detected in the current sweep, are indicated as "Analyzed PPDU's" in the channel bar.

(See "[Channel bar information](#)" on page 12).

If disabled, all valid PPDU's in the current capture buffer are considered. Note that in this case, the number of PPDU's contributing to the current results may vary extremely.

Remote command:

[SENSe:] BURSt: COUNT: STATe on page 307

[SENSe:] BURSt: COUNT on page 307

Equal PPDU Length

If enabled, only PDUs with the specified [\(Min./Max.\) Payload Length](#) are considered for measurement analysis.

If disabled, a maximum and minimum [\(Min./Max.\) Payload Length](#) can be defined and all PDUs whose length is within this range are considered.

Remote command:

IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be

[\[SENSe:\]DEMod:FORMat:BANalyze:SYMBOLs:EQUal](#) on page 310

IEEE 802.11 b, g (DSSS):

[\[SENSe:\]DEMod:FORMat:BANalyze:DURation:EQUal](#) on page 309

[\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:EQUal](#) on page 308

(Min./Max.) Payload Length

If the [Equal PPDU Length](#) setting is enabled, the payload length defines the exact length a PDU must have to be considered for analysis.

If the [Equal PPDU Length](#) setting is disabled, you can define the minimum and maximum payload length a PDU must contain to be considered in measurement analysis.

The payload length can be defined as a duration in μ s or a number of bytes (only if specific PDU modulation and format are defined for analysis, see ["PDU Format to measure"](#) on page 143).

Remote command:

[\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:MIN](#) on page 309

[\[SENSe:\]DEMod:FORMat:BANalyze:DURation:MIN](#) on page 310

[\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:MAX](#) on page 309

[\[SENSe:\]DEMod:FORMat:BANalyze:DURation:MAX](#) on page 310

PVT [:] Average Length

Defines the number of samples used to adjust the length of the smoothing filter for PVT measurement.

For details see ["PvT Full PDU"](#) on page 43.

Remote command:

[CONFigure:BURSt:PVT:AVERage](#) on page 306

PVT : Reference Power

Sets the reference for the rise and fall time in PVT calculation to the maximum or mean PDU power.

For details see ["PvT Full PDU"](#) on page 43.

Remote command:

[CONFigure:BURSt:PVT:RPOWER](#) on page 306

Peak Vector Error : Meas Range

Displays the used measurement range for peak vector error measurement (for reference only).

"All Symbols" Peak Vector Error results are calculated over the complete PDU

"PSDU only" Peak Vector Error results are calculated over the PSDU only

Remote command:

[CONFigure:WLAN:PVError:MRANge](#) on page 306

5.3.9 Result configuration

Access: [MEAS CONFIG] > "Result Config"

(The softkey is only available if a window with additional settings is currently selected.)

Depending on the selected result display, different settings are available.

- [Result summary configuration](#).....179
- [Spectrum flatness and group delay configuration](#)..... 180
- [AM/AM configuration](#)..... 181

5.3.9.1 Result summary configuration

Access: [MEAS CONFIG] > "Result Config"

You can configure which results are displayed in "Result Summary" displays (see "[Result Summary Global](#)" on page 47 and "[Result Summary Detailed](#)" on page 46).

However, the results are always *calculated*, regardless of their visibility on the screen.





Figure 5-12: Result Summary Global configuration for IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be standards

Remote command:

`DISPlay[:WINDow<n>]:TABLE:ITEM` on page 335

5.3.9.2 Spectrum flatness and group delay configuration

Access: [MEAS CONFIG] > "Result Config"



Result based on	181
Units	181

Result based on

"Spectrum Flatness" and "Group Delay" results can be based on either the effective channels or the physical channels.

This setting is **not** available for single-carrier measurements (IEEE 802.11b, g (DSSS)).

While the physical channels cannot always be determined, the effective channel can always be estimated from the known training fields. Thus, for some PPDUs or measurement scenarios, only the results based on the mapping of the space-time stream to the Rx antenna (effective channel) are available, as the mapping of the Rx antennas to the Tx antennas (physical channel) could not be determined.

For more information see [Chapter 4.3.3, "Physical vs effective channels"](#), on page 78.

Remote command:

[CONFigure:BURSt:SPECTrum:FLATness:CSElect](#) on page 337

Units

Switches between relative (dB) and absolute (dBm) results.

Remote command:

[UNIT:SFLatness](#) on page 337

5.3.9.3 AM/AM configuration


Access: [MEAS CONFIG] > "Result Config"

For AM result displays some additional configuration settings are available.

- [General AM/AM settings](#)..... 182
- [Scaling AM result displays](#)..... 182

General AM/AM settings

Access: [MEAS CONFIG] > "Result Config" > "Result Config" tab



Polynomial degree for curve fitting

For "AM/AM" result displays, the trace is determined by calculating a polynomial regression model for the scattered measurement vs. reference signal data (see "AM/AM" on page 27). The degree of this model can be specified in the "Result Config" dialog box for this result display.

The resulting regression polynomial is indicated in the window title of the result display.

Remote command:

[CONFigure:BURSt:AM:AM:POLYnomial](#) on page 338

Resulting coefficients:

[FETCh:BURSt:AM:AM:COEFicients?](#) on page 356

Scaling AM result displays

Access: [MEAS CONFIG] > "Result Config" > "Scaling X"/"Scaling Y" tab

Scaling settings are available for the x-axis or y-axis of the following result displays:

- [AM/AM](#)
- [AM/PM](#)
- [AM/EVM](#)

The available scaling settings and functions are identical for both axes, but can be configured separately.

Result Config [X]

Result Config | **Scaling X** | **Scaling Y**

Automatic Grid Scaling

Auto: On Off

Auto Mode: Hysteresis Memory

Auto Fix Range: None Lower Upper

Min: Max:

Hysteresis Interval Upper HIU [- , +]

Hysteresis Interval Lower HIL [- , +]

Memory Depth:

Number of Divisions:

Per Division are 10ⁿ multiples of 1.0 2.0 2.5 5.0

Specifics for: 1: AM/AM

Automatic Grid Scaling.....	183
Auto Mode.....	184
Auto Fix Range.....	184
Hysteresis Interval Upper/Lower.....	184
Minimum / Maximum.....	185
Memory Depth.....	185
Number of Divisions.....	186
Scaling per division.....	186

Automatic Grid Scaling

Activates or deactivates automatic scaling of the x-axis or y-axis for the specified trace display. If enabled, the R&S FSV3 WLAN application automatically scales the x-axis or y-axis to best fit the measurement results.

If disabled, the x-axis or y-axis is scaled according to the specified [Minimum / Maximum](#) and [Number of Divisions](#).

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALE]:AUTO` on page 338

Auto Mode

Determines which algorithm is used to determine whether the x-axis or y-axis requires automatic rescaling.

- | | |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| "Hysteresis" | If the minimum and/or maximum values of the current measurement exceed a specific value range (hysteresis interval), the axis is rescaled. The hysteresis interval is defined as a percentage of the currently displayed value range on the x-axis or y-axis. An upper hysteresis interval is defined for the maximum value, a lower hysteresis interval is defined for the minimum value.
(See Hysteresis Interval Upper/Lower) |
| "Memory" | If the minimum or maximum values of the current measurement exceed the minimum or maximum of the <x> previous results, respectively, the axis is rescaled.
The minimum and maximum value of each measurement is added to the memory. After <x> measurements, the oldest results in the memory are overwritten by each new measurement.
The number <x> of results in the memory to be considered is configurable (see Memory Depth). |

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MODE` on page 342

Auto Fix Range

This command defines the use of fixed value limits.

- | | |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| "None" | Both the upper and lower limits are determined by automatic scaling of the x-axis or y-axis. |
| "Lower" | The lower limit is fixed (defined by the Minimum / Maximum settings), while the upper limit is determined by automatic scaling of the x-axis or y-axis. |
| "Upper" | The upper limit is fixed (defined by the Minimum / Maximum settings), while the lower limit is determined by automatic scaling of the x-axis or y-axis. |

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:FIXed:RANGe`
on page 339

Hysteresis Interval Upper/Lower

For automatic scaling based on hysteresis, the hysteresis intervals are defined here. Depending on whether either of the limits are fixed or not (see [Auto Fix Range](#)), one or both limits are defined by a hysteresis value range.

The hysteresis range is defined as a percentage of the currently displayed value range on the x-axis or y-axis.

Example:

The currently displayed value range on the y-axis is 0 to 100. The upper limit is fixed by a maximum of 100. The lower hysteresis range is defined as -10% to +10%. If the minimum value in the current measurement drops below -10 or exceeds +10, the y-axis will be rescaled automatically, for example to [-10..+100] or [+10..+100], respectively.

"Upper"[(HIU)] If the maximum value in the current measurement exceeds the specified range, the x-axis or y-axis is rescaled automatically.

"Lower"[(HIL)] If the minimum value in the current measurement exceeds the specified range, the x-axis or y-axis is rescaled automatically.

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTerEsis:LOWer:UPPer` on page 339

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTerEsis:LOWer:LOWer` on page 340

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTerEsis:UPPer:LOWer` on page 340

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTerEsis:UPPer:UPPer` on page 341

Minimum / Maximum

Defines the minimum and maximum value to be displayed on the x-axis or y-axis of the specified evaluation diagram.

For automatic scaling with a fixed range (see [Auto Fix Range](#)), the minimum defines the fixed lower limit, the maximum defines the fixed upper limit.

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MAXimum` on page 343

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MINimum` on page 343

Memory Depth

For automatic scaling based on memory (see ["Auto Mode"](#) on page 184), this value defines the number <x> of previous results to be considered when determining if rescaling is required.

The minimum and maximum value of each measurement are added to the memory. After <x> measurements, the oldest results in the memory are overwritten by each new measurement.

If the maximum value in the current measurement exceeds the maximum of the <x>previous results, and the upper limit is not fixed, the x-axis or y-axis is rescaled.

If the minimum value in the current measurement drops below the minimum of the <x>previous results, and the lower limit is not fixed, the x-axis or y-axis is rescaled.

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MEMory:DEPTh` on page 341

Number of Divisions

Defines the number of divisions to be used for the x-axis or y-axis. By default, the x-axis or y-axis is divided into 10 divisions.

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:DIVisions` on page 342

Scaling per division

Determines the values shown for each division on the x-axis or y-axis.

One or more multiples of 10^n can be selected. The R&S FSV3 WLAN application then selects the optimal scaling from the selected values.

Example:

- Multiples of "2.0" and "**2.5**" selected; division range = [-80..-130]; number of divisions: 10;
Possible scaling (n=1):
[-80;-85;-90;-95;-100;-105;-110;-115;-130;]
- Multiples of "**2.0**" selected; division range = [-80..-130]; number of divisions: 10;
Possible scaling (n=1):
[0;-20;-40;-60;-80;-100;-120;-140;-160;-180;]

"1.0"	Each division on the x-axis or y-axis displays multiples of $1 \cdot 10^n$: For example for n= -1; division range = [0..1]; number of divisions: 10; [0, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0]
"2.0"	Each division on the x-axis or y-axis displays multiples of $2 \cdot 10^n$: For example for n= -1; division range = [0..1]; number of divisions: 5; [0, 0.2, 0.4, 0.6, 0.8, 1.0]
"2.5"	Each division on the x-axis or y-axis displays multiples of $2.5 \cdot 10^n$: For example for n= -1; division range = [0..1]; number of divisions: 5; [0, 0.25, 0.5, 0.75, 1.0]
"5.0"	Each division on the x-axis or y-axis displays multiples of $5 \cdot 10^n$: For example for n= -1; division range = [0..1]; number of divisions: 5, [-0.5, 0, 0.5, 1.0, 1.5]

Remote command:

`DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:PDIVision` on page 344

5.3.10 Automatic settings

Access: [AUTO SET] menu

Some settings can be adjusted by the R&S FSV/A automatically according to the current measurement settings and signal characteristics.



MSRA operating mode

In MSRA operating mode, the following automatic settings are not available, as they require a new data acquisition. However, the R&S FSV3 WLAN application cannot perform data acquisition in MSRA operating mode.

Auto Level.....	187
Resetting the Automatic Measurement Time (Meas Time Auto).....	187
Changing the Automatic Measurement Time (Meas Time Manual).....	187

Auto Level

Automatic power level detection is performed once at the start of the next measurement sweep, and the reference level, preamplification and attenuation are adapted accordingly.

The power level is determined according to the TOI and noise figure of the used hardware, and the defined frequency and bandwidth for the measurement.

Remote command:

`CONFigure:POWer:AUTO ONCE`

Resetting the Automatic Measurement Time (Meas Time Auto)

Resets the measurement duration for automatic settings to the default value.

Remote command:

`[SENSe:]ADJust:CONFigure:LEVel:DURation:MODE` on page 319

Changing the Automatic Measurement Time (Meas Time Manual)

This function allows you to change the measurement duration for automatic setting adjustments. Enter the value in seconds.

Note: For triggered measurements on wide signals (≥ 160 MHz) with small duty cycles (e.g. due to relatively long OFF times), define the measurement time so it includes a full signal period (from PPDU start to PPDU start).

Note: The maximum measurement duration depends on the currently selected measurement and the installed (optional) hardware. Thus, the measurement duration actually used to determine the automatic settings can be shorter than the value you define here.

Remote command:

`[SENSe:]ADJust:CONFigure:LEVel:DURation:MODE` on page 319

`[SENSe:]ADJust:CONFigure:LEVel:DURation` on page 319

5.3.11 Sweep settings

Access: [SWEEP] menu

The sweep settings define how the data is measured.

Continuous Sweep / Run Cont.....	188
Single Sweep / Run Single.....	188
Continue Single Sweep.....	188

Continuous Sweep / Run Cont

While the measurement is running, the "Continuous Sweep" softkey and the [RUN CONT] key are highlighted. The running measurement can be aborted by selecting the highlighted softkey or key again. The results are not deleted until a new measurement is started.

Note: Sequencer. If the Sequencer is active, the "Continuous Sweep" softkey only controls the sweep mode for the currently selected channel. However, the sweep mode only takes effect the next time the Sequencer activates that channel, and only for a channel-defined sequence. In this case, a channel in continuous sweep mode is swept repeatedly.

Furthermore, the [RUN CONT] key controls the Sequencer, not individual sweeps. [RUN CONT] starts the Sequencer in continuous mode.

For details on the Sequencer, see the R&S FSV/A User Manual.

Remote command:

`INITiate<n>:CONTinuous` on page 346

Single Sweep / Run Single

While the measurement is running, the "Single Sweep" softkey and the [RUN SINGLE] key are highlighted. The running measurement can be aborted by selecting the highlighted softkey or key again.

Note: Sequencer. If the Sequencer is active, the "Single Sweep" softkey only controls the sweep mode for the currently selected channel. However, the sweep mode only takes effect the next time the Sequencer activates that channel, and only for a channel-defined sequence. In this case, the Sequencer sweeps a channel in single sweep mode only once.

Furthermore, the [RUN SINGLE] key controls the Sequencer, not individual sweeps. [RUN SINGLE] starts the Sequencer in single mode.

If the Sequencer is off, only the evaluation for the currently displayed channel is updated.

For details on the Sequencer, see the R&S FSV/A User Manual.

Remote command:

`INITiate<n>[:IMMediate]` on page 346

Continue Single Sweep

After triggering, repeats the number of sweeps set in "Sweep Count", without deleting the trace of the last measurement.

While the measurement is running, the "Continue Single Sweep" softkey and the [RUN SINGLE] key are highlighted. The running measurement can be aborted by selecting the highlighted softkey or key again.

5.4 Frequency sweep measurements

When you activate a measurement channel in WLAN mode, an IQ measurement of the input signal is started automatically (see [Chapter 3.1, "WLAN I/Q measurement \(modulation accuracy, flatness and tolerance\)"](#), on page 14). However, some parameters

specified in the WLAN 802.11 standard require a better signal-to-noise level or a smaller bandwidth filter than the default measurement on I/Q data provides and must be determined in separate measurements based on RF data (see [Chapter 3.2, "Frequency sweep measurements"](#), on page 56). In these measurements, demodulation is not performed.

Selecting the measurement type

WLAN measurements require a special operating mode on the R&S FSV/A, which you activate using the [MODE] key.

- ▶ To select a frequency sweep measurement type, do one of the following:
 - Select the "Overview" softkey. In the "Overview", select the "Select Measurement" button. Select the required measurement.
 - Press the [MEAS] key. In the "Select Measurement" dialog box, select the required measurement.

The R&S FSV/A WLAN application uses the functionality of the R&S FSV/A base system (Spectrum application) to perform the WLAN frequency sweep measurements. Some parameters are set automatically according to the WLAN 802.11 standard the first time a measurement is selected (since the last [PRESET] operation). These parameters can be changed, but are not reset automatically the next time you re-enter the measurement. Refer to the description of each measurement type for details.

The main measurement configuration menus for the WLAN frequency sweep measurements are identical to the Spectrum application.

For details refer to "Measurements" in the R&S FSV/A User Manual.

The measurement-specific settings for the following measurements are available via the "Overview".

- [Channel power \(ACLR\) measurements](#)..... 189
- [Spectrum emission mask](#)..... 190
- [Occupied bandwidth](#)..... 191
- [CCDF](#)..... 192

5.4.1 Channel power (ACLR) measurements

The Adjacent Channel Power measurement analyzes the power of the TX channel and the power of adjacent and alternate channels on the left and right side of the TX channel. The number of TX channels and adjacent channels can be modified as well as the band class. The bandwidth and power of the TX channel and the bandwidth, spacing and power of the adjacent and alternate channels are displayed in the "Result Summary".

"Channel Power ACLR" measurements are performed as in the Spectrum application with the following predefined settings according to WLAN specifications (adjacent channel leakage ratio).

Table 5-3: Predefined settings for WLAN ACLR Channel Power measurements

Setting	Default value
ACLR Standard	same as defined in WLAN signal description (see "Standard" on page 107)
Number of adjacent channels	3
Reference channel	Max power Tx channel
Channel bandwidth	20 MHz

For further details about the ACLR measurements refer to "Measuring Channel Power and Adjacent-Channel Power" in the R&S FSV/A User Manual.

To restore adapted measurement parameters, the following parameters are saved on exiting and are restored on re-entering this measurement:

- Reference level and reference level offset
- RBW, VBW
- Sweep time
- Span
- Number of adjacent channels
- Fast ACLR mode

The main measurement menus for the frequency sweep measurements are identical to the Spectrum application.

5.4.2 Spectrum emission mask

The "Spectrum Emission Mask" measurement shows the quality of the measured signal by comparing the power values in the frequency range near the carrier against a spectral mask that is defined by the WLAN 802.11 specifications. The limits depend on the selected power class. Thus, the performance of the DUT can be tested and the emissions and their distance to the limit are identified.



Note that the WLAN standard does not distinguish between spurious and spectral emissions.

The "Result Summary" contains a peak list with the values for the largest spectral emissions including their frequency and power.

The WLAN application performs the SEM measurement as in the Spectrum application with the following settings:

Table 5-4: Predefined settings for WLAN SEM measurements

Setting	Default value
Number of ranges	3
Frequency Span	+/- 12.75 MHz
Fast SEM	OFF

Setting	Default value
Sweep time	140 µs
RBW	30 kHz
Power reference type	Channel Power
Tx Bandwidth	3.84 MHz
Number of power classes	1



You must select the SEM file with the pre-defined settings required by the standard manually (using the "Standard Files" softkey in the main "SEMask" menu). The subdirectory displayed in the SEM standard file selection dialog box depends on the standard you selected previously for the WLAN Modulation Accuracy, Flatness,... measurement (see "Standard" on page 107).

For further details about the "Spectrum Emission Mask" measurements refer to "Spectrum Emission Mask Measurement" in the R&S FSV/A User Manual.

To restore adapted measurement parameters, the following parameters are saved on exiting and are restored on re-entering this measurement:

- Reference level and reference level offset
- Sweep time
- Span

The main measurement menus for the frequency sweep measurements are identical to the Spectrum application.

5.4.3 Occupied bandwidth

Access: "Overview" > "Select Measurement" > "OBW"

or: [MEAS] > "Select Measurement" > "OBW"

The "Occupied Bandwidth" measurement is performed as in the Spectrum application with default settings.

Table 5-5: Predefined settings for WLAN 802.11 OBW measurements

Setting	Default value
% Power Bandwidth	99 %
Channel bandwidth	3.84 MHz

The "Occupied Bandwidth" measurement determines the bandwidth that the signal occupies. The occupied bandwidth is defined as the bandwidth in which – in default settings - 99 % of the total signal power is to be found. The percentage of the signal power to be included in the bandwidth measurement can be changed.

For further details about the "Occupied Bandwidth" measurements refer to "Measuring the Occupied Bandwidth" in the R&S FSV/A User Manual.

To restore adapted measurement parameters, the following parameters are saved on exiting and are restored on re-entering this measurement:

- Reference level and reference level offset
- RBW, VBW
- Sweep time
- Span

5.4.4 CCDF

Access: "Overview" > "Select Measurement" > "CCDF"

or: [MEAS] > "Select Measurement" > "CCDF"

The "CCDF" measurement determines the distribution of the signal amplitudes (complementary cumulative distribution function). The "CCDF" and the Crest factor are displayed. For the purposes of this measurement, a signal section of user-definable length is recorded continuously in zero span, and the distribution of the signal amplitudes is evaluated.

The measurement is useful to determine errors of linear amplifiers. The crest factor is defined as the ratio of the peak power and the mean power. The "Result Summary" displays the number of included samples, the mean and peak power and the crest factor.

The "CCDF" measurement is performed as in the Spectrum application with the following settings:

Table 5-6: Predefined settings for WLAN 802.11 CCDF measurements

Setting	Default value
"CCDF"	Active on trace 1
Analysis bandwidth	10 MHz
Number of samples	62500
Detector	Sample

For further details about the "CCDF" measurements refer to "Statistical Measurements" in the R&S FSV/A User Manual.

To restore adapted measurement parameters, the following parameters are saved on exiting and are restored on re-entering this measurement:

- Reference level and reference level offset
- Analysis bandwidth
- Number of samples

6 Analysis

General result analysis settings concerning the trace and markers etc. are currently not available for the standard WLAN measurements. Only one (Clear/Write) trace and one marker are available for these measurements.



Analysis of frequency sweep measurements

General result analysis settings concerning the trace, markers, lines etc. for RF measurements are identical to the analysis functions in the Spectrum application except for some special marker functions and spectrograms, which are not available in the R&S FSV3 WLAN application.

For details see the "Common Analysis and Display Functions" chapter in the R&S FSV/A User Manual.

The remote commands required to perform these tasks are described in [Chapter 9.10, "Analysis"](#), on page 402.

How to determine modulation accuracy, flatness and tolerance parameters for WLAN signals

7 How to perform measurements in the WLAN application

The following step-by-step instructions demonstrate how to perform measurements in the R&S FSV/A WLAN application. The following tasks are described:

- [How to determine modulation accuracy, flatness and tolerance parameters for WLAN signals](#).....194
- [How to analyze WLAN signals in a MIMO measurement setup](#).....195
- [How to determine the OBW, SEM, ACLR or CCDF for WLAN signals](#).....201

7.1 How to determine modulation accuracy, flatness and tolerance parameters for WLAN signals

1. Press the [MODE] key.


A dialog box opens that contains all operating modes and applications currently available on your R&S FSV/A.

2. Select the "WLAN" item.



The R&S FSV/A opens a new measurement channel for the WLAN application.

3. Select the "Overview" softkey to display the "Overview" for a WLAN measurement.
4. Select the "Signal Description" button to define the digital standard to be used.
5. Select the "Input/Frontend" button and then the "Frequency" tab to define the input signal's center frequency.
6. Select the "Signal Capture" button to define how much and which data to capture from the input signal.
7. To define a particular starting point for the FFT or to improve the measurement speed for signals with a low duty cycle, select the "Synchronization/OFDM-Demod." button and set the required parameters.
8. Select the "Tracking/Channel Estimation" button to define how the data channels are to be estimated and which distortions will be compensated for.
9. Select the "Demod" button to provide information on the modulated signal and how the PPDU's detected in the capture buffer are to be demodulated.
10. Select the "Evaluation Range" button to define which data in the capture buffer you want to analyze.

11. Select the "Display Config" button and select the displays that are of interest to you (up to 16).
Arrange them on the display to suit your preferences.
12. Exit the SmartGrid mode.
13. Start a new sweep with the defined settings.
 - To perform a single sweep measurement, press the RUN SINGLE hardkey.
 - To perform a continuous sweep measurement, press the RUN CONT hardkey.
 - a) Select the Sequencer icon () from the toolbar.
 - b) Set the Sequencer state to "OFF".
 - c) Press the [RUN SINGLE] key.

Measurement results are updated once the measurement has completed.

7.2 How to analyze WLAN signals in a MIMO measurement setup

MIMO measurements are only available for IEEE IEEE 802.11 ac, ax, n, be standards. They can be performed automatically or manually (see [Chapter 4.3.4, "Capturing data from MIMO antennas"](#), on page 80).

To perform a manual sequential measurement

1. Press the [MODE] key.
2. Select the "WLAN" item.



The R&S FSV/A opens a new measurement channel for the WLAN application.

3. Select the "Overview" softkey to display the "Overview" for a WLAN measurement.
4. Select the "Signal Description" button to select one of the following digital standards:
 - *IEEE 802.11ac*
 - *IEEE 802.11ax*
 - *IEEE 802.11be*
 - *IEEE 802.11n*
5. Select the "Input/Frontend" button and then the "Frequency" tab to define the input signal's center frequency.
6. Select the "Signal Capture" button to define how much and which data to capture from the input signal.

7. Select the "MIMO Capture" tab to define how the data from the MIMO antennas is to be captured.
 - a) For the "DUT MIMO Config." select the number of TX antennas data will be transmitted from.
 - b) Under "MIMO antenna Signal Capture Setup" select "Sequential Manual".
8. To define a particular starting point for the FFT or to improve the measurement speed for signals with a low duty cycle, select the "Synchronization/OFDM-Demod." button and set the required parameters.
9. Select the "Tracking/Channel Estimation" button to define how the data channels are to be estimated and which distortions will be compensated for, e.g. crosstalk between the MIMO antennas at the DUT.
10. Select the "Demod" button and then the "Demod" tab to provide information on the modulated signal and how the PPDU detected in the capture buffer are to be demodulated.
11. In the "Demodulation" dialog box, select the "MIMO" tab to define which spatial mapping mode is used, that is, how the space-time streams are mapped to the antennas.
 - a) If necessary, include a time shift for the individual antennas.
 - b) If the signal power is amplified according to the maxtrix entries so that the total transmitted power is not increased, the measured powers can be normalised to consider this effect in demodulation.
12. Select the "Evaluation Range" button to define which data in the capture buffer you want to analyze.
13. Select the "Display Config" button and select the displays that are of interest to you (up to 16).
Arrange them on the display to suit your preferences.
14. Exit the SmartGrid mode.
15. Return to the "Signal Capture" > "MIMO Capture" dialog box tab to perform the measurement.
 - a) Connect the input for the first Tx antenna to the RF input of the R&S FSV/A.
 - b) Select the "Single" or "Cont." button for the RX 1 capture buffer to perform a single or continuous measurement for that antenna. For a continuous measurement, select the "Cont." button again to stop the measurement.
 - c) Connect the input for the second Tx antenna to the RF input of the R&S FSV/A.
 - d) Select the "Single" / "Cont." button for the RX 2 capture buffer.
 - e) If necessary, repeat these steps for the third and fourth antennas.
 - f) Select "Calc Results" to determine the results for each individual data stream in the selected result displays.

Note: Instead of selecting the "Single" / "Cont." button in the "Signal Capture" dialog box for each individual antenna capture, which requires keeping the dialog box open, you can press the [RUN SINGLE] or [RUN CONT] key to perform the mea-

measurements. The data is evaluated and the result displays are updated when the measurement is stopped.

However, in this case the data is written to the same capture buffer for all antennas (namely the one selected for "<RUNS SINGLE> or <RUN CONT> updates" in the "MIMO Capture" tab). Thus, the assignment of the individual data streams to antennas is no longer visible in the result displays.

To perform an automated sequential measurement (with an OSP switch box)

This measurement setup requires an additional R&S OSP switch box. For details on setting up and using this instrument, see the corresponding documentation!

1. Press the [MODE] key.
2. Select the "WLAN" item.



The R&S FSV/A opens a new measurement channel for the WLAN application.

3. Select the "Overview" softkey to display the "Overview" for a WLAN measurement.
4. Select the "Signal Description" button to select one of the following digital standards:
 - IEEE 802.11ac
 - IEEE 802.11ax
 - IEEE 802.11be
 - IEEE 802.11n
5. Select the "Input/Frontend" button and then the "Frequency" tab to define the input signal's center frequency.
6. Select the "Signal Capture" button to define how much and which data to capture from the input signal.
7. Select the "MIMO Capture" tab to define how the data from the MIMO antennas is to be captured.
 - a) For the "DUT MIMO Config." select the number of TX antennas data will be transmitted from.
 - b) Under "MIMO antenna Signal Capture Setup" select "Sequential using OSP switch box".
 - c) Enter the IP address of the connected OSP switch box.
 - d) For the "OSP Switch Bank Configuration" select the module used to connect the OSP switch box to the R&S FSV/A.
 - e) Connect the antennas and the R&S FSV/A to the OSP switch box as indicated in the dialog box.
 - f) Configure the OSP switch box to switch between the antenna input as required.

8. To define a particular starting point for the FFT or to improve the measurement speed for signals with a low duty cycle, select the "Synchronization/OFDM-Demod." button and set the required parameters.
9. Select the "Tracking/Channel Estimation" button to define how the data channels are to be estimated and which distortions will be compensated for, e.g. crosstalk between the MIMO antennas at the DUT.
10. Select the "Demod" button to provide information on the modulated signal and how the PPDU's detected in the capture buffer are to be demodulated.
11. Select the "MIMO" tab in the "Demodulation" dialog box to define which spatial mapping mode is used, that is, how the space-time streams are mapped to the antennas.
 - a) If necessary, include a time shift for the individual antennas.
 - b) If the signal power is amplified according to the maxtrix entries so that the total transmitted power is not increased, the measured powers can be normalised to consider this effect in demodulation.
12. Select the "Evaluation Range" button to define which data in the capture buffer you want to analyze.
13. Select the "Display Config" button and select the displays that are of interest to you (up to 16).
Arrange them on the display to suit your preferences.
14. Exit the SmartGrid mode.
15. Start the measurement via the OSP switch box. The data is captured from all antennas automatically. The data is evaluated and the result displays are updated for the individual data streams when the measurement is stopped.

To perform a simultaneous measurement (with multiple R&S FSV/As and an R&S FS-Z11 Trigger Unit)

This measurement setup requires as many R&S FSV/As as Tx antennas are used! They must all be connected via LAN. Select one R&S FSV/A as a primary. It is assumed the R&S FS-Z11 Trigger Unit is set up according to the following illustration:




Figure 7-1: R&S FS-Z11 Trigger Unit connections

Perform the following configuration **on all R&S FSV/As**, except for the MIMO capture settings (step 7). These settings are only required for the primary analyzer.

1. Press the [MODE] key.
2. Select the "WLAN" item.



The R&S FSV/A opens a new measurement channel for the WLAN application.

3. Select the "Overview" softkey to display the "Overview" for a WLAN measurement.
4. Select the "Signal Description" button to select the digital standard *IEEE 802.11ac* or *IEEE 802.11n*.
5. Select the "Input/Frontend" button and then the "Frequency" tab to define the input signal's center frequency.
6. Select the "Signal Capture" button to define how much and which data to capture from the input signal.
7. **For the primary analyzer only:**
 - Select the "MIMO Capture" tab to define how the data from the MIMO antennas is to be captured.
 - a) For the "DUT MIMO Config." select the number of TX antennas data will be transmitted from.
 - b) Under "MIMO antenna Signal Capture Setup" select "Simultaneous".

- c) For each connected R&S FSV/A, enter the IP address and assign an antenna that this analyzer secondary will capture data from.
 - d) Ensure that the "State" of each analyzer is "On" and the connection is established (the lights should be green in the dialog box).
 - e) Connect the assigned antenna to each R&S FSV/A.
8. To define a particular starting point for the FFT or to improve the measurement speed for signals with a low duty cycle, select the "Synchronization/OFDM-Demod." button and set the required parameters.
9. Select the "Tracking/Channel Estimation" button to define how the data channels are to be estimated and which distortions will be compensated for, e.g. crosstalk between the MIMO antennas at the DUT.
10. Select the "Demod" button to provide information on the modulated signal and how the PPDU's detected in the capture buffer are to be demodulated.
11. Select the "MIMO" tab in the "Demodulation" dialog box to define which spatial mapping mode is used, that is, how the space-time streams are mapped to the antennas.
 - a) If necessary, include a time shift for the individual antennas.
 - b) If the signal power is amplified according to the maxtrix entries so that the total transmitted power is not increased, the measured powers can be normalised to consider this effect in demodulation.
12. Select the "Evaluation Range" button to define which data in the capture buffer you want to analyze.
13. Select the "Display Config" button and select the displays that are of interest to you (up to 16).
Arrange them on the display to suit your preferences.
14. Exit the SmartGrid mode.
15. **For the primary analyzer only:**
Activate the NOISE SOURCE output for the connection to the R&S FS-Z11 Trigger Unit.
For an R&S FSV/A as a primary analyzer:
 - a) Press the [Input/Output] key.
 - b) Select "Output Config".
 - c) Select "Noise Source": "On".
16. Trigger a new sweep by pressing the [TRIG MANUAL] button on the Trigger Unit.

The data is captured from all antennas automatically. The data is collected by the primary R&S FSV/A, which evaluates the entire data and updates the result displays for the individual data streams when the measurement is stopped.

7.3 How to determine the OBW, SEM, ACLR or CCDF for WLAN signals

1.



Press the [MODE] key and select the "WLAN" application.

The R&S FSV/A opens a new measurement channel for the WLAN application. I/Q data acquisition is performed by default.

2. Select the "Signal Description" button to define the digital standard to be used.

3. Select the required measurement:

a) Press the [MEAS] key.

b) In the "Select Measurement" dialog box, select the required measurement.

The selected measurement is activated with the default settings for WLAN immediately.

4. For SEM measurements, select the required standard settings file:

a) In the SEMask menu, select the "Standard Files" softkey.

b) Select the required settings file. The subdirectory displayed in the file selection dialog box depends on the standard you selected in [step 2](#).

5. If necessary, adapt the settings as described for the individual measurements in the R&S FSV/A User Manual.

6. Select the "Display Config" button and select the evaluation methods that are of interest to you.

Arrange them on the display to suit your preferences.

7. Exit the SmartGrid mode and select the "Overview" softkey to display the "Overview" again.

8. Select the "Analysis" button in the "Overview" to make use of the advanced analysis functions in the result displays.

- Configure a trace to display the average over a series of sweeps; if necessary, increase the "Sweep Count" in the "Sweep" settings.
- Configure markers and delta markers to determine deviations and offsets within the evaluated signal.
- Use special marker functions to calculate noise or a peak list.
- Configure a limit check to detect excessive deviations.

9. Optionally, export the trace data of the graphical evaluation results to a file.

a) In the "Traces" tab of the "Analysis" dialog box, switch to the "Trace Export" tab.

b) Select "Export Trace to ASCII File".

c) Define a file name and storage location and select "OK".

8 Optimizing and troubleshooting the measurement

- [Optimizing the measurement results](#).....202
- [Error messages and warnings](#)..... 203

8.1 Optimizing the measurement results

If the results do not meet your expectations, try the following methods to optimize the measurement.

- [Improving performance](#)..... 202
- [Improving channel estimation and EVM accuracy](#)..... 202

8.1.1 Improving performance

Performing a coarse burst search

For signals with **low duty cycle rates**, enable the "Power Interval Search" for synchronization (see "[Power Interval Search](#)" on page 136). In this case, the R&S FSV3 WLAN application initially performs a coarse burst search on the input signal in which increases in the power vs time trace are detected. Further time-consuming processing is then only performed where bursts are assumed. This improves the measurement speed.

However, for signals in which the PPDU power levels differ significantly, this option should be disabled as otherwise some PPDUs may not be detected.

8.1.2 Improving channel estimation and EVM accuracy

The channels in the WLAN signal are estimated based on the expected input signal description and the information provided by the PPDUs themselves. The more accurate the channel estimation, the more accurate the EVM based on these channels can be calculated.

Increasing the basis for channel estimation

The more information that can be used to estimate the channels, the more accurate the results. For measurements that need not be performed strictly according to the WLAN 802.11 standard, set the "Channel Estimation Range" to "Payload" (see "[Channel Estimation Range](#)" on page 138).

The channel estimation is performed in the preamble and the payload. The EVM results can be calculated more accurately.

Accounting for phase drift in the EVM

According to the WLAN 802.11 standards, the common phase drift must be estimated and compensated from the pilots. Thus, these deviations are not included in the EVM. To include the phase drift, disable "Phase Tracking" (see ["Phase Tracking"](#) on page 140).

Analyzing time jitter

Normally, a symbol-wise timing jitter is negligible and not required by the IEEE 802.11a measurement standard [6], and thus not considered in channel estimation. However, there may be situations where the timing drift has to be taken into account.

However, to analyze the time jitter per symbol, enable "Timing Tracking" (see ["Timing Error Tracking"](#) on page 140).

Compensating for non-standard-conform pilot sequences

In case the pilot generation algorithm of the device under test (DUT) has a problem, the non-standard-conform pilot sequence might affect the measurement results, or the R&S FSV3 WLAN application might not synchronize at all onto the signal generated by the DUT.

In this case, set the "Pilots for Tracking" to "Detected" (see ["Pilots for Tracking"](#) on page 140), so that the pilot sequence detected in the signal is used instead of the sequence defined by the standard.

However, if the pilot sequence generated by the DUT is correct, it is recommended that you use the "According to Standard" setting because it generates more accurate measurement results.

8.2 Error messages and warnings

The following messages are displayed in the status bar in case of errors.

Results contribute to overall results despite inconsistencies:

"Info: Comparison between HT-SIG Payload Length and Estimated Payload Length not performed due to insufficient SNR"

The R&S FSV3 WLAN application compares the HT-SIG length against the length estimated from the PPDU power profile. If the two values do not match, the corresponding entry is highlighted orange. If the signal quality is very bad, this comparison is suppressed and the message above is shown.

"Warning: HT-SIG of PPDU was not evaluated"

Decoding of the HT-SIG was not possible because there was not enough data in the Capture Memory (potential PPDU truncation).

"Warning: Mismatch between HT-SIG and estimated (SNR+Power) PPDU length"

The HT-SIG length and the length estimated by the R&S FSV3 WLAN application (from the PPDU power profile) are different.

"Warning: Physical Channel estimation impossible / Phy Chan results not available Possible reasons: channel matrix not square or singular to working precision"

The Physical Channel results could not be calculated for one or both of the following reasons:

- The spatial mapping can not be applied due to a rectangular mapping matrix (the number of space time streams is not equal to the number of transmit antennas).
- The spatial mapping matrices are singular to working precision.

PPDUs are dismissed due to inconsistencies**"Hint: PPDU requires at least one payload symbol"**

Currently at least one payload symbol is required in order to successfully analyze the PPDU. Null data packet (NDP) sounding PPDUs will generate this message.

"Hint: PPDU dismissed due to a mismatch with the PPDU format to be analyzed"

The properties causing the mismatches for this PPDU are highlighted.

"Hint: PPDU dismissed due to truncation"

The first or the last PPDU was truncated during the signal capture process, for example.

"Hint: PPDU dismissed due to HT-SIG inconsistencies"

One or more of the following HT-SIG decoding results are outside of specified range: MCS index, Number of additional STBC streams, Number of space time streams (derived from MCS and STBC), CRC Check failed, Non zero tail bits.

"Hint: PPDU dismissed because payload channel estimation was not possible"

The payload based channel estimation was not possible because the channel matrix is singular to working precision.

"Hint: Channel matrix singular to working precision"

Channel equalizing (for PPDU Length Detection, fully and user compensated measurement signal) is not possible because the estimated channel matrix is singular to working precision.

9 Remote commands for WLAN 802.11 measurements

The following commands are required to perform measurements in the R&S FSV3 WLAN application in a remote environment.

It is assumed that the R&S FSV/A has already been set up for remote control in a network as described in the R&S FSV/A User Manual.



Note that basic tasks that are independent of the application are not described here. For a description of such tasks, see the R&S FSV/A User Manual.

In particular, this includes:

- Managing Settings and Results, i.e. storing and loading settings and result data
- Basic instrument configuration, e.g. checking the system configuration, customizing the screen layout, or configuring networks and remote operation
- Using the common status registers

After an introduction to SCPI commands, the following tasks specific to the R&S FSV3 WLAN application are described here:

- [Common suffixes](#)..... 205
- [Introduction](#)..... 206
- [Activating WLAN 802.11 measurements](#)..... 211
- [Selecting a measurement](#)..... 214
- [Configuring the WLAN IQ measurement \(modulation accuracy, flatness and tolerance\)](#)..... 221
- [Configuring frequency sweep measurements on WLAN 802.11 signals](#)..... 320
- [Configuring the result display](#)..... 324
- [Starting a measurement](#)..... 344
- [Retrieving results](#)..... 348
- [Analysis](#)..... 402
- [Status registers](#)..... 405
- [Deprecated commands](#)..... 408
- [Programming examples \(R&S FSV3 WLAN application\)](#)..... 413

9.1 Common suffixes

In the R&S FSV3 WLAN application, the following common suffixes are used in remote commands:

Table 9-1: Common suffixes used in remote commands in the R&S FSV3 WLAN application

Suffix	Value range	Description
<m>	1 to 4 (RF: 1 to 16)	Marker
<n>	1 to 16	Window (in the currently selected channel)

Suffix	Value range	Description
<t>	irrelevant (RF: 1 to 6)	Trace
	1 to 8	Limit line

9.2 Introduction

Commands are program messages that a controller (e.g. a PC) sends to the instrument or software. They operate its functions ('setting commands' or 'events') and request information ('query commands'). Some commands can only be used in one way, others work in two ways (setting and query). If not indicated otherwise, the commands can be used for settings and queries.

The syntax of a SCPI command consists of a header and, usually, one or more parameters. To use a command as a query, you have to append a question mark after the last header element, even if the command contains a parameter.

A header contains one or more keywords, separated by a colon. Header and parameters are separated by a "white space" (ASCII code 0 to 9, 11 to 32 decimal, e.g. blank). If there is more than one parameter for a command, they are separated by a comma from one another.

Only the most important characteristics that you need to know when working with SCPI commands are described here. For a more complete description, refer to the user manual of the R&S FSV/A.



Remote command examples

Note that some remote command examples mentioned in this general introduction are possibly not supported by this particular application.

9.2.1 Conventions used in descriptions

The following conventions are used in the remote command descriptions:

- **Command usage**
If not specified otherwise, commands can be used both for setting and for querying parameters.
If a command can be used for setting or querying only, or if it initiates an event, the usage is stated explicitly.
- **Parameter usage**
If not specified otherwise, a parameter can be used to set a value and it is the result of a query.
Parameters required only for setting are indicated as **Setting parameters**.
Parameters required only to refine a query are indicated as **Query parameters**.
Parameters that are only returned as the result of a query are indicated as **Return values**.
- **Conformity**

Commands that are taken from the SCPI standard are indicated as **SCPI confirmed**. All commands used by the R&S FSV/A follow the SCPI syntax rules.

- **Asynchronous commands**
A command which does not automatically finish executing before the next command starts executing (overlapping command) is indicated as an **Asynchronous command**.
- **Reset values (*RST)**
Default parameter values that are used directly after resetting the instrument (*RST command) are indicated as *RST values, if available.
- **Default unit**
The default unit is used for numeric values if no other unit is provided with the parameter.
- **Manual operation**
If the result of a remote command can also be achieved in manual operation, a link to the description is inserted.

9.2.2 Long and short form

The keywords have a long and a short form. You can use either the long or the short form, but no other abbreviations of the keywords.

The short form is emphasized in uppercase letters. Note however, that this emphasis only serves the purpose to distinguish the short from the long form in the manual. For the instrument, the case does not matter.

Example:

`SENSe:FREQuency:CENTer` is the same as `SENS:FREQ:CENT`.

9.2.3 Numeric suffixes

Some keywords have a numeric suffix if the command can be applied to multiple instances of an object. In that case, the suffix selects a particular instance (e.g. a measurement window).

Numeric suffixes are indicated by angular brackets (<n>) next to the keyword.

If you do not quote a suffix for keywords that support one, a 1 is assumed.

Example:

`DISPlay[:WINDow<1...4>]:ZOOM:STATe` enables the zoom in a particular measurement window, selected by the suffix at `WINDow`.

`DISPlay:WINDow4:ZOOM:STATe ON` refers to window 4.

9.2.4 Optional keywords

Some keywords are optional and are only part of the syntax because of SCPI compliance. You can include them in the header or not.



If an optional keyword has a numeric suffix and you need to use the suffix, you have to include the optional keyword. Otherwise, the suffix of the missing keyword is assumed to be the value 1.

Optional keywords are emphasized with square brackets.

Example:

Without a numeric suffix in the optional keyword:

```
[SENSe:]FREQuency:CENTer is the same as FREQuency:CENTer
```

With a numeric suffix in the optional keyword:

```
DISPlay[:WINDow<1...4>]:ZOOM:STATe
```

DISPlay:ZOOM:STATe ON enables the zoom in window 1 (no suffix).

DISPlay:WINDow4:ZOOM:STATe ON enables the zoom in window 4.

9.2.5 Alternative keywords

A vertical stroke indicates alternatives for a specific keyword. You can use both keywords to the same effect.

Example:

```
[SENSe:]BANDwidth|BWIDth[:RESolution]
```

In the short form without optional keywords, BAND 1MHZ would have the same effect as BWID 1MHZ.

9.2.6 SCPI parameters

Many commands feature one or more parameters.

If a command supports more than one parameter, they are separated by a comma.

Example:

```
LAYout:ADD:WINDow Spectrum,LEFT,MTABLE
```

Parameters can have different forms of values.

- [Numeric values](#)..... 209
- [Boolean](#)..... 209
- [Character data](#)..... 210
- [Character strings](#)..... 210
- [Block data](#)..... 210

9.2.6.1 Numeric values

Numeric values can be entered in any form, i.e. with sign, decimal point or exponent. For physical quantities, you can also add the unit. If the unit is missing, the command uses the basic unit.

Example:

With unit: `SENSe:FREQuency:CENTer 1GHZ`

Without unit: `SENSe:FREQuency:CENTer 1E9` would also set a frequency of 1 GHz.

Values exceeding the resolution of the instrument are rounded up or down.

If the number you have entered is not supported (e.g. for discrete steps), the command returns an error.

Instead of a number, you can also set numeric values with a text parameter in special cases.

- **MIN/MAX**
Defines the minimum or maximum numeric value that is supported.
- **DEF**
Defines the default value.
- **UP/DOWN**
Increases or decreases the numeric value by one step. The step size depends on the setting. Sometimes, you can customize the step size with a corresponding command.

Querying numeric values

When you query numeric values, the system returns a number. For physical quantities, it applies the basic unit (e.g. Hz for frequencies). The number of digits after the decimal point depends on the type of numeric value.

Example:

Setting: `SENSe:FREQuency:CENTer 1GHZ`

Query: `SENSe:FREQuency:CENTer?` would return `1E9`

Sometimes, numeric values are returned as text.

- **INF/NINF**
Infinity or negative infinity. Represents the numeric values 9.9E37 or -9.9E37.
- **NAN**
Not a number. Represents the numeric value 9.91E37. NAN is returned if errors occur.

9.2.6.2 Boolean

Boolean parameters represent two states. The "on" state (logically true) is represented by "ON" or the numeric value 1. The "off" state (logically untrue) is represented by "OFF" or the numeric value 0.

Querying Boolean parameters

When you query Boolean parameters, the system returns either the value 1 ("ON") or the value 0 ("OFF").

Example:

Setting: `DISPlay:WINDow:ZOOM:STATe ON`

Query: `DISPlay:WINDow:ZOOM:STATe?` would return 1

9.2.6.3 Character data

Character data follows the syntactic rules of keywords. You can enter text using a short or a long form. For more information, see [Chapter 9.2.2, "Long and short form"](#), on page 207.

Querying text parameters

When you query text parameters, the system returns its short form.

Example:

Setting: `SENSe:BANDwidth:RESolution:TYPE NORMal`

Query: `SENSe:BANDwidth:RESolution:TYPE?` would return NORM

9.2.6.4 Character strings

Strings are alphanumeric characters. They have to be in straight quotation marks. You can use a single quotation mark (') or a double quotation mark (").

Example:

`INSTRument:DELeTe 'Spectrum'`

9.2.6.5 Block data

Block data is a format which is suitable for the transmission of large amounts of data.

The ASCII character # introduces the data block. The next number indicates how many of the following digits describe the length of the data block. The data bytes follow. During the transmission of these data bytes, all end or other control signs are ignored until all bytes are transmitted. #0 specifies a data block of indefinite length. The use of the indefinite format requires an `NL^END` message to terminate the data block. This format is useful when the length of the transmission is not known or if speed or other considerations prevent segmentation of the data into blocks of definite length.

9.3 Activating WLAN 802.11 measurements

WLAN 802.11 measurements require a special application on the R&S FSV/A (R&S FSV3-K91). The measurement is started immediately with the default settings.



These are basic R&S FSV/A commands, listed here for your convenience.

INSTrument:CREate:DUPLicate	211
INSTrument:CREate[:NEW]	211
INSTrument:CREate:REPLace	212
INSTrument:DELeTe	212
INSTrument:LIST?	212
INSTrument:REName	213
INSTrument[:SELeCt]	214
SYSTem:PRESet:CHANnel[:EXEC]	214

INSTrument:CREate:DUPLicate

Duplicates the currently selected channel, i.e. creates a new channel of the same type and with the identical measurement settings. The name of the new channel is the same as the copied channel, extended by a consecutive number (e.g. "IQAnalyzer" -> "IQAnalyzer 2").

The channel to be duplicated must be selected first using the `INST:SEL` command.

Example:

```
INST:SEL 'IQAnalyzer'
```

```
INST:CRE:DUPL
```

Duplicates the channel named 'IQAnalyzer' and creates a new channel named 'IQAnalyzer2'.

Usage: Event

INSTrument:CREate[:NEW] <ChannelType>, <ChannelName>

Adds a measurement channel. You can configure up to 10 measurement channels at the same time (depending on available memory).

Parameters:

<ChannelType> Channel type of the new channel.
For a list of available channel types, see [INSTrument:LIST?](#) on page 212.

<ChannelName> String containing the name of the channel.
Note that you cannot assign an existing channel name to a new channel. If you do, an error occurs.

Example:

```
INST:CRE SAN, 'Spectrum 2'
```

Adds a spectrum display named "Spectrum 2".

INSTRument:CREate:REPLace <ChannelName1>, <ChannelType>,
<ChannelName2>

Replaces a channel with another one.

Setting parameters:

<ChannelName1> String containing the name of the channel you want to replace.

<ChannelType> Channel type of the new channel.
For a list of available channel types, see [INSTRument:LIST?](#) on page 212.

<ChannelName2> String containing the name of the new channel.
Note: If the specified name for a new channel already exists, the default name, extended by a sequential number, is used for the new channel (see [INSTRument:LIST?](#) on page 212). Channel names can have a maximum of 31 characters, and must be compatible with the Windows conventions for file names. In particular, they must not contain special characters such as ":", "*", "?".

Example: `INST:CRE:REPL 'IQAnalyzer2',IQ,'IQAnalyzer'`
Replaces the channel named "IQAnalyzer2" by a new channel of type "IQ Analyzer" named "IQAnalyzer".

Usage: Setting only

INSTRument:DELeTe <ChannelName>

Deletes a channel.

Setting parameters:

<ChannelName> String containing the name of the channel you want to delete.
A channel must exist to delete it.

Usage: Setting only

INSTRument:LIST?

Queries all active channels. The query is useful to obtain the names of the existing channels, which are required to replace or delete the channels.

Return values:

<ChannelType>,
<ChannelName> For each channel, the command returns the channel type and channel name (see tables below).
Tip: to change the channel name, use the [INSTRument:REName](#) command.

Example: `INST:LIST?`
Result for 3 channels:
`'ADEM','Analog Demod','IQ','IQ Analyzer','IQ','IQ Analyzer2'`

Usage: Query only

Table 9-2: Available channel types and default channel names

Application	<ChannelType> Parameter	Default Channel Name*)
Spectrum	SANALYZER	Spectrum
5G NR (R&S FSV3-K144)	NR5G	5G NR
3GPP FDD BTS (R&S FSV3-K72)	BWCD	3G FDD BTS
3GPP FDD UE (R&S FSV3-K73)	MWCD	3G FDD UE
Amplifier Measurements (R&S FSV3-K18)	AMPLifier	Amplifier
AM/FM/PM Modulation Analysis	ADEM	Analog Demod
Bluetooth (R&S FSV/A-K8)	BTO	Bluetooth
GSM (R&S FSV3-K10)	GSM	GSM
I/Q Analyzer	IQ	IQ Analyzer
LTE (R&S FSV3-K10x)	LTE	LTE
NB-IoT (R&S FSV3-K106)	NIOT	NB-IoT
Noise Figure Measure- ments	NOISE	Noise
Phase Noise (R&S FSV3- K40)	PNOISE	Phase Noise
Pulse (R&S FSV3-K6)	PULSE	Pulse
Vector Signal Analysis (VSA, R&S FSV3-K70)	DDEM	VSA
WLAN (R&S FSV3-K91)	WLAN	WLAN

Note: the default channel name is also listed in the table. If the specified name for a new channel already exists, the default name, extended by a sequential number, is used for the new channel.

INSTrument:REName <ChannelName1>, <ChannelName2>

Renames a channel.

Setting parameters:

<ChannelName1> String containing the name of the channel you want to rename.

<ChannelName2> String containing the new channel name.
 Note that you cannot assign an existing channel name to a new channel. If you do, an error occurs.
 Channel names can have a maximum of 31 characters, and must be compatible with the Windows conventions for file names. In particular, they must not contain special characters such as ":", "*", "?".

Example: `INST:REN 'IQAnalyzer2', 'IQAnalyzer3'`
 Renames the channel with the name 'IQAnalyzer2' to 'IQAnalyzer3'.

Usage: Setting only

INSTrument[:SElect] <ChannelType> | <ChannelName>

This command activates a new measurement channel with the defined channel type, or selects an existing measurement channel with the specified name.

See also `INSTrument:CREate[:NEW]` on page 211.

For a list of available channel types see `INSTrument:LIST?` on page 212.

Parameters:

<ChannelType> Channel type of the new channel.
 For a list of available channel types see `INSTrument:LIST?` on page 212.

WLAN

WLAN option, R&S FSV3–K91

<ChannelName> String containing the name of the channel.

Example: `INST WLAN`
 Activates a measurement channel for the R&S FSV3 WLAN application.
`INST 'WLAN'`
 Selects the measurement channel named 'WLAN' (for example before executing further commands for that channel).

SYSTem:PRESet:CHANnel[:EXEC]

Restores the default instrument settings in the current channel.

Use `INST:SEL` to select the channel.

Example: `INST:SEL 'Spectrum2'`
 Selects the channel for "Spectrum2".
`SYST:PRESet:CHAN:EXEC`
 Restores the factory default settings to the "Spectrum2"channel.

Usage: Event

Manual operation: See "[Preset Channel](#)" on page 106

9.4 Selecting a measurement

The following commands are required to define the measurement type in a remote environment. The selected measurement must be started explicitly (see [Chapter 9.8, "Starting a measurement"](#), on page 344)!

For details on available measurements see [Chapter 3, "Measurements and result displays"](#), on page 14.



The WLAN IQ measurement captures the I/Q data from the WLAN signal using a (nearly rectangular) filter with a relatively large bandwidth. This measurement is selected when the WLAN measurement channel is activated. The commands to select a different measurement or return to the WLAN IQ measurement are described here.

Note that the `CONF:BURSt:<ResultType>:IMM` commands change the screen layout to display the "Magnitude Capture" buffer in window 1 at the top of the screen and the selected result type in window 2 below that. Any other active windows are closed.

Use the `LAYout` commands to change the display (see [Chapter 9.7, "Configuring the result display"](#), on page 324).

- [Selecting the WLAN IQ measurement \(modulation accuracy, flatness and tolerance\)](#).....215
- [Selecting a common RF measurement for WLAN signals](#).....220

9.4.1 Selecting the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Any of the following commands can be used to return to the WLAN IQ measurement. Each of these results is automatically determined when the WLAN IQ measurement is performed.



The selected measurement must be started explicitly (see [Chapter 9.8, "Starting a measurement"](#), on page 344)!

<code>CONFigure:BURSt:AM:AM[:IMMEDIATE]</code>	216
<code>CONFigure:BURSt:AM:EVM[:IMMEDIATE]</code>	216
<code>CONFigure:BURSt:AM:PM[:IMMEDIATE]</code>	216
<code>CONFigure:BURSt:CONST:CCARrier[:IMMEDIATE]</code>	216
<code>CONFigure:BURSt:CONST:CSYMBOL[:IMMEDIATE]</code>	216
<code>CONFigure:BURSt:EVM:ECARrier[:IMMEDIATE]</code>	217
<code>CONFigure:BURSt:EVM:ESYMBOL[:IMMEDIATE] (IEEE 802.11b and g (DSSS))</code>	217
<code>CONFigure:BURSt:EVM:EVCHIP[:IMMEDIATE]</code>	217
<code>CONFigure:BURSt:EVM:ESYMBOL[:IMMEDIATE]</code>	217
<code>CONFigure:BURSt:GAIN:GCARrier[:IMMEDIATE]</code>	217
<code>CONFigure:BURSt:PREAmble[:IMMEDIATE]</code>	217
<code>CONFigure:BURSt:PREAmble:SElect</code>	218
<code>CONFigure:BURSt:PTRacking[:IMMEDIATE]</code>	218
<code>CONFigure:BURSt:PVT[:IMMEDIATE]</code>	218
<code>CONFigure:BURSt:PVT:SElect</code>	218
<code>CONFigure:BURSt:QUAD:QCARrier[:IMMEDIATE]</code>	219
<code>CONFigure:BURSt:SPECTrum:FFT[:IMMEDIATE]</code>	219
<code>CONFigure:BURSt:SPECTrum:FLATness:SElect</code>	219

CONFigure:BURSt:SPEctrum:FLATness[:IMMediate]	220
CONFigure:BURSt:STATistics:BSTream[:IMMediate]	220
CONFigure:BURSt:STATistics:SFIeld[:IMMediate]	220

CONFigure:BURSt:AM:AM[:IMMediate]

This remote control command configures the result display type of window 2 to be "AM vs. AM". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[AM/AM](#)" on page 27

CONFigure:BURSt:AM:EVM[:IMMediate]

This remote control command configures the result display type of window 2 to be "AM vs. EVM". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[AM/EVM](#)" on page 28

CONFigure:BURSt:AM:PM[:IMMediate]

This remote control command configures the result display type of window 2 to be "AM vs. PM". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[AM/PM](#)" on page 28

CONFigure:BURSt:CONSt:CCARrier[:IMMediate]

This remote control command configures the result display type of window 2 to be "Constellation vs Carrier" .

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[Constellation vs Carrier](#)" on page 33

CONFigure:BURSt:CONSt:CSYMBOL[:IMMediate]

This remote control command configures the result display type of window 2 to be "Constellation vs Symbol".

Results are only displayed after a measurement has been executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[Constellation](#)" on page 31

CONFigure:BURSt:EVM:ECARrier[:IMMEDIATE]

This remote control command configures the result display type of window 2 to be "EVM vs Carrier".

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["EVM vs Carrier"](#) on page 34

CONFigure:BURSt:EVM:ESYMBOL[:IMMEDIATE] (IEEE 802.11b and g (DSSS))**CONFigure:BURSt:EVM:EVCHIP[:IMMEDIATE]**

Both of these commands configure the measurement type to be "EVM vs Chip" for **IEEE 802.11b and g (DSSS)** standards. For compatibility reasons, the [CONFigure:BURSt:EVM:ESYMBOL\[:IMMEDIATE\]](#) command is also supported for the IEEE 802.11b and g (DSSS) standards. However, for new remote control programs use the [LAYout](#) commands (see [Chapter 9.7.2, "Working with windows in the display"](#), on page 327).

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["EVM vs Chip"](#) on page 35

CONFigure:BURSt:EVM:ESYMBOL[:IMMEDIATE]

This remote control command configures the measurement type to be "EVM vs Symbol".

For **IEEE 802.11b and g (DSSS)** standards, this command selects the "EVM vs Chip" result display.

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["EVM vs Chip"](#) on page 35
See ["EVM vs Symbol"](#) on page 35

CONFigure:BURSt:GAIN:GCARrier[:IMMEDIATE]

This remote control command configures the result display type of window 2 to be "Gain Imbalance vs Carrier". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["Gain Imbalance vs Carrier"](#) on page 38

CONFigure:BURSt:PREamble[:IMMEDIATE]

This remote control command configures the measurement type to be "Frequency Error vs Preamble" or "Phase Error vs Preamble". Which of the two is determined by [CONFigure:BURSt:PREamble:SElect](#).

Manual operation: See ["Freq. Error vs Preamble"](#) on page 37
See ["Phase Error vs Preamble"](#) on page 40

CONFigure:BURSt:PREamble:SElect <ErrType>

This remote control command specifies whether frequency or phase results are displayed when the measurement type is set to "Error Vs Preamble" ([CONFigure: BURSt:PREamble\[:IMMediate\]](#) on page 217).

Parameters:

<ErrType> FREQUENCY | PHASE

FREQUENCY

Displays frequency error results for the preamble of the measured PPDUs only

PHASE

Displays phase error results for the preamble of the measured PPDUs only

Example: CONF: BURS: PRE: SEL PHAS

Manual operation: See ["Freq. Error vs Preamble"](#) on page 37
See ["Phase Error vs Preamble"](#) on page 40

CONFigure:BURSt:PTRacking[:IMMediate]

This remote control command configures the measurement type to be "Phase Tracking vs Symbol".

Manual operation: See ["Phase Tracking"](#) on page 41

CONFigure:BURSt:PVT[:IMMediate]

This remote control command configures the measurement type to be "Power vs Time".

Manual operation: See ["PvT Full PPDU"](#) on page 43
See ["PvT Rising Edge"](#) on page 44
See ["PvT Falling Edge"](#) on page 45

CONFigure:BURSt:PVT:SElect <Mode>

This remote command determines how to interpret the "Power vs Time" measurement results.

Parameters:

<Mode> EDGE | FULL | RISE | FALL

EDGE

Displays rising and falling edges only

FALL

Displays falling edge only

FULL

Displays the full PPDU

RISE

Displays the rising edge only

Manual operation: See ["PvT Full PPDU"](#) on page 43
 See ["PvT Rising Edge"](#) on page 44
 See ["PvT Falling Edge"](#) on page 45

CONFigure:BURSt:QUAD:QCARrier[:IMMEDIATE]

This remote control command configures the result display type in window 2 to be "Quadrature Error vs Carrier". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["Quad Error vs Carrier"](#) on page 45

CONFigure:BURSt:SPECTrum:FFT[:IMMEDIATE]

This remote control command configures the result display type of window 2 to be "FFT Spectrum".

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["FFT Spectrum"](#) on page 36

CONFigure:BURSt:SPECTrum:FLATness:SElect <MeasType>

This remote control command configures result display type of window 2 to be either "Spectrum Flatness" or "Group Delay".

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Parameters:

<MeasType> FLATness | GRDelay

Example:

```
CONF:BURSt:SPECT:FLAT:SEL FLAT
```

Configures the result display of window 2 to be "Spectrum Flatness".

```
CONF:BURSt:SPECT:FLAT:IMM
```

Performs a default WLAN measurement. When the measurement is completed, the "Spectrum Flatness" results are displayed.

Manual operation: See ["Group Delay"](#) on page 39
 See ["Spectrum Flatness"](#) on page 52

CONFigure:BURSt:SPECTrum:FLATness[:IMMEDIATE]

This remote control command configures the result display in window 2 to be "Spectrum Flatness" or "Group Delay", depending on which result display was selected last using [CONFigure:BURSt:SPECTrum:FLATness:SElect](#) on page 219.

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Example:

```
CONF: BURS: SPEC: FLAT: SEL FLAT
```

Configures the result display of window 2 to be "Spectrum Flatness".

```
CONF: BURS: SPEC: FLAT: IMM
```

Performs a default WLAN measurement. When the measurement is completed, the "Spectrum Flatness" results are displayed.

Manual operation: See ["Group Delay"](#) on page 39
See ["Spectrum Flatness"](#) on page 52

CONFigure:BURSt:STATistics:BSTream[:IMMEDIATE]

This remote control command configures the result display type of window 2 to be "Bitstream".

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["Bitstream"](#) on page 29

CONFigure:BURSt:STATistics:SField[:IMMEDIATE]

This remote control command configures the result display type of window 2 to be "Signal Field".

Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMEDIATE\]](#) command.

Manual operation: See ["PLCP Header \(IEEE 802.11b, g \(DSSS\)\)"](#) on page 42
See ["Signal Field"](#) on page 50

9.4.2 Selecting a common RF measurement for WLAN signals

The following commands are required to select a common RF measurement for WLAN signals in a remote environment.

For details on available measurements see [Chapter 3.2, "Frequency sweep measurements"](#), on page 56.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)



The selected measurement must be started explicitly (see [Chapter 9.8, "Starting a measurement"](#), on page 344)!

CONFigure:BURSt:SPECtrum:ACPR[:IMMediate]	221
CONFigure:BURSt:SPECtrum:MASK[:IMMediate]	221
CONFigure:BURSt:SPECtrum:OBWidth[:IMMediate]	221
CONFigure:BURSt:STATistics:CCDF[:IMMediate]	221

CONFigure:BURSt:SPECtrum:ACPR[:IMMediate]

This remote control command configures the result display in window 2 to be "ACPR" (adjacent channel power relative). Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[Channel Power ACLR](#)" on page 57

CONFigure:BURSt:SPECtrum:MASK[:IMMediate]

This remote control command configures the result display in window 2 to be "Spectrum Mask". Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command

Manual operation: See "[Spectrum Emission Mask](#)" on page 58

CONFigure:BURSt:SPECtrum:OBWidth[:IMMediate]

This remote control command configures the result display in window 2 to be "ACPR" (adjacent channel power relative). Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[Occupied Bandwidth](#)" on page 58

CONFigure:BURSt:STATistics:CCDF[:IMMediate]

This remote control command configures the result display in window 2 to be "CCDF" (conditional cumulative distribution function). Results are only displayed after a measurement is executed, e.g. using the [INITiate<n>\[:IMMediate\]](#) command.

Manual operation: See "[CCDF](#)" on page 59

9.5 Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

The following commands are required to configure the WLAN IQ measurement described in [Chapter 3.1, "WLAN I/Q measurement \(modulation accuracy, flatness and tolerance\)"](#), on page 14.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

• Signal description.....	222
• Configuring the data input and output.....	224
• Frontend configuration.....	247
• Signal capturing.....	256
• Synchronization and OFDM demodulation.....	273
• Tracking and channel estimation.....	274
• Demodulation.....	279
• Evaluation range.....	305
• Limits.....	313
• Automatic settings.....	318

9.5.1 Signal description

The signal description provides information on the expected input signal.

Useful commands for describing the WLAN signal described elsewhere:

- `[SENSe:]FREQUENCY:CENTer` on page 247

Remote commands exclusive to describing the WLAN signal:

<code>CONFigure:STANdard</code>	222
<code>CALCulate<n>:LIMit:TOLerance</code>	223
<code>CONFigure:BURSt:EVM:STANdard</code>	224

`CONFigure:STANdard` <Standard>

This remote control command specifies which WLAN standard the option is configured to measure.

The availability of many commands depends on the selected standard!

Parameters:

<Standard>	0	IEEE 802.11a
	1	IEEE 802.11b
	2	IEEE 802.11j (10 MHz)
	3	IEEE 802.11j (20 MHz)
	4	IEEE 802.11g
		To distinguish between OFDM and DSSS use the command <code>[SENSe:]DEMod:FORMat:BANalyze:BTYPe</code> on page 286. By default, the R&S FSV3 WLAN application selects the most recently defined PPDU type.
	6	IEEE 802.11n

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

7
IEEE 802.11n (MIMO)

8
IEEE 802.11ac

9
IEEE 802.11p

10
IEEE 802.11ax

11
IEEE 802.11be

*RST: 0

Example: Select IEEE 802.11g OFDM standard:
CONF:STAN 4
SENS:DEM:FORM:BAN:BTYP 'OFDM'

Manual operation: See "[Standard](#)" on page 107

CALCulate<n>:LIMit:TOLerance <Limit>

Defines or queries the tolerance limit to be used for the measurement. The required tolerance limit depends on the used standard.

Suffix:

<n> 1..n
irrelevant

 1..n
irrelevant

Parameters:

<Limit>

'Prior802_11_2012'

Tolerance limits are based on the IEEE 802.11 specification **prior to 2012**.
Default for OFDM standards (except 802.11ac).

'Std802_11_2012'

Tolerance limits are based on the IEEE 802.11 specification from **2012**.

Required for DSSS standards. Also possible for OFDM standards (except 802.11ac).

'P802_11acD5_1'

Tolerance limits are based on the **IEEE 802.11ac** specification.
Required by IEEE 802.11ac standard.

'P802_11axD0_1'

Tolerance limits are based on the **IEEE 802.11ax** specification.
Required by IEEE 802.11ax standard.

'P802_11beD0_1'

Tolerance limits are based on the **IEEE 802.11be** specification.
Required by IEEE 802.11be standard.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

*RST: 'Std802_11_2012'

Example: CALC:LIM:TOL 'Std802_11_2012'

Manual operation: See "[Tolerance Limit](#)" on page 107

CONF:BURSt:EVM:STANdard <EVMStandard>

Defines or queries the standard version to be used for the EVM measurement.

Is only available for **IEEE 802.11b and g (DSSS)**

Parameters:

<EVMStandard> 'Std802_11b_1999' | 'Std802_11b_2012' | 'Std802_11b_2016'

'Std802_11b_1999'

EVM measurement based on the IEEE 802.11b specification prior to 2012.

'Std802_11b_2012'

EVM measurement based on the IEEE 802.11b specification from 2012.

'Std802_11b_2016'

EVM measurement based on the **IEEE 802.11b** specification from 2016.

*RST: 'Std802_11_2012'

Example: CONF:BURSt:EVM:STAN 'Std802_11b_2012'

Manual operation: See "[Standard Version for Error Vector Magnitude \(IEEE 802.11b and g \(DSSS\) only\)](#)" on page 108

9.5.2 Configuring the data input and output

- [RF input](#).....224
- [Using external mixers](#).....227
- [Configuring input via the optional Analog Baseband interface](#)..... 241
- [Input from I/Q data files](#).....244
- [Configuring the outputs](#).....245

9.5.2.1 RF input

INPut:ATTenuation:PROTection:RESet	225
INPut:CONNector	225
INPut<ip>:COUPling	225
INPut:DPATH	226
INPut<ip>:FILTer:YIG[:STATe]	226
INPut<ip>:IMPedance	226
INPut<ip>:SELect	227

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

INPut:ATTenuation:PROTection:RESet

Resets the attenuator and reconnects the RF input with the input mixer for the R&S FSV/A after an overload condition occurred and the protection mechanism intervened. The error status bit (bit 3 in the `STAT:QUES:POW` status register) and the `INPUT OVLD` message in the status bar are cleared.

The command works only if the overload condition has been eliminated first.

For details on the protection mechanism, see "[RF Input Protection](#)" on page 110.

Example: `INP:ATT:PROT:RES`

INPut:CONNector <ConnType>

Determines which connector the input for the measurement is taken from.

Parameters:

<ConnType>	RF RF input connector
	RFProbe Active RF probe
	*RST: RF

Example: `INP:CONN RF`
Selects input from the RF input connector.

Manual operation: See "[Input Connector](#)" on page 112

INPut<ip>:COUPling <CouplingType>

Selects the coupling type of the RF input.

Suffix:

<ip>	1 2 irrelevant
------	---------------------

Parameters:

<CouplingType>	AC DC AC AC coupling DC DC coupling *RST: AC
----------------	-----------------------------------------------------------------------------

Example: `INP:COUP DC`

Manual operation: See "[Input Coupling](#)" on page 110

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

INPut:DPATH <DirectPath>

Enables or disables the use of the direct path for frequencies close to 0 Hz.

Parameters:

<DirectPath> AUTO | OFF

AUTO | 1

(Default) the direct path is used automatically for frequencies close to 0 Hz.

OFF | 0

The analog mixer path is always used.

Example: INP:DPATH OFF

Manual operation: See "[Direct Path](#)" on page 111

INPut<ip>:FILTer:YIG[:STATe] <State>

Enables or disables the YIG filter.

Suffix:

<ip> 1 | 2
irrelevant

Parameters:

<State> ON | OFF | 0 | 1

Example: INP:FILT:YIG OFF
Deactivates the YIG-preselector.

Manual operation: See "[YIG-Preselector](#)" on page 111

INPut<ip>:IMPedance <Impedance>

Selects the nominal input impedance of the RF input. In some applications, only 50 Ω are supported.

Suffix:

<ip> 1 | 2
irrelevant

Parameters:

<Impedance> 50 | 75
*RST: 50 Ω
Default unit: OHM

Example: INP:IMP 75

Manual operation: See "[Impedance](#)" on page 111
See "[Unit](#)" on page 117

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

INPut<ip>:SElect <Source>

Selects the signal source for measurements, i.e. it defines which connector is used to input data to the R&S FSV/A.

If no additional input options are installed, only RF input or file input is supported.

Tip: The I/Q data to be analyzed for WLAN 802.11 cannot only be measured by the R&S FSV3 WLAN application itself, it can also be imported to the application, provided it has the correct format. Furthermore, the analyzed I/Q data from the R&S FSV3 WLAN application can be exported for further analysis in external applications.

For details, see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

Suffix:

<ip> 1 | 2
 irrelevant

Parameters:

<Source> **RF**
 Radio Frequency ("RF INPUT" connector)

FIQ
 I/Q data file
 (selected by `INPut:FILE:PATH` on page 244)

AIQ
 Analog Baseband signal (only available with optional "Analog Baseband" interface)

*RST: RF

Manual operation: See "[Radio Frequency State](#)" on page 110
 See "[I/Q Input File State](#)" on page 112

9.5.2.2 Using external mixers

The commands required to work with external mixers in a remote environment are described here. Note that these commands require the R&S FSV/A to have an external mixer option installed and an external mixer to be connected to the R&S FSV/A.

- [Basic settings](#).....227
- [Mixer settings](#).....230
- [Conversion loss table settings](#).....235
- [Programming example: working with an external mixer](#).....239

Basic settings

The basic settings concern general usage of an external mixer.

<code>[SENSe:]MIXer<x>[:STATE]</code>	228
<code>[SENSe:]MIXer<x>:BIAS:HIGH</code>	228
<code>[SENSe:]MIXer<x>:BIAS[:LOW]</code>	228
<code>[SENSe:]MIXer<x>:LOPower</code>	228
<code>[SENSe:]MIXer<x>:SIGNal</code>	229
<code>[SENSe:]MIXer<x>:THReshold</code>	229

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]MIXer<x>[:STATe] <State>

Activates or deactivates the use of a connected external mixer as input for the measurement. This command is only available if the optional External Mixer is installed and an external mixer is connected.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<State> ON | OFF | 1 | 0
*RST: 0

Example: MIX ON

[SENSe:]MIXer<x>:BIAS:HIGH <BiasSetting>

Defines the bias current for the high (last) range.

Is only available if the external mixer is active (see [\[SENSe:\]MIXer<x>\[:STATe\]](#) on page 228).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<BiasSetting> *RST: 0.0 A
 Default unit: A

[SENSe:]MIXer<x>:BIAS[:LOW] <BiasSetting>

Defines the bias current for the low (first) range.

Is only available if the external mixer is active (see [\[SENSe:\]MIXer<x>\[:STATe\]](#) on page 228).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<BiasSetting> *RST: 0.0 A
 Default unit: A

[SENSe:]MIXer<x>:LOPower <Level>

Specifies the LO level of the external mixer's LO port.

Suffix:

<x> 1..n
 irrelevant

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Level> Range: 13.0 dBm to 17.0 dBm
 Increment: 0.1 dB
 *RST: 15.5 dBm
 Default unit: DBM

Example: MIX:LOP 16.0dBm

[SENSe:]MIXer<x>:SIGNal <State>

Specifies whether automatic signal detection is active or not.

Note that automatic signal identification is only available for measurements that perform frequency sweeps (not in vector signal analysis or the I/Q Analyzer, for instance).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<State> OFF | ON | AUTO | ALL
OFF | ON | AUTO | ALL
OFF
 No automatic signal detection is active.
ON
 Automatic signal detection (Signal ID) is active.
AUTO
 Automatic signal detection (Auto ID) is active.
ALL
 Both automatic signal detection functions (Signal ID+Auto ID) are active.
 *RST: OFF

[SENSe:]MIXer<x>:THReshold <Value>

Defines the maximum permissible level difference between test sweep and reference sweep to be corrected during automatic comparison (see [\[SENSe:\]MIXer<x>:SIGNal](#) on page 229).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<Value> <numeric value>
 Range: 0.1 dB to 100 dB
 *RST: 10 dB
 Default unit: DB

Example: MIX:PORT 3

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Mixer settings

The following commands are required to configure the band and specific mixer settings.

[SENSe:]MIXer<x>:FREQUency:HANdOver.....	230
[SENSe:]MIXer<x>:FREQUency:STARt.....	230
[SENSe:]MIXer<x>:FREQUency:STOP.....	231
[SENSe:]MIXer<x>:HARMonic:BAND:PRESet.....	231
[SENSe:]MIXer<x>:HARMonic:BAND.....	231
[SENSe:]MIXer<x>:HARMonic:HIGH:STATe.....	232
[SENSe:]MIXer<x>:HARMonic:HIGH[:VALue].....	232
[SENSe:]MIXer<x>:HARMonic:TYPE.....	232
[SENSe:]MIXer<x>:HARMonic[:LOW].....	233
[SENSe:]MIXer<x>:IF?.....	233
[SENSe:]MIXer<x>:LOSS:HIGH.....	233
[SENSe:]MIXer<x>:LOSS:TABLE:HIGH.....	234
[SENSe:]MIXer<x>:LOSS:TABLE[:LOW].....	234
[SENSe:]MIXer<x>:LOSS[:LOW].....	234
[SENSe:]MIXer<x>:PORTs.....	235
[SENSe:]MIXer<x>:RFOVerrange[:STATe].....	235

[SENSe:]MIXer<x>:FREQUency:HANdOver <Frequency>

Defines the frequency at which the mixer switches from one range to the next (if two different ranges are selected). The handover frequency for each band can be selected freely within the overlapping frequency range.

Is only available if the external mixer is active (see [SENSe:]MIXer<x>[:STATe] on page 228).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<Frequency> Default unit: HZ

Example:

```
MIX ON
Activates the external mixer.
MIX:FREQ:HAND 78.0299GHz
Sets the handover frequency to 78.0299 GHz.
```

[SENSe:]MIXer<x>:FREQUency:STARt

Sets or queries the frequency at which the external mixer band starts.

Suffix:

<x> 1..n
 irrelevant

Example:

```
MIX:FREQ:STAR?
Queries the start frequency of the band.
```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]MIXer<x>:FREQuency:STOP

Sets or queries the frequency at which the external mixer band stops.

Suffix:

<x> 1..n
 irrelevant

Example:

MIX:FREQ:STOP?
Queries the stop frequency of the band.

[SENSe:]MIXer<x>:HARMonic:BAND:PRESet

Restores the preset frequency ranges for the selected standard waveguide band.

Note: Changes to the band and mixer settings are maintained even after using the [PRESET] function. Use this command to restore the predefined band ranges.

Suffix:

<x> 1..n
 irrelevant

Example:

MIX:HARM:BAND:PRESet
Presents the selected waveguide band.

[SENSe:]MIXer<x>:HARMonic:BAND <Band>

Selects the external mixer band. The query returns the currently selected band.

Is only available if the external mixer is active (see [SENSe:]MIXer<x>[:STATe] on page 228).

Suffix:

<x> 1..n
 irrelevant

Parameters:

<Band> KA|Q|U|V|E|W|F|D|G|Y|J|USER
Standard waveguide band or user-defined band.

Table 9-3: Frequency ranges for pre-defined bands

Band	Frequency start [GHz]	Frequency stop [GHz]
KA (A) *)	26.5	40.0
Q	33.0	50.0
U	40.0	60.0
V	50.0	75.0
E	60.0	90.0
W	75.0	110.0

*) The band formerly referred to as "A" is now named "KA".

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Band	Frequency start [GHz]	Frequency stop [GHz]
F	90.0	140.0
D	110.0	170.0
G	140.0	220.0
J	220.0	325.0
Y	325.0	500.0
USER	32.18 (default)	68.22 (default)

*) The band formerly referred to as "A" is now named "KA".

[SENSe:]MIXer<x>:HARMonic:HIGH:STATe <State>

Specifies whether a second (high) harmonic is to be used to cover the band's frequency range.

Suffix:

<x> 1..n

Parameters:

<State> ON | OFF
*RST: ON

Example: MIX:HARM:HIGH:STAT ON

[SENSe:]MIXer<x>:HARMonic:HIGH[:VALue] <HarmOrder>

Specifies the harmonic order to be used for the high (second) range.

Suffix:

<x> 1..n
irrelevant

Parameters:

<HarmOrder> Range: 3 to 128 (USER band); for other bands: see band definition

Example: MIX:HARM:HIGH:STAT ON
MIX:HARM:HIGH 3

[SENSe:]MIXer<x>:HARMonic:TYPE <OddEven>

Specifies whether the harmonic order to be used should be odd, even, or both.

Which harmonics are supported depends on the mixer type.

Suffix:

<x> 1..n
irrelevant

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<OddEven> ODD | EVEN | EODD
ODD | EVEN | EODD
 *RST: EVEN

Example: MIX:HARM:TYPE ODD

[SENSe:]MIXer<x>:HARMonic[:LOW] <HarmOrder>

Specifies the harmonic order to be used for the low (first) range.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<HarmOrder> Range: 3 to 128 (USER band); for other bands: see band definition
 *RST: 4 (for band U)

Example: MIX:HARM 3

[SENSe:]MIXer<x>:IF?

Queries the intermediate frequency currently used by the external mixer.

Suffix:

<x> 1..n
 irrelevant

Example: MIX:IF?

Example: See "[Programming example: working with an external mixer](#)" on page 239.

Usage: Query only

[SENSe:]MIXer<x>:LOSS:HIGH <Average>

Defines the average conversion loss to be used for the entire high (second) range.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<Average> Range: 0 to 100
 *RST: 24.0 dB
 Default unit: dB

Example: MIX:LOSS:HIGH 20dB

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]MIXer<x>:LOSS:TABLE:HIGH <FileName>

Defines the conversion loss table to be used for the high (second) range.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<FileName> String containing the path and name of the file, or the serial number of the external mixer whose file is required. The R&S FSV/A automatically selects the correct cvl file for the current IF. As an alternative, you can also select a user-defined conversion loss table (.ac1 file).

[SENSe:]MIXer<x>:LOSS:TABLE[:LOW] <FileName>

Defines the file name of the conversion loss table to be used for the low (first) range.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<FileName> String containing the path and name of the file, or the serial number of the external mixer whose file is required. The R&S FSV/A automatically selects the correct cvl file for the current IF. As an alternative, you can also select a user-defined conversion loss table (.ac1 file).

Example:

```
MIX:LOSS:TABLE '101567'
MIX:LOSS:TABLE?
//Result:
'101567_MAG_6_B5000_3G5.B5G'
```

[SENSe:]MIXer<x>:LOSS[:LOW] <Average>

Defines the average conversion loss to be used for the entire low (first) range.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<Average> Range: 0 to 100
 *RST: 24.0 dB
 Default unit: dB

Example:

```
MIX:LOSS 20dB
```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]MIXer<x>:PORTs <PortType>

Selects the mixer type.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<PortType> 2 | 3
 2
 Two-port mixer.
 3
 Three-port mixer.
*RST: 2

Example: MIX:PORT 3

[SENSe:]MIXer<x>:RFOVerrange[:STATe] <State>

If enabled, the band limits are extended beyond "RF Start" and "RF Stop" due to the capabilities of the used harmonics.

Suffix:

<x> 1..n
 irrelevant

Parameters:

<State> ON | OFF | 1 | 0
*RST: 0

Conversion loss table settings

The following settings are required to configure and manage conversion loss tables.

[SENSe:]CORRection:CVL:BAND.....	236
[SENSe:]CORRection:CVL:BIAS.....	236
[SENSe:]CORRection:CVL:CATalog?.....	236
[SENSe:]CORRection:CVL:CLEar.....	237
[SENSe:]CORRection:CVL:COMMeNt.....	237
[SENSe:]CORRection:CVL:DATA.....	237
[SENSe:]CORRection:CVL:HARMonic.....	237
[SENSe:]CORRection:CVL:MIXer.....	238
[SENSe:]CORRection:CVL:PORTs.....	238
[SENSe:]CORRection:CVL:SElect.....	238
[SENSe:]CORRection:CVL:SNUMber.....	239

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]CORRection:CVL:BAND <Band>

Defines the waveguide band for which the conversion loss table is to be used. This setting is checked against the current mixer setting before the table can be assigned to the range.

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<Band> K | KA | Q | U | V | E | W | F | D | G | Y | J | USER
 Standard waveguide band or user-defined band.
 For a definition of the frequency range for the pre-defined bands, see Table 9-3).
 *RST: F (90 GHz - 140 GHz)

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:BAND KA
Sets the band to KA (26.5 GHz - 40 GHz).
```

[SENSe:]CORRection:CVL:BIAS <BiasSetting>

Defines the bias setting to be used with the conversion loss table.

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<BiasSetting> *RST: 0.0 A
 Default unit: A

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:BIAS 3A
```

[SENSe:]CORRection:CVL:CATalog?

Queries all available conversion loss tables saved in the C:\R_S\INSTR\USER\cv1\ directory on the instrument.

Is only available with option B21 (External Mixer) installed.

Return values:

<Files> 'string'
 Comma-separated list of strings containing the file names.

Example: CORR:CVL:CAT?

Usage: Query only

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]CORRection:CVL:CLEar

Deletes the selected conversion loss table. Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SELEct on page 238).

Is only available with option B21 (External Mixer) installed.

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:CLE
```

[SENSe:]CORRection:CVL:COMMent <Text>

Defines a comment for the conversion loss table. Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SELEct on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<Text>

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:COMM 'Conversion loss table for
FS_Z60'
```

[SENSe:]CORRection:CVL:DATA {<Freq>, <Level>}...

Defines the reference values of the selected conversion loss tables. The values are entered as a set of frequency/level pairs. You can define a maximum of 500 frequency/level pairs. Before this command can be performed, you must select the conversion loss table (see [SENSe:]CORRection:CVL:SELEct on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<Freq> The frequencies have to be sent in ascending order.

Default unit: HZ

<Level> Default unit: DB

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:DATA 1MHZ, -30DB, 2MHZ, -40DB
```

[SENSe:]CORRection:CVL:HARMonic <HarmOrder>

Defines the harmonic order for which the conversion loss table is to be used. This setting is checked against the current mixer setting before the table can be assigned to the range.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<HarmOrder> Range: 2 to 65

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:HARM 3
```

[SENSe:]CORRection:CVL:MIXer <Type>

Defines the mixer name in the conversion loss table. This setting is checked against the current mixer setting before the table can be assigned to the range.

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<Type> string
Name of mixer with a maximum of 16 characters

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:MIX 'FS_Z60'
```

[SENSe:]CORRection:CVL:PORTs <PortType>

Defines the mixer type in the conversion loss table. This setting is checked against the current mixer setting before the table can be assigned to the range.

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:

<PortType> 2 | 3
*RST: 2

Example:

```
CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:PORT 3
```

[SENSe:]CORRection:CVL:SElect <FileName>

Selects the conversion loss table with the specified file name. If <file_name> is not available, a new conversion loss table is created.

Is only available with option B21 (External Mixer) installed.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:**<FileName>** String containing the path and name of the file.**Example:** CORR:CVL:SEL 'LOSS_TAB_4'**[SENSe:]CORRection:CVL:SNUMber <SerialNo>**

Defines the serial number of the mixer for which the conversion loss table is to be used. This setting is checked against the current mixer setting before the table can be assigned to the range.

Before this command can be performed, the conversion loss table must be selected (see [SENSe:]CORRection:CVL:SElect on page 238).

Is only available with option B21 (External Mixer) installed.

Parameters:**<SerialNo>** Serial number with a maximum of 16 characters

Example: CORR:CVL:SEL 'LOSS_TAB_4'
Selects the conversion loss table.
CORR:CVL:MIX '123.4567'

Programming example: working with an external mixer

This example demonstrates how to work with an external mixer in a remote environment. It is performed in the Spectrum application in the default layout configuration. Note that without a real input signal and connected mixer, this measurement will not return useful results.

```
//-----Preparing the instrument -----
//Reset the instrument
*RST
//Activate the use of the connected external mixer.
SENS:MIX ON
//----- Configuring basic mixer behavior -----
//Set the LO level of the mixer's LO port to 15 dBm.
SENS:MIX:LOP 15dBm
//Set the bias current to -1 mA .
SENS:MIX:BIAS:LOW -1mA
//----- Configuring the mixer and band settings -----
//Use band "V" to full possible range extent for assigned harmonic (6).
SENS:MIX:HARM:BAND V
SENS:MIX:RFOV ON
//Query the possible range
SENS:MIX:FREQ:STAR?
//Result: 47480000000 (47.48 GHz)
SENS:MIX:FREQ:STOP?
//Result: 138020000000 (138.02 GHz)
//Use a 3-port mixer type
SENS:MIX:PORT 3
//Split the frequency range into two ranges;
```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

```

//range 1 covers 47.48 GHz to 80 GHz; harmonic 6, average conv. loss of 20 dB
//range 2 covers 80 GHz to 138.02 GHz; harmonic 8, average conv.loss of 30 dB
SENS:MIX:HARM:TYPE EVEN
SENS:MIX:HARM:HIGH:STAT ON
SENS:MIX:FREQ:HAND 80GHz
SENS:MIX:HARM:LOW 6
SENS:MIX:LOSS:LOW 20dB
SENS:MIX:HARM:HIGH 8
SENS:MIX:LOSS:HIGH 30dB
//----- Activating automatic signal identification functions -----
//Activate both automatic signal identification functions.
SENS:MIX:SIGN ALL
//Use auto ID threshold of 8 dB.
SENS:MIX:THR 8dB

//-----Performing the Measurement-----
//Select single sweep mode.
INIT:CONT OFF
//Initiate a basic frequency sweep and wait until the sweep has finished.
INIT;*WAI
//-----Retrieving Results-----
//Return the trace data for the input signal without distortions
//(default screen configuration)
TRAC:DATA? TRACE3

```

Configuring a conversion loss table for a user-defined band

```

//-----Preparing the instrument -----
//Reset the instrument
*RST
//Activate the use of the connected external mixer.
SENS:MIX ON
//-----Configuring a new conversion loss table -----
//Define cvl table for range 1 of band as described in previous example
// (extended V band)
SENS:CORR:CVL:SEL 'UserTable'
SENS:CORR:CVL:COMM 'User-defined conversion loss table for USER band'
SENS:CORR:CVL:BAND USER
SENS:CORR:CVL:HARM 6
SENS:CORR:CVL:BIAS -1mA
SENS:CORR:CVL:MIX 'FS_Z60'
SENS:CORR:CVL:SNUM '123.4567'
SENS:CORR:CVL:PORT 3
//Conversion loss is linear from 55 GHz to 75 GHz
SENS:CORR:CVL:DATA 55GHZ,-20DB,75GHZ,-30DB
//----- Configuring the mixer and band settings -----
//Use user-defined band and assign new cvl table.
SENS:MIX:HARM:BAND USER
//Define band by two ranges;

```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

```

//range 1 covers 47.48 GHz to 80 GHz; harmonic 6, cvl table 'UserTable'
//range 2 covers 80 GHz to 138.02 GHz; harmonic 8, average conv.loss of 30 dB
SENS:MIX:HARM:TYPE EVEN
SENS:MIX:HARM:HIGH:STAT ON
SENS:MIX:FREQ:HAND 80GHz
SENS:MIX:HARM:LOW 6
SENS:MIX:LOSS:TABL:LOW 'UserTable'
SENS:MIX:HARM:HIGH 8

SENS:MIX:LOSS:HIGH 30dB
//Query the possible range
SENS:MIX:FREQ:STAR?
//Result: 47480000000 (47.48 GHz)
SENS:MIX:FREQ:STOP?
//Result: 138020000000 (138.02 GHz)

//-----Performing the Measurement-----
//Select single sweep mode.
INIT:CONT OFF
//Initiate a basic frequency sweep and wait until the sweep has finished.
INIT;*WAI
//-----Retrieving Results-----
//Return the trace data (default screen configuration)
TRAC:DATA? TRACel

```

9.5.2.3 Configuring input via the optional Analog Baseband interface

The following commands are required to control the optional "Analog Baseband" interface in a remote environment. They are only available if this option is installed.

Useful commands for Analog Baseband data described elsewhere:

- `INP:SEL AIQ` (see `INPut<ip>:SElect` on page 227)
- `[SENSe:]FREQuency:CENTer` on page 247

Commands for the Analog Baseband calibration signal are described in the R&S FSV/A User Manual.

Remote commands exclusive to Analog Baseband data input and output

<code>INPut:IQ:BALanced[:STATe]</code>	242
<code>INPut:IQ:FULLscale:AUTO</code>	242
<code>INPut:IQ:FULLscale[:LEVel]</code>	242
<code>INPut:IQ:OPTimize</code>	242
<code>INPut:IQ:SKEW</code>	243
<code>INPut:IQ:TYPE</code>	243

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

INPut:IQ:BAALanced[:STATe] <State>

Defines whether the input is provided as a differential signal via all 4 Analog Baseband connectors or as a plain I/Q signal via 2 single-ended lines.

Parameters:

<State> ON | OFF | 1 | 0
 ON | 1
 Differential
 OFF | 0
 Single ended
 *RST: 1

Example: INP:IQ:BAAL OFF

INPut:IQ:FULLscale:AUTO <State>

Defines whether the full scale level (i.e. the maximum input power on the Baseband Input connector) is defined automatically according to the reference level, or manually.

Parameters:

<State> **ON | 1**
 Automatic definition
 OFF | 0
 Manual definition according to [INPut:IQ:FULLscale\[:LEVeL\]](#) on page 242
 *RST: 1

Example: INP:IQ:FULL:AUTO OFF

INPut:IQ:FULLscale[:LEVeL] <PeakVoltage>

Defines the peak voltage at the Baseband Input connector if the full scale level is set to manual mode (see [INPut:IQ:FULLscale:AUTO](#) on page 242).

Parameters:

<PeakVoltage> 0.25 V | 0.5 V | 1 V | 2 V
 Peak voltage level at the connector.
 For probes, the possible full scale values are adapted according to the probe's attenuation and maximum allowed power.
 *RST: 1V
 Default unit: V

Example: INP:IQ:FULL 0.5V

INPut:IQ:OPTimize <OptMode>

Selects the priority for signal processing.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

This function is only available under the following conditions:

- One of the options R&S FSV/A-B200, B400, which provide a separate wideband processing path in the R&S FSV/A, is installed.
- An I/Q bandwidth that requires the wideband path is used.

Parameters:

<OptMode> LDIStortion | LNOise

LNOise

Optimized for high sensitivity and low noise levels

LDIStortion

Optimized for low distortion by avoiding intermodulation

Example: INP:IQ:OPT LNO

INPut:IQ:SKEW <Skew>

Defines a delay of the I vector in respect to the Q vector. A skew can be used to compensate a physical impairment of the two analog signals I and Q.

Parameters:

<Skew> numeric value
 Range: -1E-9 to +1E-9
 Default unit: S

Example: INP:IQ:SKEW 0.0000002

INPut:IQ:TYPE <DataType>

Defines the format of the input signal.

Parameters:

<DataType> IQ | I | Q

IQ

The input signal is filtered and resampled to the sample rate of the application.

Two input channels are required for each input signal, one for the in-phase component, and one for the quadrature component.

I

The in-phase component of the input signal is filtered and resampled to the sample rate of the application. If the center frequency is not 0, the in-phase component of the input signal is down-converted first (Low IF I).

Q

The quadrature component of the input signal is filtered and resampled to the sample rate of the application. If the center frequency is not 0, the quadrature component of the input signal is down-converted first (Low IF Q).

*RST: IQ

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Example: `INP:IQ:TYPE Q`

9.5.2.4 Input from I/Q data files

The input for measurements can be provided from I/Q data files. The commands required to configure the use of such files are described here.

For details see the R&S FSV/A I/Q Analyzer and I/Q Input User Manual.

Useful commands for retrieving results described elsewhere:

- `INPut<ip>:SElect` on page 227

Remote commands exclusive to input from I/Q data files:

`INPut:FILE:PATH`..... 244

INPut:FILE:PATH <FileName>[, <AnalysisBW>]

Selects the I/Q data file to be used as input for further measurements.

The I/Q data file must be in one of the following supported formats:

- `.iq.tar`
- `.iqw`
- `.csv`
- `.mat`
- `.wv`
- `.aid`

Only a single data stream or channel can be used as input, even if multiple streams or channels are stored in the file.

For some file formats that do not provide the sample rate and measurement time or record length, you must define these parameters manually. Otherwise the traces are not visible in the result displays.

Parameters:

<FileName>	String containing the path and name of the source file. The file extension is <code>*.iq.tar</code> .
<AnalysisBW>	Optionally: The analysis bandwidth to be used by the measurement. The bandwidth must be smaller than or equal to the bandwidth of the data that was stored in the file. Default unit: HZ

Example: `INP:FILE:PATH 'C:\R_S\Instr\user\data.iq.tar'`
Uses I/Q data from the specified file as input.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Example:

```
//Load an IQW file
INP:SEL:FIQ
INP:FILE:PATH 'C:\R_S\Instr\user\data.iqw'
//Define the sample rate
TRAC:IQ:SRAT 10MHz
//Define the measurement time
SENSe:SWEEp:TIME 0.001001
//Start the measurement
INIT:IMM
```

Manual operation: See ["Select I/Q data file"](#) on page 113

9.5.2.5 Configuring the outputs

The following commands are required to provide output from the R&S FSV/A.



Configuring trigger input/output is described in ["Configuring the trigger output"](#) on page 264.

DIAGnostic:SERVice:NSOource	245
OUTPut<up>:IF:STATe	245
OUTPut<up>:VIDeo:STATe	246
SYSTem:SPEaker[:STATe]	246
SYSTem:SPEaker:MAXVolume	247
SYSTem:SPEaker:MUTE	247
SYSTem:SPEaker:VOLume	247

DIAGnostic:SERVice:NSOource <State>

Turns the 28 V supply of the BNC connector labeled [noise source control] on the R&S FSV/A on and off.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on

Example: DIAG:SERV:NSO ON

Manual operation: See ["Noise Source Control"](#) on page 114

OUTPut<up>:IF:STATe <State>

Enables or disables output of the measured IF value at the "IF" output connector.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Suffix:

<up> 1..n

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on
 *RST: 0

Example: OUTP:IF:STAT ON

OUTPut<up>:VIDeo:STATe <State>

Enables or disables output of the displayed video signal (i.e. the filtered and detected IF signal) at the "Video" output connector.

Suffix:

<up> 1..n

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on
 *RST: 0

Example: OUTP:VID:STAT ON

SYSTem:SPEaker[:STATe] <State>

Switches the built-in loudspeaker on or off for demodulated signals. This setting applies only to the current application.

The command is available in the time domain in Spectrum mode and in Analog Modulation Analysis mode.

To set the volume, use the [SYSTem:SPEaker:VOLume](#) command.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on

Example: SYST:SPE ON
 SYST:SPE:VOL 0.5
 Sets the loudspeaker to half the full volume.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

SYSTem:SPEaker:MAXVolume <Volume>

Defines the maximum volume to be output as a percentage of the maximum possible volume.

Parameters:

<Volume> percentage

Example: SYST:SPE:MAXV 50

SYSTem:SPEaker:MUTE

Temporarily disables the audio output via the built-in loudspeakers.

Example: SYST:SPE:MUTE

SYSTem:SPEaker:VOLume <Volume>

Defines the volume of the built-in loudspeaker for demodulated signals. This setting is maintained for all applications.

The command is available in the time domain in Spectrum mode and in Analog Modulation Analysis mode.

Parameters:

<Volume> Percentage of the maximum possible volume.

Range: 0 to 1

*RST: 0.5

Example: SYST:SPE:VOL 0
Switches the loudspeaker to mute.

9.5.3 Frontend configuration

The following commands configure frequency, amplitude and y-axis scaling settings, which represent the "frontend" of the measurement setup.

- [Frequency](#)..... 247
- [Amplitude settings](#)..... 249
- [Y-axis scaling](#)..... 255

9.5.3.1 Frequency

[\[SENSe:\]FREQuency:CENTer](#)..... 247

[\[SENSe:\]FREQuency:CENTer:STEP](#)..... 248

[\[SENSe:\]FREQuency:CENTer:STEP:AUTO](#)..... 248

[\[SENSe:\]FREQuency:OFFSet](#)..... 248

[SENSe:]FREQuency:CENTer <Frequency>

Defines the center frequency.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Frequency> The allowed range and f_{\max} is specified in the data sheet.
 *RST: $f_{\max}/2$
 Default unit: Hz

Example:

```
FREQ:CENT 100 MHz
FREQ:CENT:STEP 10 MHz
FREQ:CENT UP
Sets the center frequency to 110 MHz.
```

Manual operation: See ["Frequency"](#) on page 107
 See ["Center Frequency"](#) on page 115

[SENSe:]FREQuency:CENTer:STEP <StepSize>

Defines the center frequency step size.

You can increase or decrease the center frequency quickly in fixed steps using the `SENS:FREQ UP` AND `SENS:FREQ DOWN` commands, see [\[SENSe:\]FREQuency:CENTer](#) on page 247.

Parameters:

<StepSize> f_{\max} is specified in the data sheet.
 Range: 1 to f_{\max}
 *RST: 0.1 x span
 Default unit: Hz

Example:

```
//Set the center frequency to 110 MHz.
FREQ:CENT 100 MHz
FREQ:CENT:STEP 10 MHz
FREQ:CENT UP
```

Manual operation: See ["Center Frequency Stepsize"](#) on page 115

[SENSe:]FREQuency:CENTer:STEP:AUTO <State>

Couples or decouples the center frequency step size to the span.

In time domain (zero span) measurements, the center frequency is coupled to the RBW.

Parameters:

<State> ON | OFF | 0 | 1
 *RST: 1

Example:

```
FREQ:CENT:STEP:AUTO ON
Activates the coupling of the step size to the span.
```

[SENSe:]FREQuency:OFFSet <Offset>

Defines a frequency offset.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

If this value is not 0 Hz, the application assumes that the input signal was frequency shifted outside the application. All results of type "frequency" will be corrected for this shift numerically by the application.

See also "[Frequency Offset](#)" on page 115.

Parameters:

<Offset> Range: -1 THz to 1 THz
 *RST: 0 Hz
 Default unit: HZ

Example: `FREQ:OFFS 1GHZ`

Manual operation: See "[Frequency Offset](#)" on page 115

9.5.3.2 Amplitude settings

The following commands are required to configure the amplitude settings in a remote environment.

Useful commands for amplitude settings described elsewhere:

- `INPut<ip>:COUPling` on page 225
- `INPut<ip>:IMPedance` on page 226
- `[SENSe:]ADJJust:LEVel` on page 320

Remote commands exclusive to amplitude settings:

<code>CALCulate<n>:UNIT:POWer</code>	249
<code>CONFigure:POWer:AUTO</code>	250
<code>CONFigure:POWer:AUTO:OEVM</code>	250
<code>CONFigure:POWer:AUTO:SWEp:TIME</code>	251
<code>CONFigure:POWer:EXPeCted:RF</code>	251
<code>CONFigure:POWer:EXPeCted:IQ</code>	251
<code>DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RLEVel</code>	251
<code>DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RLEVel:OFFSet</code>	252
<code>INPut:ATTenuation</code>	252
<code>INPut:ATTenuation:AUTO</code>	253
<code>INPut:EATT</code>	253
<code>INPut:EATT:AUTO</code>	253
<code>INPut:EATT:STATe</code>	254
<code>INPut:EGAIIn[:STATe]</code>	254
<code>INPut<ip>:GAIN:STATe</code>	254
<code>INPut<ip>:GAIN[:VALue]</code>	255

CALCulate<n>:UNIT:POWer <Unit>

Selects the unit of the y-axis.

The unit applies to all power-based measurement windows with absolute values.

Suffix:

<n> irrelevant

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Unit> DBM | V | A | W | DBPW | WATT | DBUV | DBMV | VOLT |
 DBUA | AMPere
 (Units based on 1 MHz require installed R&S FSV3-K54 (EMI measurements) option.)
 *RST: dBm

Example:

CALC:UNIT:POW DBM
 Sets the power unit to dBm.

Manual operation: See "Unit" on page 117

CONFigure:POWer:AUTO <Mode>

Is used to switch on or off automatic power level detection.

Parameters:

<Mode> **ON**
 Automatic power level detection is performed at the start of each measurement sweep, and the reference level is adapted accordingly.

OFF
 The reference level must be defined manually (see [DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALE\]:RLEVel](#) on page 251)

ONCE
 Automatic power level detection is performed once at the start of the next measurement sweep, and the reference level is adapted accordingly.
 The command with this parameter corresponds to [\[SENSe:\]ADJust:LEVel](#) on page 320.

*RST: ON

Manual operation: See "Reference Level Mode" on page 117
 See "Auto Level" on page 118

CONFigure:POWer:AUTO:OEVM <Optimisation>

Defines whether an optional iterative search is performed to determine the required settings for minimum residual EVM. If enabled, the required reference level, preamplifier and, optionally, attenuation are configured. [CONFigure:POWer:AUTO](#) is set to "OFF".

Parameters:

<Optimisation> **OFF**
 (Default): No optimization performed

FULL
 An optional iterative search for minimum residual EVM is performed for the available preamplifier and attenuation settings. The optimal settings are configured.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

PAONly

An optional iterative search for minimum residual EVM is performed, but only the available preamplifier settings are considered during the search. The optimal settings are configured.

*RST: OFF

Example: CONF:POW:AUTO:OEVM FULL

Manual operation: See "[Optimize EVM](#)" on page 118

CONFigure:POWer:AUTO:SWEep:TIME <Value>

Is used to specify the auto track time, i.e. the sweep time for auto level detection.

This setting can currently only be defined in remote control, not in manual operation.

Parameters:

<Value> Auto level measurement sweep time
Default unit: S

Example: CONF:POW:AUTO:SWE:TIME 0.01 MS

CONFigure:POWer:EXPEcted:RF <Value>

Specifies the mean power level of the source signal as supplied to the instrument's RF input. This value is overwritten if "Auto Level" mode is turned on.

Parameters:

<Value> Default unit: DBM

CONFigure:POWer:EXPEcted:IQ <Value>

Specifies the mean power level of the source signal as supplied to the instrument's digital I/Q input. This value is overwritten if "Auto Level" mode is turned on.

Parameters:

<Value> Default unit: V

**DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RLEVel
<ReferenceLevel>**

Defines the reference level (for all traces in all windows).

With a reference level offset $\neq 0$, the value range of the reference level is modified by the offset.

Suffix:

<n> irrelevant
<w> subwindow
Not supported by all applications
<t> irrelevant

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<ReferenceLevel> The unit is variable.
 Range: see datasheet
 *RST: 0 dBm
 Default unit: DBM

Example: `DISP:TRAC:Y:RLEV -60dBm`

Manual operation: See "[Reference Level](#)" on page 117

DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALE]:RLEVel:OFFSet
 <Offset>

Defines a reference level offset (for all traces in all windows).

Suffix:

<n> irrelevant
 <w> subwindow
 Not supported by all applications
 <t> irrelevant

Parameters:

<Offset> Range: -200 dB to 200 dB
 *RST: 0dB
 Default unit: DB

Example: `DISP:TRAC:Y:RLEV:OFFS -10dB`

Manual operation: See "[Shifting the Display \(Offset\)](#)" on page 117

INPut:ATTenuation <Attenuation>

Defines the total attenuation for RF input.

If an electronic attenuator is available and active, the command defines a mechanical attenuation (see [INPut:EATT:STATE](#) on page 254).

If you set the attenuation manually, it is no longer coupled to the reference level, but the reference level is coupled to the attenuation. Thus, if the current reference level is not compatible with an attenuation that has been set manually, the command also adjusts the reference level.

Parameters:

<Attenuation> Range: see data sheet
 Increment: 5 dB (with optional electr. attenuator: 1 dB)
 *RST: 10 dB (AUTO is set to ON)
 Default unit: DB

Example: `INP:ATT 30dB`
 Defines a 30 dB attenuation and decouples the attenuation from the reference level.

Manual operation: See "[Attenuation Mode / Value](#)" on page 118

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

INPut:ATTenuation:AUTO <State>

Couples or decouples the attenuation to the reference level. Thus, when the reference level is changed, the R&S FSV/A determines the signal level for optimal internal data processing and sets the required attenuation accordingly.

Parameters:

<State> ON | OFF | 0 | 1
*RST: 1

Example: INP:ATT:AUTO ON
Couples the attenuation to the reference level.

Manual operation: See "[Attenuation Mode / Value](#)" on page 118

INPut:EATT <Attenuation>

Defines an electronic attenuation manually. Automatic mode must be switched off (INP:EATT:AUTO OFF, see [INPut:EATT:AUTO](#) on page 253).

If the current reference level is not compatible with an attenuation that has been set manually, the command also adjusts the reference level.

Requires the electronic attenuation hardware option.

Parameters:

<Attenuation> attenuation in dB
Range: see data sheet
Increment: 1 dB
*RST: 0 dB (OFF)
Default unit: DB

Example: INP:EATT:AUTO OFF
INP:EATT 10 dB

Manual operation: See "[Using Electronic Attenuation](#)" on page 119

INPut:EATT:AUTO <State>

Turns automatic selection of the electronic attenuation on and off.

If on, electronic attenuation reduces the mechanical attenuation whenever possible.

Requires the electronic attenuation hardware option.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
Switches the function off
ON | 1
Switches the function on
*RST: 1

Example: INP:EATT:AUTO OFF

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See ["Using Electronic Attenuation"](#) on page 119

INPut:EATT:STATe <State>

Turns the electronic attenuator on and off.

Requires the electronic attenuation hardware option.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on
 *RST: 0

Example: INP:EATT:STAT ON
 Switches the electronic attenuator into the signal path.

Manual operation: See ["Using Electronic Attenuation"](#) on page 119

INPut:EGain[:STATe] <State>

Before this command can be used, the external preamplifier must be connected to the R&S FSV/A. See the preamplifier's documentation for details.

When activated, the R&S FSV/A automatically compensates the magnitude and phase characteristics of the external preamplifier in the measurement results.

Note that when an optional external preamplifier is activated, the internal preamplifier is automatically disabled, and vice versa.

When deactivated, no compensation is performed even if an external preamplifier remains connected.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 No data correction is performed based on the external preamplifier
ON | 1
 Performs data corrections based on the external preamplifier
 *RST: 0

Example: INP:EGA ON

Manual operation: See ["Ext. PA Correction"](#) on page 120

INPut<ip>:GAIN:STATe <State>

Turns the internal preamplifier on and off. It requires the optional preamplifier hardware.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

For R&S FSV/A44 or higher models, note the restrictions described in ["Preamplifier"](#) on page 119.

Suffix:

<ip> 1 | 2
irrelevant

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
Switches the function off
ON | 1
Switches the function on
*RST: 0

Example:

```
INP:GAIN:STAT ON
INP:GAIN:VAL 15
```

Switches on 15 dB preamplification.

Manual operation: See ["Preamplifier"](#) on page 119

INPut<ip>:GAIN[:VALue] <Gain>

Selects the "gain" if the preamplifier is activated (INP:GAIN:STAT ON, see [INPut<ip>:GAIN:STATe](#) on page 254).

The command requires the additional preamplifier hardware option.

Suffix:

<ip> 1 | 2
irrelevant

Example:

```
INP:GAIN:STAT ON
INP:GAIN:VAL 30
```

Switches on 30 dB preamplification.

Manual operation: See ["Preamplifier"](#) on page 119

9.5.3.3 Y-axis scaling

[DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALe\].....](#) 255

[DISPlay\[:WINDow<n>\]\[:SUBWindow<w>\]:TRACe<t>:Y\[:SCALe\]:RPOSition.....](#) 256

DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe] <Range>

Defines the display range of the y-axis (for all traces).

Suffix:

<n> [Window](#)
<w> subwindow
Not supported by all applications
<t> irrelevant

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Example: `DISP:TRAC:Y 110dB`

Manual operation: See ["Range"](#) on page 121

DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RPOSition
<Position>

Defines the vertical position of the reference level on the display grid (for all traces).

The R&S FSV/A adjusts the scaling of the y-axis accordingly.

Suffix:

<n> [Window](#)

<w> subwindow
Not supported by all applications

<t> irrelevant

Example: `DISP:TRAC:Y:RPOS 50PCT`

Manual operation: See ["Ref Level Position"](#) on page 122

9.5.4 Signal capturing

The following commands are required to configure how much and how data is captured from the input signal.

- [General capture settings](#)..... 256
- [Configuring triggered measurements](#)..... 258
- [MIMO capture settings](#)..... 266

9.5.4.1 General capture settings

[SENSe:]BANDwidth[:RESolution]:FILTer:STATe	256
[SENSe:]DEMod:FILTer:CATalog?	257
[SENSe:]DEMod:FILTer:EFLength	257
[SENSe:]DEMod:FILTer:MODulation	257
[SENSe:]SWAPiq	257
[SENSe:]SWEep:TIME	258
TRACe:IQ:SRATe	258

[SENSe:]BANDwidth[:RESolution]:FILTer:STATe <State>

This remote control command enables or disables use of the adjacent channel filter.

If activated, only the useful signal is analyzed, all signal data in adjacent channels is removed by the filter. This setting improves the signal to noise ratio and thus the EVM results for signals with strong or a large number of adjacent channels. However, for some measurements information on the effects of adjacent channels on the measured signal may be of interest.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<State> ON | OFF | 0 | 1
*RST: 1

Manual operation: See "[Suppressing \(Filter out\) Adjacent Channels \(IEEE 802.11a, ac, ax, g \(OFDM\), j, n, p, be\)](#)" on page 123

[SENSe:]DEMod:FILTer:CATalog?

Reads the names of all available filters.

Return values:

<Filters> <list>

Usage: Query only

[SENSe:]DEMod:FILTer:EFLength <Length>

Specifies the equalizer filter length in chips.

Parameters:

<Length> Range: 2 to 30
*RST: 10

Manual operation: See "[Equalizer Filter Length \(IEEE 802.11b, g \(DSSS\)\)](#)" on page 124

[SENSe:]DEMod:FILTer:MODulation <TXFilter>, <RXFilter>

Selects the transmit (TX) and receive (RX) filters. The names of the filters correspond to the file names; a query of all available filters is possible by means of the [\[SENSe:\]DEMod:FILTer:CATalog?](#) on page 257 command.

Is only available for **IEEE 802.11b** measurements.

Parameters:

<TXFilter> File name of the transmit filter
<RXFilter> File name of the receive filter

Manual operation: See "[Transmit Filter\(IEEE 802.11b, g \(DSSS\)\)](#)" on page 124
See "[Receive Filter \(IEEE 802.11b, g \(DSSS\)\)](#)" on page 124

[SENSe:]SWAPiq <State>

Defines whether or not the recorded I/Q pairs should be swapped (I<->Q) before being processed. Swapping I and Q inverts the sideband.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

This is useful if the DUT interchanged the I and Q parts of the signal; then the R&S FSV/A can do the same to compensate for it.

Parameters:

<State> **ON | 1**
 I and Q signals are interchanged
 Inverted sideband, $Q+j*I$

OFF | 0
 I and Q signals are not interchanged
 Normal sideband, $I+j*Q$

*RST: 0

Manual operation: See "[Swap I/Q](#)" on page 123

[SENSe:]SWEep:TIME <Time>

Defines the measurement time. It automatically decouples the time from any other settings.

Parameters:

<Time> refer to data sheet

*RST: depends on current settings (determined automatically)

Default unit: S

Manual operation: See "[Capture Time](#)" on page 123

TRACe:IQ:SRATe <SampleRate>

Sets the final user sample rate for the acquired I/Q data. Thus, the user sample rate can be modified without affecting the actual data capturing settings on the R&S FSV/A.

Parameters:

<SampleRate> *RST: 32 MHz

Default unit: HZ

Manual operation: See "[Input Sample Rate](#)" on page 123

9.5.4.2 Configuring triggered measurements

The following commands are required to configure a triggered measurement in a remote environment. The tasks for manual operation are described in [Chapter 5.3.4.2, "Trigger settings"](#), on page 124.



The *OPC command should be used after commands that retrieve data so that subsequent commands to change the selected trigger source are held off until after the sweep is completed and the data has been returned.

- [Configuring the triggering conditions](#).....259
- [Configuring the trigger output](#).....264

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Configuring the triggering conditions

The following commands are required to configure a triggered measurement.

TRIGger[:SEQuence]:DTIME.....	259
TRIGger[:SEQuence]:HOLDoff[:TIME].....	259
TRIGger[:SEQuence]:IFPower:HOLDoff.....	259
TRIGger[:SEQuence]:IFPower:HYSTeresis.....	260
TRIGger[:SEQuence]:LEVel:BBPower.....	260
TRIGger[:SEQuence]:LEVel[:EXTernal<port>].....	260
TRIGger[:SEQuence]:LEVel:IFPower.....	261
TRIGger[:SEQuence]:LEVel:IQPower.....	261
TRIGger[:SEQuence]:LEVel:POWer:AUTO.....	262
TRIGger[:SEQuence]:SLOPe.....	262
TRIGger[:SEQuence]:SOURce.....	262
TRIGger[:SEQuence]:TIME:RINTerval.....	264

TRIGger[:SEQuence]:DTIME <DropoutTime>

Defines the time the input signal must stay below the trigger level before a trigger is detected again.

For input from the "Analog Baseband" interface using the baseband power trigger (BBP), the default drop out time is set to 100 ns to avoid unintentional trigger events (as no hysteresis can be configured in this case).

Parameters:

<DropoutTime> Dropout time of the trigger.
 Range: 0 s to 10.0 s
 *RST: 0 s
 Default unit: S

Manual operation: See "[Drop-Out Time](#)" on page 127

TRIGger[:SEQuence]:HOLDoff[:TIME] <Offset>

Defines the time offset between the trigger event and the start of the measurement.

Parameters:

<Offset> *RST: 0 s
 Default unit: S

Example: TRIG:HOLD 500us

Manual operation: See "[Trigger Offset](#)" on page 127

TRIGger[:SEQuence]:IFPower:HOLDoff <Period>

Defines the holding time before the next trigger event.

Note that this command can be used for **any trigger source**, not just IF Power (despite the legacy keyword).

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Period> Range: 0 s to 10 s
 *RST: 0 s
 Default unit: S

Example:

TRIG:SOUR EXT
 Sets an external trigger source.
 TRIG:IFP:HOLD 200 ns
 Sets the holding time to 200 ns.

Manual operation: See "[Trigger Holdoff](#)" on page 127

TRIGger[:SEquence]:IFPower:HYSteresis <Hysteresis>

Defines the trigger hysteresis, which is only available for "IF Power" trigger sources.

Parameters:

<Hysteresis> Range: 3 dB to 50 dB
 *RST: 3 dB
 Default unit: DB

Example:

TRIG:SOUR IFP
 Sets the IF power trigger source.
 TRIG:IFP:HYST 10DB
 Sets the hysteresis limit value.

Manual operation: See "[Hysteresis](#)" on page 127

TRIGger[:SEquence]:LEVel:BBPower <Level>

Sets the level of the baseband power trigger.

Parameters:

<Level> Range: -50 dBm to +20 dBm
 *RST: -20 dBm
 Default unit: DBM

Example:

TRIG:LEV:BBP -30DBM

Manual operation: See "[Trigger Level](#)" on page 126

TRIGger[:SEquence]:LEVel[:EXTernal<port>] <TriggerLevel>

Defines the level the external signal must exceed to cause a trigger event.

Note that the variable "Input/Output" connectors (ports 2+3) must be set for use as input using the `OUTPut<up>:TRIGger<tp>:DIRection` command.

For details on the trigger source see "[Trigger Source](#)" on page 125.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Suffix:

<port> Selects the trigger port.
 1 = trigger port 1 (TRIGGER INPUT connector on front panel)
 2 = trigger port 2 (TRIGGER INPUT/OUTPUT connector on front panel)
 3 = trigger port 3 (TRIGGER3 INPUT/OUTPUT connector on rear panel)

<port> Selects the trigger port.
 1 = trigger port 1 (TRIG IN connector on rear panel)
 2 = trigger port 2 (TRIG AUX connector on rear panel)

Parameters:

<TriggerLevel> Range: 0.5 V to 3.5 V
 *RST: 1.4 V
 Default unit: V

Example: TRIG:LEV 2V

Manual operation: See "[Trigger Level](#)" on page 126

TRIGger[:SEquence]:LEVel:IFPower <TriggerLevel>

Defines the power level at the third intermediate frequency that must be exceeded to cause a trigger event.

Note that any RF attenuation or preamplification is considered when the trigger level is analyzed. If defined, a reference level offset is also considered.

For compatibility reasons, this command is also available for the "Baseband Power" trigger source when using the "Analog Baseband" interface.

For details on the trigger settings, see "[Trigger Source](#)" on page 125.

Parameters:

<TriggerLevel> For details on available trigger levels and trigger bandwidths, see the data sheet.
 *RST: -20 dBm
 Default unit: DBM

Example: TRIG:LEV:IFP -30DBM

Manual operation: See "[Trigger Level](#)" on page 126

TRIGger[:SEquence]:LEVel:IQPower <TriggerLevel>

Defines the magnitude the I/Q data must exceed to cause a trigger event.

Note that any RF attenuation or preamplification is considered when the trigger level is analyzed. If defined, a reference level offset is also considered.

For details on the trigger source, see "[Trigger Source](#)" on page 125.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<TriggerLevel> Range: -130 dBm to 30 dBm
 *RST: -20 dBm
 Default unit: DBM

Example: TRIG:LEV:IQP -30DBM

Manual operation: See ["Trigger Level"](#) on page 126

TRIGger[:SEQuence]:LEVel:POWer:AUTO <State>

By default, the optimum trigger level for power triggers is automatically measured and determined at the start of each sweep (for Modulation Accuracy, Flatness, Tolerance... measurements).

Is only considered for TRIG:SEQ:SOUR IFP, see [TRIGger\[:SEQuence\]:SOURce](#) on page 262

To define the trigger level manually, switch this function off and define the level using [TRIGger\[:SEQuence\]:LEVel:IFPower](#) on page 261.

Parameters for setting and query:

<State> **OFF | 0**
 Switches the auto level detection function off
 ON | 1
 Switches the auto level detection function on
 *RST: 1

Manual operation: See ["Trigger Level Mode"](#) on page 126

TRIGger[:SEQuence]:SLOPe <Type>

For external and time domain trigger sources, you can define whether triggering occurs when the signal rises to the trigger level or falls down to it.

Parameters:

<Type> POSitive | NEGative
 POSitive
 Triggers when the signal rises to the trigger level (rising edge).
 NEGative
 Triggers when the signal drops to the trigger level (falling edge).
 *RST: POSitive

Example: TRIG:SLOP NEG

Manual operation: See ["Slope"](#) on page 128

TRIGger[:SEQuence]:SOURce <Source>

Selects the trigger source.

For details on the available trigger sources, see ["Trigger Source"](#) on page 125.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Note on external triggers:

If a measurement is configured to wait for an external trigger signal in a remote control program, remote control is blocked until the trigger is received and the program can continue. Make sure that this situation is avoided in your remote control programs.

Parameters:

<Source>

IMMediate

Free Run

EXTErnal

Trigger signal from the "Trigger Input" connector.

Trigger signal from the "Trigger In" connector.

EXT2

Trigger signal from the "Trigger Input/Output" connector.

Note: Connector must be configured for "Input".

Trigger signal from the "Trigger AUX" connector.

RFPower

First intermediate frequency

(Frequency and time domain measurements only.)

Not available for input from the optional "Analog Baseband" interface.

IFPower

Second intermediate frequency

For input from the optional "Analog Baseband" interface, this parameter is interpreted as `BBPower` for compatibility reasons.

IQPower

Magnitude of sampled I/Q data

For applications that process I/Q data, such as the I/Q Analyzer or optional applications.

Not available for input from the optional "Analog Baseband" interface.

TIME

Time interval

BBPower

Baseband power

For input from the optional "Analog Baseband" interface.

PSEN

External power sensor

TUNit

If activated, the measurement is triggered by a connected R&S FS-Z11 trigger unit, simultaneously for all connected analyzers.

For details see [Chapter 4.11.6, "Trigger synchronization using an R&S FS-Z11 trigger unit"](#), on page 100.

*RST: IMMediate

Example:

TRIG:SOUR EXT

Selects the external trigger input as source of the trigger signal

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "Trigger Source" on page 125
 See "Free Run" on page 125
 See "External Trigger 1/2" on page 125
 See "I/Q Power" on page 126
 See "Time" on page 126
 See "FS-Z11 Trigger" on page 128

TRIGger[:SEQuence]:TIME:RINTerval <Interval>

Defines the repetition interval for the time trigger.

Parameters:

<Interval> numeric value
 Range: 1 us to 15 s
 *RST: 10 ms
 Default unit: S

Example: TRIG:SOUR TIME
 Selects the time trigger input for triggering.
 TRIG:TIME:RINT 5
 The measurement starts every 5 s.

Manual operation: See "Repetition Interval" on page 126

Configuring the trigger output

The following commands are required to send the trigger signal to one of the variable "TRIGGER INPUT/OUTPUT" connectors on the R&S FSV/A.

OUTPut<up>:TRIGger<tp>:DIRection.....	264
OUTPut<up>:TRIGger<tp>:LEVel.....	265
OUTPut<up>:TRIGger<tp>:OTYPe.....	265
OUTPut<up>:TRIGger<tp>:PULSe:IMMediate.....	266
OUTPut<up>:TRIGger<tp>:PULSe:LENGth.....	266

OUTPut<up>:TRIGger<tp>:DIRection <Direction>

Selects the trigger direction for trigger ports that serve as an input as well as an output.

Suffix:

<up> irrelevant
 <tp>

Parameters:

<Direction> INPut | OUTPut
INPut
 Port works as an input.
OUTPut
 Port works as an output.
 *RST: INPut

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

OUTPut<up>:TRIGger<tp>:LEVel <Level>

Defines the level of the (TTL compatible) signal generated at the trigger output.

Works only if you have selected a user-defined output with [OUTPut<up>:TRIGger<tp>:OTYPe](#).

Suffix:

<up>	irrelevant
<tp>	1..n Selects the trigger port to which the output is sent. 2 = trigger port 2 (front) 3 = trigger port 3 (rear) 2 = Trigger 2 Input / Output

Parameters:

<Level>	HIGH 5 V
	LOW 0 V
*RST:	LOW

Example: `OUTP:TRIG2:LEV HIGH`

OUTPut<up>:TRIGger<tp>:OTYPe <OutputType>

Selects the type of signal generated at the trigger output.

Suffix:

<up>	irrelevant
<tp>	1..n Selects the trigger port to which the output is sent. 2 = trigger port 2 (front) 3 = trigger port 3 (rear) 2 = Trigger 2 Input / Output

Parameters:

<OutputType>	DEvice Sends a trigger signal when the R&S FSV/A has triggered internally.
	TARMed Sends a trigger signal when the trigger is armed and ready for an external trigger event.
	UDEfined Sends a user-defined trigger signal. For more information, see OUTPut<up>:TRIGger<tp>:LEVel .
*RST:	DEvice

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

OUTPut<up>:TRIGger<tp>:PULSe:IMMediate

Generates a pulse at the trigger output.

Suffix:

<up>	irrelevant
<tp>	1..n Selects the trigger port to which the output is sent. 2 = trigger port 2 (front) 3 = trigger port 3 (rear) 2 = Trigger 2 Input / Output

OUTPut<up>:TRIGger<tp>:PULSe:LENGth <Length>

Defines the length of the pulse generated at the trigger output.

Suffix:

<up>	1..n irrelevant
<tp>	Selects the trigger port to which the output is sent. 2 = trigger port 2 (front) 3 = trigger port 3 (rear) 2 = Trigger 2 Input / Output

Parameters:

<Length>	Pulse length in seconds. Default unit: S
----------	---------------------------------------------

Example: OUTP:TRIG2:PULS:LENG 0.02

9.5.4.3 MIMO capture settings

The following commands are **only available for IEEE 802.11ac, n standards**.

Useful commands for defining MIMO capture settings described elsewhere:

- [CALCulate<n>:BURSt\[:IMMediate\]](#) on page 346

Remote commands exclusive to defining MIMO capture settings:

CONFigure:WLAN:ANTMatrix:ADDReSS<ant>.....	267
CONFigure:WLAN:ANTMatrix:ANTenna<ant>.....	267
CONFigure:WLAN:ANTMatrix:RLEVel<ant>:OFFSet.....	267
CONFigure:WLAN:ANTMatrix:SOURce:AMPLitude:SOURce.....	268
CONFigure:WLAN:ANTMatrix:SOURce:RLEVel:OFFSet.....	269
CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce.....	269
CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce:STAT<ant>.....	270
CONFigure:WLAN:ANTMatrix:STATe<ant>.....	270
CONFigure:WLAN:DUTConfig.....	270
CONFigure:WLAN:MIMO:CAPTure.....	271
CONFigure:WLAN:MIMO:CAPTure:BUFFer.....	271

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:MIMO:CAPTure:TYPE	271
CONFigure:WLAN:MIMO:CSD	272
CONFigure:WLAN:MIMO:OSP:ADDRess	272
CONFigure:WLAN:MIMO:OSP:MODule	272
CONFigure:WLAN:RSYNc:JOINed	272

CONFigure:WLAN:ANTMatrix:ADDRess<ant> <Address>

This remote control command specifies the TCP/IP address for each receiver path in IPV4 format. Note, it is not possible to set the IP address of ANTMATRIX1 (primary)

Suffix:

<ant> 1..n

Parameters:

<Address> TCP/IP address in IPV4 format

Manual operation: See "[Reference Status](#)" on page 131

CONFigure:WLAN:ANTMatrix:ANTenna<ant> <Antenna>

This remote control command specifies the antenna assignment of the receive path.

Suffix:

<ant> 1..n
Analyzer

Parameters:

<Antenna> ANTenna1 | ANTenna2 | ANTenna3 | ANTenna4 | ANTenna5 |
ANTenna6 | ANTenna7 | ANTenna8 | ANT1 | ANT2 | ANT3 |
ANT4 | ANT5 | ANT6 | ANT7 | ANT8
Antenna assignment of the receiver path

Example:

```
CONF:WLAN:ANTM:ANT2 ANT1
Analyzer number 2 measures antenna no. 1
CONF:WLAN:ANTM;ANT4 ANT2
Analyzer number 42 measures antenna no. 2
```

Manual operation: See "[Assignment](#)" on page 131

CONFigure:WLAN:ANTMatrix:RLEVEL<ant>:OFFSet <OffLevel>

This remote control command determines whether the reference value offset for the specified antenna if the primary and secondary devices in a simultaneous MIMO setup are not coupled (see [CONFigure:WLAN:ANTMatrix:SOURce:RLEVEL:OFFSet](#) on page 269).

Suffix:

<ant> 1..n
antenna index as specified by [CONFigure:WLAN:ANTMatrix:STATE<ant>](#) on page 270

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<OffLevel> level offset in dB
 *RST: 0
 Default unit: DB

Example:

```
CONF:WLAN:ANTM:SOUR:RLEV:OFFS MAN
CONF:WLAN:ANTM:RLEV2:OFFS 10
```

Sets the reference level offset for the second antenna in the antenna matrix to 10 dB.

Manual operation: See ["Reference Level Offset"](#) on page 131

CONFigure:WLAN:ANTMatrix:SOURce:AMPLitude:SOURce <Coupling>

This remote control command determines whether the amplitude settings for the primary and secondary devices in a simultaneous MIMO setup are coupled or not.

Parameters:

<Coupling> PRIMary | AUTO | OFF
 Coupling mode

AUTO

The secondary devices perform an auto-level at the same time as the primary. The amplitude settings are then determined automatically by each device according to the measured values. This feature requires that the WLAN 802.11 application R&S FSV/A-K91 (version 1.31 or higher) is installed on the secondary device.

PRIMary

Both the primary and all secondaries use the same amplitude settings, according to the settings at the primary. All settings on the secondary are ignored (including "Reference Level Auto"). Note: if "Reference Level Auto" is set at the primary, the primary channel performs an auto-level measurement and the resulting amplitude settings are transferred to the secondaries.

OFF

Both the primary and secondary devices use their own amplitude settings as defined prior to the measurement; the settings are not coupled.

*RST: PRIMary

Example:

```
CONF:WLAN:ANTM:SOUR:AMPL:SOUR AUTO
```

Manual operation: See ["Amplitude Settings Coupling"](#) on page 132

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:ANTMatrix:SOURce:RLEVel:OFFSet <Coupling>

This remote control command determines whether the reference level for the primary and secondary devices in a simultaneous MIMO setup are coupled or not.

Parameters:

<Coupling> PRIMary | MANual
Coupling mode

PRIMary

The secondary analyzers' reference levels are set to match that of the primary.

MANual

The secondary analyzers' reference levels are specified individually (see [CONFigure:WLAN:ANTMatrix:SOURce:RLEVel:OFFSet](#) on page 269) and are not coupled to the reference level offset of the primary analyzer.

*RST: PRIMary

Example:

```
CONF:WLAN:ANTM:SOUR:RLEV:OFFS MAN
CONF:WLAN:ANTM:RLEV2:OFFS 10
```

Sets the reference level offset for the second antenna in the antenna matrix to 10 dB.

Manual operation: See "[Reference Level Offset](#)" on page 131

CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce <Coupling>

This remote control command determines whether the reference frequency for the primary and secondary devices in a simultaneous MIMO setup are coupled or not.

Parameters:

<Coupling> AUTO | EXTernal | OFF
Coupling mode

AUTO

Secondaries set to the same external reference source as primary.

Use an R&S Z11 trigger box to send to the same trigger to all devices (see [TRIG:SEQ:SOUR TUN](#)).

EXTernal

Secondaries' reference source is set to external.

Configure a trigger output from the primary (see [OUTPut<up>:TRIGger<tp>:OTYPe](#) on page 265).

OFF

Secondaries' reference source is set to internal.

*RST: EXT

Example:

```
CONF:WLAN:ANTM:SOUR:ROSC:SOUR AUTO
```

Manual operation: See "[Reference Frequency Coupling](#)" on page 132

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce:STAT<ant> <State>

Queries the connection state of the external reference for each channel (see also [CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce](#) on page 269).

If the IP address of the antenna is not available or valid, or the selected antenna is not active, an error message is returned.

Suffix:

<ant> 1..n
 antenna; 1 is primary

Parameters:

<State> ON | OFF | 0 | 1
 OFF | 0
 External reference not available
 ON | 1
 External reference available
 *RST: 0

Manual operation: See "[LAN Status](#)" on page 130

CONFigure:WLAN:ANTMatrix:STATE<ant> <State>

This remote control command specifies the state of the specified antenna. Note, it is not possible to change the state of the first antenna (primary).

Suffix:

<ant> 1..n
 antenna; 1 is primary

Parameters:

<State> ON | OFF | 1 | 0
 State of the antenna

Manual operation: See "[State](#)" on page 130

CONFigure:WLAN:DUTConfig <NoOfAnt>

This remote control command specifies the number of antennas used for MIMO measurement.

Parameters:

<NoOfAnt> TX1 | TX2 | TX3 | TX4 | TX5 | TX6 | TX7 | TX8
 TX1: one antenna,
 TX2: two antennas etc.
 *RST: TX1

Example: CONF:WLAN:DUTC TX1

Manual operation: See "[DUT MIMO Configuration](#)" on page 129

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:MIMO:CAPTure <SignalPath>

Specifies the signal path to be captured in MIMO sequential manual measurements. Subsequently, use the `INITiate<n>[:IMMediate]` command to start capturing data.

Parameters:

<SignalPath> RX1 | RX2 | RX3 | RX4 | RX5 | RX6 | RX7 | RX8
 For details see "[Manual Sequential MIMO Data Capture](#)" on page 134.
 *RST: RX1

Example:

```
CONFigure:WLAN:MIMO:CAPTure RX2
INIT:IMM
Starts capturing data from the receive antenna number 2.
```

Manual operation: See "[Single / Cont.](#)" on page 135

CONFigure:WLAN:MIMO:CAPTure:BUFFer <SignalPath>

Specifies the signal path to be captured in MIMO sequential manual measurements and immediately starts capturing data.

Parameters:

<SignalPath> RX1 | RX2 | RX3 | RX4 | RX5 | RX6 | RX7 | RX8
 For details see "[Manual Sequential MIMO Data Capture](#)" on page 134.
 *RST: RX1

Example:

```
CONFigure:WLAN:MIMO:CAPTure:BUFFer RX2
Starts capturing data from the receive antenna number 2.
```

CONFigure:WLAN:MIMO:CAPTure:TYPE <Method>

Specifies the method used to analyze MIMO signals.

Parameters:

<Method> SIMultaneous | OSP | MANual
SIMultaneous
 Simultaneous normal MIMO operation
OSP
 Sequential using open switch platform
MANual
 Sequential using manual operation
 *RST: SIM

Manual operation: See "[MIMO Antenna Signal Capture Setup](#)" on page 130
 See "[Manual Sequential MIMO Data Capture](#)" on page 134

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:MIMO:CSD <Method>

Determines whether or not the cyclic shift delay (CSD) is used for timing synchronisation.

Parameters:

<Method> IGNore | APPLy

APPLy

(Default:) The timing offset estimation result (assuming CSD=0) is used for the subsequent signal analysis.

IGNore

The timing offset estimation result (assuming CSD=0) is ignored for the subsequent signal analysis.

*RST: APPLy

Example:

```
CONF:WLAN:MIMO:CSD IGN
```

The timing offset estimation result is ignored for the subsequent signal analysis.

Manual operation: See ["Time Sync."](#) on page 129

CONFigure:WLAN:MIMO:OSP:ADDRes <Address>

Specifies the TCP/IP address of the switch unit to be used for automated sequential MIMO measurements. The supported unit is Rohde & Schwarz OSP 1505.3009.03 with module option 1505.5101.02

Parameters:

<Address>

Manual operation: See ["OSP IP Address"](#) on page 133

CONFigure:WLAN:MIMO:OSP:MODule <ID>

Specifies the module of the switch unit to be used for automated sequential MIMO measurements. The supported unit is Rohde & Schwarz OSP 1505.3009.03 with module option 1505.5101.02

Parameters:

<ID> A11 | A12 | A13

Manual operation: See ["OSP Switch Bank Configuration"](#) on page 134

CONFigure:WLAN:RSYNc:JOINed <State>

Configures how PPDU synchronization and tracking is performed for multiple antennas.

Parameters:

<State> ON | OFF | 1 | 0

ON | 1

RX antennas are synchronized and tracked together.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

OFF | 0

RX antennas are synchronized and tracked separately.

*RST: 0

Manual operation: See "[Joined RX Sync and Tracking](#)" on page 131

9.5.5 Synchronization and OFDM demodulation

[SENSe:]DEMod:FFT:OFFSet..... 273

[SENSe:]DEMod:TXARea..... 273

[SENSe:]DEMod:FFT:OFFSet <Mode>

Specifies the start offset of the FFT for OFDM demodulation (not for the "FFT Spectrum" display).

Parameters:

<Mode> AUTO | GICenter | PEAK

AUTO

The FFT start offset is automatically chosen to minimize the intersymbol interference.

GICenter

Guard Interval Center: The FFT start offset is placed to the center of the guard interval.

PEAK

The peak of the fine timing metric is used to determine the FFT start offset.

*RST: AUTO

Manual operation: See "[FFT Start Offset](#)" on page 136

[SENSe:]DEMod:TXARea <State>

If enabled, the R&S FSV3 WLAN application initially performs a coarse burst search on the input signal in which increases in the power vs time trace are detected. Further time-consuming processing is then only performed where bursts are assumed. This improves the measurement speed for signals with low duty cycle rates.

However, for signals in which the PPDU power levels differ significantly, this option should be disabled as otherwise some PPDUs may not be detected.

Parameters:

<State> ON | OFF | 0 | 1

ON | 1

A coarse burst search is performed based on the power levels of the input signal.

OFF | 0

No pre-evaluation is performed, the entire signal is processed.

*RST: 1

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "Power Interval Search" on page 136

9.5.6 Tracking and channel estimation

[SENSe:]DEMod:CESTimation:RANGe.....	274
[SENSe:]DEMod:INTerpolate.....	275
[SENSe:]DEMod:INTerpolate:WIENer:DSPRead.....	275
[SENSe:]DEMod:INTerpolate:WIENer:DSPRead:STATe.....	276
SENSe:TRACking:CROStalk.....	276
SENSe:TRACking:IQMComp.....	276
SENSe:TRACking:LEVel.....	277
SENSe:TRACking:PHASe.....	277
SENSe:TRACking:PILots.....	278
SENSe:TRACking:PREamble.....	278
SENSe:TRACking:TIME.....	279
[SENSe] (see also SENSe: commands!).....	279

[SENSe:]DEMod:CESTimation:RANGe <Range>

Parameters:

<Range>

PRE1t | PRE2t | PFTRacking | PUTRacking

PRE1t

The channel estimation is performed using the preamble of the HE/EHT-LTF as required in the standard.

PRE2t

The channel estimation is performed using the preamble of both training fields.

PFTRacking

The channel estimation is performed using the preamble and the payload. The EVM results can be calculated more accurately.

(Note: this setting corresponds to the

[SENSe:]DEMod:CESTimation 1 command in previous firm-ware versions.)

PUTRacking

The channel estimation is performed using the preamble and the payload. The EVM results can be calculated more accurately.

The user-defined tracking settings are applied to the payload symbols used for payload channel estimation (see [Chapter 9.5.6, "Tracking and channel estimation"](#), on page 274).

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Example: Channel estimation is performed using the preamble and payload, where only phase tracking is applied to the payload symbols used for payload channel estimation. The pilot sequence detected in the signal is used for tracking.

```
SENS:TRAC:PHAS ON
SENS:TRAC:PIL DET
SENS:TRAC:TIME OFF
SENS:TRAC:LEV OFF
[SENSe:]DEMod:CESTimation:RANGe PUTRacking
```

Manual operation: See "[Channel Estimation Range](#)" on page 138

[SENSe:]DEMod:INTerpolate <Interpolation>

Parameters:

<Interpolation> WIENer | LINear

WIENer

The unused subcarriers of the channel estimation fields (1xHE-LTF, 2xHE-LTF) are determined by Wiener interpolation. The estimated channel is smoothed. The Wiener interpolation overwrites the used subcarrier sampling points.

In case all subcarriers are used (4xHE-LTF), sampling points for all subcarriers are available. The channel is smoothed.

LINear

The unused subcarriers of the channel estimation fields (1xHE-LTF, 2xHE-LTF) are determined by linear interpolation. Linear interpolation preserves the used subcarrier sampling points.

In case all subcarriers are used (4xHE-LTF), the available sampling points for all subcarriers are preserved, and no interpolation is applied.

*RST: WIENer

Example: DEM:INT:LIN

Manual operation: See "[Interpolation](#)" on page 138

[SENSe:]DEMod:INTerpolate:WIENer:DSPrad <Value>

Defines the value relative to the DFT period that is used for the Wiener filter design. Decrease this setting to finetune the EVM result if there is negligible delay spread, for example for a wired connection.

This setting is only available for `[SENSe:]DEMod:INTerpolate:WIENer:DSPrad:STATe` OFF.

Parameters:

<Value> Range: 0.0001 to 0.5

Example:

```
DEM:INT:WIEN
DEM:INT:WIEN:STAT OFF
DEM:INT:WIEN:DSPr 0.05
```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "[Wiener Relative Delay Spread](#)" on page 139

[SENSe:]DEMod:INTerpolate:WIENer:DSPRead:STATE <State>

Defines whether the Wiener relative delay spread is disabled or defined manually.

Is only available for standards **IEEE 802.11ax, be** and only for [\[SENSe:\]DEMod:INTerpolateWiener](#).

Parameters:

<State> OFF | MANual

OFF
No delay spread is used.

MAN
The value is determined manually, using [\[SENSe:\]DEMod:INTerpolate:WIENer:DSPRead](#) on page 275.

*RST: OFF

Example:

```
DEM:INT:WIEN
DEM:INT:WIEN:DSPR:STAT MAN
DEM:INT:WIEN:DSPR 0.05
```

Manual operation: See "[Wiener Relative Delay Spread](#)" on page 139

SENSe:TRACking:CROSstalk <State>

Activates or deactivates the compensation for crosstalk between MIMO carriers.

Is only available for standard **IEEE 802.11ac or n (MIMO)**.

Parameters:

<State> ON | OFF | 1 | 0

*RST: 0

Example:

```
SENS:TRAC:CROS ON
```

Manual operation: See "[Compensate Crosstalk\(MIMO only\)](#)" on page 141

SENSe:TRACking:IQMComp <State>

Activates or deactivates the compensation for I/Q mismatch (gain imbalance, quadrature offset, I/Q skew, see [Chapter 3.1.1.5, "I/Q mismatch"](#), on page 21).

This setting is **not available for standards IEEE 802.11b and g (DSSS)**.

Parameters:

<State> **ON | 1 | AVGScarrier**
The I/Q mismatches (gain imbalance, quadrature offset, time skew) are averaged over the subcarriers. The scalar results are applied to the subcarriers and used for I/Q mismatch compensation.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

PERScarrier

The individual I/Q mismatches per subcarrier are used for I/Q mismatch compensation.

OFF | 0

Compensation is not applied; this setting is required for measurements strictly according to the IEEE 802.11-2012, IEEE 802.11ac-2013 WLAN standard

*RST: 0

Example:

```
SENS:TRAC:IQMC ON
//Applies I/Q mismatch based on average over
subcarriers.
```

Manual operation: See "[I/Q Mismatch Compensation](#)" on page 140

SENSe:TRACking:LEVel <State>

Activates or deactivates the compensation for level variations within a single PPDU. If activated, the measurement results are compensated for level error on a per-symbol basis.

Parameters:

<State> ON | OFF | 1 | 0
*RST: 0

Example:

```
SENS:TRAC:LEV ON
```

Manual operation: See "[Level Error \(Gain\) Tracking](#)" on page 140

SENSe:TRACking:PHASe <State>

Activates or deactivates the compensation for phase drifts.

Parameters:

<State> ON | OFF | 0 | 1

OFF | 0

Switches the function off

ON | 1

Switches the function on. The measurement results are compensated for phase drifts on a per-symbol basis.

*RST: 1

Example:

```
SENS:TRAC:PHAS ON
```

Manual operation: See "[Phase Tracking](#)" on page 140

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

SENSe:TRACking:PILots <Mode>

In case tracking is used, the used pilot sequence has an effect on the measurement results.

Parameters:

<Mode> STANdard | DETected

STANdard

The pilot sequence is determined according to the corresponding WLAN standard. In case the pilot generation algorithm of the device under test (DUT) has a problem, the non-standard-conform pilot sequence might affect the measurement results, or the R&S FSV3 WLAN application might not synchronize at all onto the signal generated by the DUT.

DETEcted

The pilot sequence detected in the WLAN signal to be analyzed is used by the R&S FSV3 WLAN application. In case the pilot generation algorithm of the device under test (DUT) has a problem, the non-standard-conform pilot sequence will not affect the measurement results. In case the pilot sequence generated by the DUT is correct, it is recommended that you use the "According to Standard" setting because it generates more accurate measurement results.

*RST: STANdard

Example: SENS:TRAC:PIL DET

Manual operation: See "[Pilots for Tracking](#)" on page 140

SENSe:TRACking:PREAmble <Mode>

Defines which results are used for preamble tracking prior to the preamble channel estimation.

Parameters:

<Mode>

PAYLoad

Payload tracking results are used for preamble tracking prior to the preamble channel estimation

VHT

(V)HT-LTF Symbols and Payload tracking results are used for preamble tracking prior to the preamble channel estimation.

*RST: PAYLoad

Example: SENS:TRAC:PRE VHT

Manual operation: See "[Preamble Channel Estimation](#)" on page 139

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

SENSe:TRACking:TIME <State>

Activates or deactivates the compensation for timing drift.

Parameters:

<State>

ON | OFF | 0 | 1

OFF | 0

Switches the function off

ON | 1

Switches the function on. The measurement results are compensated for timing error on a per-symbol basis.

*RST: 0

Example:

SENS:TRAC:TIME ON

Manual operation: See "[Timing Error Tracking](#)" on page 140

[SENSe] (see also **SENSe: commands!**)

9.5.7 Demodulation

The demodulation settings define which PPDU's are to be analyzed, thus they define a *logical filter*.

The available demodulation settings vary depending on the selected digital standard (see [CONFigure:STANdard](#) on page 222).

Manual configuration is described in [Chapter 5.3.7, "Demodulation"](#), on page 141.

- [Common demodulation commands](#)..... 279
- [PPDU configuration](#).....291
- [MIMO demodulation commands](#)..... 303

9.5.7.1 Common demodulation commands

The following commands are required for demodulation for several or all WLAN 802.11 standards.

CONFigure:WLAN:EXTension:AUTO:TYPE	280
CONFigure:WLAN:GTIme:AUTO	280
CONFigure:WLAN:GTIme:SElect	281
CONFigure:WLAN:STBC:AUTO:TYPE	281
[SENSe:]BANDwidth:CHANnel:AUTO	281
[SENSe:]BANDwidth:CHANnel:AUTO:TYPE	282
[SENSe:]DEMod:DATA	283
[SENSe:]DEMod:FORMat:BANalyze	284
[SENSe:]DEMod:FORMat:BANalyze:BTYPe	286
[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE	287
[SENSe:]DEMod:FORMat[:BContent]:AUTO	288
[SENSe:]DEMod:FORMat:BTRate	289

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]DEMod:FORMat:MCsIndex.....	289
[SENSe:]DEMod:FORMat:MCsIndex:MODE.....	289
[SENSe:]DEMod:FORMat:NSTsIndex.....	290
[SENSe:]DEMod:FORMat:NSTsIndex:MODE.....	290
[SENSe:]DEMod:FORMat:SIGSymbol.....	291

CONFigure:WLAN:EXTension:AUTO:TYPE <PPDUType>

Defines the PPDU's taking part in the analysis according to the Ness (Extension Spatial Streams) field content (for **IEEE 802.11n** standard only).

Parameters:

<PPDUType>

FBURst | ALL | M0 | M1 | M2 | M3 | D0 | D1 | D2 | D3

The first PPDU is analyzed and subsequent PPDU's are analyzed only if they match

FBURst

The Ness field contents of the first PPDU is detected and subsequent PPDU's are analyzed only if they have the same Ness field contents (corresponds to "Auto, same type as first PPDU")

ALL

All recognized PPDU's are analyzed according to their individual Ness field contents (corresponds to "Auto, individually for each PPDU")

M0 | M1 | M2 | M3

Only PPDU's with the specified Ness value are analyzed.

D0 | D1 | D2 | D3

All PPDU's are analyzed assuming the specified Ness value.

*RST: FBURst

Example:

CONF:WLAN:EXT:AUTO:TYPE M0

Manual operation: See "[Extension Spatial Streams \(sounding\)](#)" on page 171

CONFigure:WLAN:GTIme:AUTO <State>

This remote control command specifies whether the guard time of the input signal is automatically detected or specified manually (**IEEE 802.11n or ac** only).

Parameters:

<State>

ON | 1

The guard time is detected automatically according to [CONFigure:WLAN:GTIme:AUTO:TYPE](#) on page 409.

OFF | 0

The guard time is defined by the [CONFigure:WLAN:GTIme:SElect](#) command.

*RST: 1

Manual operation: See "[Guard Interval Length](#)" on page 144
 See "[Guard Interval \(GI\) + HE-LTF Size](#)" on page 156
 See "[Guard Interval \(GI\) + EHT-LTF Size](#)" on page 164

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:GTIMe:SElect <GuardTime>

This remote control command specifies the guard time the PPDU's in the **IEEE 802.11n** or **ac** input signal should have. If the guard time is specified to be detected from the input signal using the `CONFigure:WLAN:GTIMe:AUTO` command then this command is query only and allows the detected guard time to be obtained.

Parameters:

<GuardTime> SHORT | NORMAl

SHORT
Only the PPDU's with short guard interval are analyzed.

NORMAl
Only the PPDU's with long guard interval are analyzed.
("Long" in manual operation)

*RST: NORMAl

Example: CONF:WLAN:GTIM:SEL SHOR

Manual operation: See ["Guard Interval Length"](#) on page 144
See ["Guard Interval \(GI\) + HE-LTF Size"](#) on page 156
See ["Guard Interval \(GI\) + EHT-LTF Size"](#) on page 164

CONFigure:WLAN:STBC:AUTO:TYPE <PPDUType>

This remote control command specifies which PPDU's are analyzed according to STBC streams (for **IEEE 802.11n**, **ac** standards only).

Parameters:

<PPDUType> FBURst | ALL | M0 | M1 | M2 | D0 | D1 | D2

FBURst
The STBC of the first PPDU is detected and subsequent PPDU's are analyzed only if they have the same STBC (corresponds to "Auto, same type as first PPDU")

ALL
All recognized PPDU's are analyzed according to their individual STBC (corresponds to "Auto, individually for each PPDU")

M0 | M1 | M2
Measure only if STBC field = 0 | 1 | 2
For details see ["STBC Field"](#) on page 148

D0 | D1 | D2
Demod all as STBC field = 0 | 1 | 2
For details see ["STBC Field"](#) on page 148

Example: CONF:WLAN:STBC:AUTO:TYPE M0

Manual operation: See ["STBC Field"](#) on page 148

[SENSe:]BANDwidth:CHANnel:AUTO <State>

Defines whether the channel bandwidth to be analyzed is determined automatically.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Is only available for standards **IEEE 802.11a, ac, n**.

Parameters:

<State> ON | OFF | 0 | 1
 OFF | 0
 Switches the function off
 ON | 1
 Switches the function on
 *RST: 1

[SENSe:]BANDwidth:CHANnel:AUTO:TYPE <Bandwidth>

This remote control command specifies the bandwidth in which the PPDU's are analyzed.

Note that channel bandwidths larger than 10 MHz require a bandwidth extension option on the R&S FSV/A.

See [Chapter A, "Sample rate and maximum usable I/Q bandwidth for RF input"](#), on page 419.

Parameters:

<Bandwidth> FBURst | MB2_5 | MB5 | MB10 | MB20 | MB40 | MB80 | MB160 |
 MB320 | DB2_5 | DB5 | DB10 | DB20 | DB40 | DB80 | DB160 |
 DB320
 FBURst
 The channel bandwidth of the first valid PPDU is detected and
 subsequent PPDU's are analyzed only if they have the same
 channel bandwidth (corresponds to "Auto, same type as first
 PPDU")
 MB2_5
 Only PPDU's with a channel bandwidth of 2.5 MHz are analyzed
 (**IEEE 802.11 a, p only**)
 MB5
 Only PPDU's with a channel bandwidth of 5 MHz are analyzed
 (**IEEE 802.11 a, p only**)
 MB10
 Only PPDU's with a channel bandwidth of 10 MHz are analyzed
 (**IEEE 802.11 a, p only**)
 MB20
 Only PPDU's with a channel bandwidth of 20 MHz are analyzed
 MB40
 Only PPDU's with a channel bandwidth of 40 MHz are analyzed
 (**IEEE 802.11 n, ac only**)
 MB80
 Only PPDU's with a channel bandwidth of 80 MHz are analyzed
 (**IEEE 802.11 ac only**)

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

MB160

Only PPDU's with a channel bandwidth of 160 MHz are analyzed
(IEEE 802.11 ac only)

DB2_5

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 2.5 MHz
(IEEE 802.11 a, p only)

DB5

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 5 MHz
(IEEE 802.11 a, p only)

DB10

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 10 MHz
(IEEE 802.11 a, p only)

DB20

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 20 MHz

DB40

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 40 MHz
(IEEE 802.11 ac, ax, n, be only)

DB80

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 80 MHz
(IEEE 802.11 ac, ax, n, be only)

DB160

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 160 MHz
(IEEE 802.11 ac, ax, n, be only)

DB320

The bandwidth indicated in the signal field of the PPDU is over-written by a bandwidth of 320 MHz
(IEEE 802.11be only)

*RST: FBURst

Example:

```
SENS:BAND:CHAN:AUTO:TYPE MB20
```

Manual operation:

See "[Channel Bandwidth to measure \(CBW\)](#)" on page 143

See "[Channel Bandwidth to measure \(CBW\)](#)" on page 151

See "[Channel Bandwidth to measure \(CBW\)](#)" on page 159

[SENSe:]DEMod:DATA <Mode>

Defines when in the demodulation process the bitstream is determined and thus which results are available.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

See also [Chapter 3.1.1.9, "BER and CWER"](#), on page 25.

Parameters:

<Mode> ACDSCarrier | ALBDecoder

ACDSCarrier
(Default:) No channel decoding is performed. Processing time is reduced, but BER and CWER results are not available.

ALBDecoder
Decoding is performed, providing BER and CWER results. Measurement time is increased compared to non-decoding process.

*RST: ACDSCarrier

Example:

DEM:DATA ALBD

Manual operation: See "[Demodulation Data \(Bitstream\)](#)" on page 157

[SENSe:]DEMod:FORMat:BANalyze <Format>

Specifies which PSDUs are to be analyzed depending on their modulation. Only PSDUs using the selected modulation are considered in result analysis.

Note: to analyze all PPDU's that are identical to the first detected PPDU (corresponds to "Auto, same type as first PPDU"), use the command:

SENS:DEMO:FORM:BANA:BTYP:AUTO:TYPE FBUR.

To analyze all PPDU's regardless of their format and modulation (corresponds to "Auto, individually for each PPDU"), use the command:

SENS:DEMO:FORM:BANA:BTYP:AUTO:TYPE ALL.

To analyze all PPDU's using the same modulation (corresponds to "Demod all as...", use the command: SENS:DEMO:FORM:BANA:BTYP:AUTO:TYPE . . .

See [\[SENSe:\]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE](#) on page 287.

Parameters:

<Format> *RST: QAM64

Example:

SENS:DEMO:FORM:BAN 'BPSK6'

Manual operation:

See "[PPDU Format to measure](#)" on page 143
 See "[PSDU Modulation to use](#)" on page 144
 See "[PSDU Modulation](#)" on page 144
 See "[PPDU Format to measure](#)" on page 151
 See "[PPDU Format to measure](#)" on page 158
 See "[PPDU Format to measure\[/\] PSDU Modulation to use](#)" on page 166
 See "[PPDU Format](#)" on page 167

Table 9-4: Modulation format parameters for IEEE 802.11a, g (OFDM), j, p standard

SCPI parameter	Dialog parameter
BPSK6	BPSK 1/2
BPSK9	BPSK 3/4

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

SCPI parameter	Dialog parameter
QPSK12	QPSK 1/2
QPSK18	QPSK 3/4
QAM1624	16-QAM 1/2
QAM1636	16-QAM 3/4
QAM6448	64-QAM 2/3
QAM6454	64-QAM 3/4

Table 9-5: Modulation format parameters for IEEE 802.11b or g (DSSS) standard

SCPI parameter	Dialog parameter
CCK11	Complementary Code Keying at 11 Mbps
CCK55	Complementary Code Keying at 5.5 Mbps
DBPSK1	Differential BI-Phase shift keying
DQPSK2	Differential Quadrature phase shift keying
PBCC11	PBCC at 11 Mbps
PBCC22	PBCC at 11 Mbps
PBCC55	PBCC at 5.5 Mbps

Table 9-6: Modulation format parameters for IEEE 802.11n standard

SCPI parameter	Dialog parameter
BPSK65	BI-Phase shift keying at 6.5 Mbps
BPSK72	BI-Phase shift keying at 7.2 Mbps
QAM1626	Quadrature Amplitude Modulation at 26 Mbps
QAM1639	Quadrature Amplitude Modulation at 39 Mbps
QAM16289	Quadrature Amplitude Modulation at 28.9 Mbps
QAM16433	Quadrature Amplitude Modulation at 43.3 Mbps
QAM6452	Quadrature Amplitude Modulation at 52 Mbps
QAM6465	Quadrature Amplitude Modulation at 65 Mbps
QAM16289	Quadrature Amplitude Modulation at 28.9 Mbps
QAM16433	Quadrature Amplitude Modulation at 43.3 Mbps
QAM64578	Quadrature Amplitude Modulation at 57.8 Mbps
QAM64585	Quadrature Amplitude Modulation at 58.5 Mbps
QAM64722	Quadrature Amplitude Modulation at 72.2 Mbps
QPSK13	Quadrature phase shift keying at 13 Mbps
QPSK144	Quadrature phase shift keying at 14.4 Mbps

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

SCPI parameter	Dialog parameter
QPSK195	Quadrature phase shift keying at 19.5 Mbps
QPSK217	Quadrature phase shift keying at 21.7 Mbps

[SENSe:]DEMod:FORMat:BANalyze:BTYPe <PPDUType>

This remote control command specifies the type of PPDU to be analyzed. Only PPDU of the specified type take part in measurement analysis.

Parameters:

<PPDUType>

'LONG'

Only long (DSSS) PLCP PPDU are analyzed.
Available for IEEE 802.11b, g.

'SHORT'

Only short (DSSS) PLCP PPDU are analyzed.
Available for IEEE 802.11b, g.

'OFDM'

Only OFDM PPDU are analyzed.
Available for IEEE 802.11g.

'MM20'

IEEE 802.11n, Mixed Mode, 20 MHz sample rate
Note that this setting is maintained for compatibility reasons only. Use the specified commands for new remote control programs (see [\[SENSe:\]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE](#) on page 287 and [\[SENSe:\]BANDwidth:CHANnel:AUTO:TYPE](#) on page 282).

For new programs use:

```
[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE
MMIX
```

```
[SENSe:]BANDwidth:CHANnel:AUTO:TYPE MB20
```

'GFM20'

IEEE 802.11n Green Field Mode, 20 MHz sample rate
Note that this setting is maintained for compatibility reasons only. Use the specified commands for new remote control programs (see [\[SENSe:\]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE](#) on page 287 and [\[SENSe:\]BANDwidth:CHANnel:AUTO:TYPE](#) on page 282).

For new programs use:

```
[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE
MGRF
```

```
[SENSe:]BANDwidth:CHANnel:AUTO:TYPE MB20
```

Example:

Select IEEE 802.11g OFDM standard:

```
CONF:STAN 4
```

```
SENS:DEM:FORM:BAN:BTYP 'OFDM'
```

Manual operation: See ["PPDU Format"](#) on page 167

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE <PPDUFormat>

This remote control command specifies how signals are analyzed.

Parameters:

<PPDUFormat>

FBURst

The format of the first valid PPDU is detected and subsequent PDUs are analyzed only if they have the same format (corresponds to "Auto, same type as first PPDU")

ALL

All PDUs are analyzed regardless of their format (corresponds to "Auto, individually for each PPDU")

MNHT

Only PDUs with format "Non-HT" are analyzed

IEEE 802.11a, g (OFDM), p

DNHT

All PDUs are assumed to have the PDU format "Non-HT"

IEEE 802.11a, g (OFDM), p

MMIX

Only PDUs with format "HT-MF" (Mixed) are analyzed

(IEEE 802.11 n)

MGRF

Only PDUs with format "HT-GF" (Greenfield) are analyzed

(IEEE 802.11 n)

DMIX

All PDUs are assumed to have the PDU format "HT-MF"

(IEEE 802.11 n)

DGRF

All PDUs are assumed to have the PDU format "HT-GF"

(IEEE 802.11 n)

MVHT

Only PDUs with format "VHT" are analyzed

(IEEE 802.11 ac)

DVHT

All PDUs are assumed to have the PDU format "VHT"

(IEEE 802.11 ac)

AIHS

Only HE Single-User PDUs are analyzed

(IEEE 802.11 ax)

AIHM

Only HE Multi-User PDUs are analyzed

(IEEE 802.11 ax)

AIES

Only HE Extended Range PDUs are analyzed

(IEEE 802.11 ax)

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

AIHT

Only HE Trigger-based PPDU are analyzed
(IEEE 802.11 ax)

DHEP

All PPDU are assumed to have HE PPDU format
(IEEE 802.11 ax)

FMMM

Only PPDU with specified format are analyzed (see [SENSE:]
]DEMod:FORMat:BANalyze on page 284)
(IEEE 802.11 b, g (DSSS))

FMMD

All PPDU are assumed to have the specified PPDU format (see
[SENSE:]DEMod:FORMat:BANalyze on page 284)
(IEEE 802.11 b, g (DSSS))

DEHP

All PPDU are assumed to have EHT PPDU format
(IEEE 802.11 be)

AIEM

Only EHT MU PPDU are analyzed
(IEEE 802.11 be)

AIET

Only EHT trigger-based PPDU are analyzed
(IEEE 802.11 be)

DEHTppdu

All PPDU are assumed to have EHT PPDU format
(IEEE 802.11 be)

*RST: FBURst

Example:

```
SENS:DEM:FORM:BAN:BTYP:AUTO:TYPE FBUR
```

Manual operation:

See "PPDU Format to measure" on page 143
See "PSDU Modulation to use" on page 144
See "PPDU Format to measure" on page 151
See "PPDU Format to measure" on page 158
See "PPDU Format to measure[/] PSDU Modulation to use"
on page 166

[SENSE:]DEMod:FORMat[:BContent]:AUTO <State>

Determines whether the PPDU to be analyzed are determined automatically or by the user.

Parameters:

<State>

ON | 1

The signal field, i.e. the PLCP header field, of the first recognized PPDU is analyzed to determine the details of the PPDU. All PPDU identical to the first recognized PPDU are analyzed.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

OFF | 0

Only PPDU's that match the user-defined PDU type and modulation are considered in results analysis (see [\[SENSe:\]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE](#) on page 287 and [\[SENSe:\]DEMod:FORMat:BANalyze](#) on page 284).

Manual operation: See "PPDU Analysis Mode" on page 142
See "PPDU Analysis Mode" on page 150

[SENSe:]DEMod:FORMat:BTRate <BitRate>

Parameters:
<BitRate>

[SENSe:]DEMod:FORMat:MCSindex <Index>

Specifies the MCS index which controls the data rate, modulation and streams (for **IEEE 802.11n, ac** standards only, see document: IEEE 802.11n/D11.0 June 2009).

Is required if [\[SENSe:\]DEMod:FORMat:MCSindex:MODE](#) is set to MEAS or DEM.

Parameters:

<Index> Range: 0 to 11
 *RST: 1

Example: SENS:DEM:FORM:MCS:MODE MEAS
 SENS:DEM:FORM:MCS 1

Manual operation: See "MCS Index" on page 147

[SENSe:]DEMod:FORMat:MCSindex:MODE <Mode>

Defines the PPDU's taking part in the analysis depending on their Modulation and Coding Scheme (MCS) index (for **IEEE 802.11n, ac** standards only).

Parameters:

<Mode> FBURst | ALL | MEASure | DEMod

FBURst

The MCS index of the first PDU is detected and subsequent PDU's are analyzed only if they have the same MCS index (corresponds to "Auto, same type as first PDU")

ALL

All recognized PDU's are analyzed according to their individual MCS indexes (corresponds to "Auto, individually for each PDU")

MEASure

Only PDU's with an MCS index which matches that specified by [\[SENSe:\]DEMod:FORMat:MCSindex](#) are analyzed

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

DEMod

All PPDU's will be analyzed according to the MCS index specified by `[SENSe:]DEMod:FORMat:MCSindex`.

*RST: FBURst

Example:

```
SENS:DEM:FORM:MCS:MODE MEAS
SENS:DEM:FORM:MCS 1
```

Manual operation: See "[MCS Index to use](#)" on page 147

[SENSe:]DEMod:FORMat:NSTSindex <Index>

Defines the PPDU's taking part in the analysis depending on their Nsts.

Is only available for the **IEEE 802.11 ac** standard.

Is available for `DEM:FORM:NSTS:MODE MEAS` or `DEM:FORM:NSTS:MODE DEM` (see [\[SENSe:\]DEMod:FORMat:NSTSindex:MODE](#) on page 290).

Parameters:

<Index>

Example:

```
SENS:DEM:FORM:NSTS:MODE MEAS
SENS:DEM:FORM:NSTS 1
```

Manual operation: See "[Nsts](#)" on page 148

[SENSe:]DEMod:FORMat:NSTSindex:MODE <Mode>

Defines the PPDU's taking part in the analysis depending on their Nsts.

Is only available for the **IEEE 802.11 ac** standard.

Parameters:

<Mode>

FBURst | ALL | MEASure | DEMod

FBURst

The Nsts of the first PPDU is detected and subsequent PPDU's are analyzed only if they have the same Nsts (corresponds to "Auto, same type as first PPDU")

ALL

All recognized PPDU's are analyzed according to their individual Nsts (corresponds to "Auto, individually for each PPDU")

MEASure

Only PPDU's with the Nsts specified by `[SENSe:]DEMod:FORMat:NSTSindex` are analyzed

DEMod

The "Nsts" index specified by `[SENSe:]DEMod:FORMat:NSTSindex` is used for all PPDU's.

*RST: FBURst

Example:

```
SENS:DEM:FORM:NSTS:MODE MEAS
SENS:DEM:FORM:NSTS 1
```

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "Nsts to use" on page 147

[SENSe:]DEMod:FORMat:SIGSymbol <State>

Activates and deactivates signal symbol field decoding.

For IEEE 802.11b this command can only be queried as the decoding of the signal field is always performed for this standard.

Parameters:

<State>

OFF | 0

Deactivates signal symbol field decoding. All PPDU are assumed to have the specified PPDU format / PSDU modulation, regardless of the actual format or modulation.

ON | 1

If activated, the signal symbol field of the PPDU is analyzed to determine the details of the PPDU. Only PPDU which match the PPDU type/ PSDU modulation defined by [SENSe:]DEMod:FORMat:BANalyze and [SENSe:]DEMod:FORMat:BANalyze:BTYPe are considered in results analysis.

*RST: 0

Example:

DEM:FORM:SIGS ON

Manual operation: See "PPDU Format to measure[/] PSDU Modulation to use" on page 166

9.5.7.2 PPDU configuration

The following commands are required to configure PPDU resource units (IEEE 802.11ax, be standards).

CONFigure:WLAN:RUConfig:COUNT:ACTive.....	292
CONFigure:WLAN:RUConfig:COUNT:HIGHest?.....	292
CONFigure:WLAN:RUConfig:EHTPpdu.....	292
CONFigure:WLAN:RUConfig:HEPPdu.....	293
CONFigure:WLAN:RUConfig:NHELf.....	293
CONFigure:WLAN:RUConfig:REFResh.....	293
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:COUNT: HIGHest?.....	294
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:MRUindex.....	294
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RU26index.....	295
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUIndex.....	295
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUSize.....	296
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUTSix.....	297
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER: COUNT?.....	297
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:CODing.....	298
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:DCM.....	299

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:DElete.....	299
CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:INSert.....	300
CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:MCSindex.....	301
CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:NSTS.....	302
CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>: USER<mu>:TBEamforming.....	302

CONFigure:WLAN:RUConfig:COUNT:ACTive <ActiveCount>...

Determines the RUs for which the results are evaluated.

Parameters:

<ActiveCount> integer
Comma-separated list of resource unit numbers from the PPDU configuration table.

Example:

CONF:WLAN:RUC:COUN:ACT 1,5,7

Displays the results for the resource units in rows 1, 5, and 7 in the PPDU configuration table.

Manual operation: See "[RU number](#)" on page 161

CONFigure:WLAN:RUConfig:COUNT:HIGHest?

Queries the highest configured RU index in the entire signal.

Return values:

<MaxIndex> Range: 1 to 9

Example:

CONF:WLAN:RUC:COUN:HIGH?

Usage:

Query only

CONFigure:WLAN:RUConfig:EHTPpdu <RUConfig_PPDU>

Defines the format of the EHT PPDU. This format determines which other PPDU settings are available.

Parameters:

<RUConfig_PPDU> **MU**
High-efficiency multi-user PPDU for downlink to multiple users at the same time
*RST: MU

Manual operation: See "[EHT PPDU Format](#)" on page 161

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CONFigure:WLAN:RUConfig:HEPPdu <RUConfig_PPDU>

Defines the format of the HE PPDU. This format determines which other PPDU settings are available.

Parameters:

<RUConfig_PPDU> SU | MU | TRIG | ESU

SU

High-efficiency single user PPDU for uplink and downlink

MU

High-efficiency multi-user PPDU for downlink to multiple users at the same time

TRIG

High-efficiency trigger-based PPDU for uplink from multiple users at the same time

ESU

High-efficiency single-user PPDU for an extended range

*RST: SU

Manual operation: See "[HE PPDU Format](#)" on page 152

CONFigure:WLAN:RUConfig:NHELtf <RUConfig_N_HE_LTF>

Defines the length of the high-efficiency long training field (for **trigger-based uplink PPDUs only**). For more information see "[HE Trigger-based PPDUs](#)" on page 89.

Parameters:

<RUConfig_N_HE_LTF> AUTO | STA | S1 | S2 | S4 | S6 | S8

AUTO

The application determines the length automatically.

STA

The station configuration defines the used length.

S1 | S2 | S4 | S6 | S8

The LTF of the PPDUs have a fixed length (1 / 2 / 4 / 6 / 8 symbols).

*RST: STA

Manual operation: See "[N_{HE-LTF}](#)" on page 153

See "[N_{EHT-LTF}](#)" on page 161

CONFigure:WLAN:RUConfig:REFresh

Updates the result displays for the currently selected RUs in the PPDU configuration table.

Example:

CONF:WLAN:RUC:REFR

Usage:

Event

Manual operation: See "[Refresh](#)" on page 156

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
COUNT:HIGHEST?**

Queries the highest configured RU index in the specified RU allocation table.

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1..n irrelevant

Return values:

<MaxIndex> Range: 1 to 9

Usage: Query only

Manual operation: See "[RU Index](#)" on page 154
See "[RU Index](#)" on page 162

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
MRUindex <MRUInd>**

Sets or queries the index of the subcarrier and resource allocation for multiple RUs (MRU) as defined by the 802.11be standard. This index determines the position of the ignored subcarriers and used RUs within the spectrum.

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<MRUInd> integer
Range: 1 to 12

Manual operation: See "MRU Index" on page 162

**CONFIGure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
RU26index <Index>**

Sets or queries the index of the resource unit based on 26-subcarrier units.

Suffix:

<seg> 1 | 2 | 3 | 4
80-MHz-segment to be configured
Segment 1: first 80 MHz of the channel
Segment 2: next 80 MHz of the channel (for **160 MHz** channels and **MU-PPDU (DL)** only)
Segment 3 + 4: only for **320 MHz** channels and **EHT MU-PPDU (DL)**

<ch> 1 to 4
20-MHz-subchannel (=242 subcarriers) that RU allocation applies to

<cf> 1 to 9
Index of the entry in the RU allocation table

Parameters:

<Index> integer
Range: 1 to 143

Manual operation: See "RU26 Index" on page 153
See "RU26 Index" on page 162

**CONFIGure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
RUIndex <Index>**

Sets or queries the index of the resource unit as defined by the IEEE 802.11ax, be standard (based on resource units of the specified RU size, see [CONFIGure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:RUSize](#)). This value determines the position of the resource unit within the channel.

Note that you can specify any possible RU index value for the entire channel, regardless of the specified segment and subchannel.

To determine the highest allocated RU index for a specific segment and subchannel, use [CONFIGure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:COUNT:HIGHEST?](#) on page 294. To determine the highest allocated RU index for the entire channel, see [CONFIGure:WLAN:RUConfig:COUNT:HIGHEST?](#) on page 292.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Suffix:	
<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
Parameters:	
<Index>	integer RU index Range: 1 to 144
Example:	CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1: RULocation2:RUIndex 2
Manual operation:	See " RU Index " on page 162

CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>: RUSize <RUSize>

Defines the size of the individual resource unit (= number of subcarriers or tones) for a single transmission package.

Suffix:	
<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
Parameters:	
<RUSize>	SU S0 S26 S52 S106 S242 S484 S996 S2X996 S4X996 S52S26 S106s26 S484s242 S996s484 S996s484s242 S2X996s484 S3X996 S3X996s484
Example:	CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1: RULocation2:RUSize? //Result: S106

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "RU Size" on page 154
See "RU Size" on page 162

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
RUTSix <Index>**

Suffix:

<seg> 1 | 2 | 3 | 4
80-MHz-segment to be configured
Segment 1: first 80 MHz of the channel
Segment 2: next 80 MHz of the channel (for **160 MHz** channels
and **MU-PPDU (DL)** only)
Segment 3 + 4: only for **320 MHz** channels and **EHT MU-PPDU
(DL)**

<ch> 1 to 4
20-MHz-subchannel (=242 subcarriers) that RU allocation
applies to

<cf> 1 to 9
Index of the entry in the RU allocation table

Parameters:

<Index>

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
USER:COUNT?**

Queries the number of users configured for the specified RU.

Suffix:

<seg> 1 | 2 | 3 | 4
80-MHz-segment to be configured
Segment 1: first 80 MHz of the channel
Segment 2: next 80 MHz of the channel (for **160 MHz** channels
and **MU-PPDU (DL)** only)
Segment 3 + 4: only for **320 MHz** channels and **EHT MU-PPDU
(DL)**

<ch> 1 to 4
20-MHz-subchannel (=242 subcarriers) that RU allocation
applies to

<cf> 1 to 9
Index of the entry in the RU allocation table

Return values:

<MaxUsers> Range: 1 to 8

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Example:

```
CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1:
RULocation1:USER:INSert
Inserts a new user (User 1) under the default User 0 for the RU
1.
:CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1:
RULocation1:USER:COUNT?
Queries the number of users for RU 1.
//Result: 2
```

Usage: Query only

Manual operation: See "User Index" on page 154
See "User Index" on page 162

**CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:CODing <Type>**

The type of coding used by the PPDU

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
<mu>	1 to 8 User index for RU in MIMO mode

Parameters:

<Type>	1 LDPC is used
	0 BCC is used

Example:

```
:CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1:
RULocation1:USER1:CODing?
//Result: 0
```

Manual operation: See "Coding" on page 155
See "Coding" on page 163

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:DCM <Type>**

Defines the use of dual carrier modulation for the specified user.

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
<mu>	1 to 8 User index for RU in MIMO mode

Parameters:

<Type>	ON OFF 0 1 OFF 0 DCM not used ON 1 DCM is used *RST: 0
--------	-----------------------------------------------------------------------------------------------

Example: :CONFigure:WLAN:RUConfig:SEGment1:CHANnel1:
RULocation1:USER1:DCM?
//Result: 0

Manual operation: See "[DCM](#)" on page 155
See "[DCM](#)" on page 163

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:DELeTe**

Deletes the selected user (station) from the HE Multi-User Downlink PPDU configuration table (for **MIMO** configuration only).

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
<mu>	1 to 8 User index for RU in MIMO mode

Example: `CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1:RULocation1:USER1:DELEte`
Deletes User 1 for the RU 1.

Usage: Event

Manual operation: See "[Delete User](#)" on page 155
See "[Delete User](#)" on page 164

CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:INSert

For **HE Multi-User Downlink PPDUs** that support **MIMO** only:

Adds another user (station) for the selected resource unit (RU) to the configuration table.

A maximum of 8 users can be assigned to a single resource unit in MIMO mode.

Is only available for RU sizes of at least 106 subcarriers.

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
<mu>	1 to 8 User index for RU in MIMO mode

Example: `CONFigure:WLAN:RUConfig:SEGMENT1:CHANnel1:RULocation1:USER1:INSert`
Inserts a new user (User 1) under the default User 0 for the RU 1.

Usage: Event

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Manual operation: See "Insert User" on page 155
See "Insert User" on page 164

**CONFigure:WLAN:RUConfig:SEGment<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:MCSindex <ModCodInd>**

Modulation and Coding Scheme (MCS) index of the PPDU

Suffix:

<seg> 1 | 2 | 3 | 4
80-MHz-segment to be configured
Segment 1: first 80 MHz of the channel
Segment 2: next 80 MHz of the channel (for **160 MHz** channels and **MU-PPDU (DL)** only)
Segment 3 + 4: only for **320 MHz** channels and **EHT MU-PPDU (DL)**

<ch> 1 to 4
20-MHz-subchannel (=242 subcarriers) that RU allocation applies to

<cf> 1 to 9
Index of the entry in the RU allocation table

<mu> 1 to 8
User index for RU in MIMO mode

Parameters:

<ModCodInd> integer
Modulation and Coding Scheme (MCS) index of the PPDU
Range: 0 to 11

Example: :CONFigure:WLAN:RUConfig:SEGment1:CHANnel1:
RULocation1:USER1:MCSindex?
//Result: 0

Manual operation: See "MCS Index" on page 154
See "MCS Index" on page 163

MCS index	Modulation and coding scheme
0	BPSK 1/2
1	QPSK 1/2
2	QPSK 3/4
3	16-QAM 1/2
4	16-QAM 3/4
5	64-QAM 2/3
6	64-QAM 3/4
7	64-QAM 5/6

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

MCS index	Modulation and coding scheme
8	256-QAM 3/4
9	256-QAM 5/6
10	1024-QAM 3/4
11	1024-QAM 5/6

**CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:NSTS <NoStreams>**

For **MIMO** measurements only:

Number of space-time streams (NSTS) for each user

Suffix:

<seg> 1 | 2 | 3 | 4
 80-MHz-segment to be configured
 Segment 1: first 80 MHz of the channel
 Segment 2: next 80 MHz of the channel (for **160 MHz** channels
 and **MU-PPDU (DL)** only)
 Segment 3 + 4: only for **320 MHz** channels and **EHT MU-PPDU
 (DL)**

<ch> 1 to 4
 20-MHz-subchannel (=242 subcarriers) that RU allocation
 applies to

<cf> 1 to 9
 Index of the entry in the RU allocation table

<mu> 1 to 8
 User index for RU in MIMO mode

Parameters:

<NoStreams> Number of space-time streams (NSTS) for each user
 Range: 1 to 8

Example:

```
CONFigure:WLAN:RUConfig:SEGMent1:CHANnel1:
RULocation1:USER1:NSTS?
//Result: 1
```

Manual operation: See "[Nsts per User](#)" on page 154
 See "[Nsts per User](#)" on page 163

**CONFigure:WLAN:RUConfig:SEGMent<seg>:CHANnel<ch>:RULocation<cf>:
USER<mu>:TBEamforming <State>**

Defines whether transmit beamforming is used.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Suffix:

<seg>	1 2 3 4 80-MHz-segment to be configured Segment 1: first 80 MHz of the channel Segment 2: next 80 MHz of the channel (for 160 MHz channels and MU-PPDU (DL) only) Segment 3 + 4: only for 320 MHz channels and EHT MU-PPDU (DL)
<ch>	1 to 4 20-MHz-subchannel (=242 subcarriers) that RU allocation applies to
<cf>	1 to 9 Index of the entry in the RU allocation table
<mu>	1 to 8 User index for RU in MIMO mode

Parameters:

<State>	ON OFF 0 1 OFF 0 No beamforming applied ON 1 Beamforming is applied *RST: 0
---------	--------------------------------------------------------------------------------------------------------------------

Example: :CONFigure:WLAN:RUConfig:SEGment1:CHANnel1:
 RULocation1:USER1:TBEamforming?
 //Result: 0

Manual operation: See ["TX Beamforming"](#) on page 155
 See ["TX Beamforming"](#) on page 163

9.5.7.3 MIMO demodulation commands

The following commands are required for WLAN 802.11 standards that support MIMO only.

CONFigure:WLAN:SMAPping:MODE.....	303
CONFigure:WLAN:SMAPping:NORMalise.....	304
CONFigure:WLAN:SMAPping:TX<ch>.....	304
CONFigure:WLAN:SMAPping:TX<ch>:STReam<ant>.....	304
CONFigure:WLAN:SMAPping:TX<ch>:TIMeshift.....	305

CONFigure:WLAN:SMAPping:MODE <Mode>

This remote control command specifies the special mapping mode.

Parameters:

<Mode>	DIRect SEXPansion USER
--------	----------------------------

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

DIRect

direct

SEXPansion

expansion

USER

user defined

Manual operation: See "[Spatial Mapping Mode](#)" on page 172

CONFigure:WLAN:SMAPPing:NORMalise <State>

This remote control command specifies whether an amplification of the signal power due to the spatial mapping is performed according to the matrix entries. If this command is set to ON then the spatial mapping matrix is scaled by a constant factor to obtain a passive spatial mapping matrix which does not increase the total transmitted power. If this command is set to OFF the normalization step is omitted.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
 Switches the function off
ON | 1
 Switches the function on
 *RST: 0

Manual operation: See "[Power Normalise](#)" on page 173

CONFigure:WLAN:SMAPPing:TX<ch> <STSI>...

This remote control command specifies the mapping for all streams (real & imaginary data pairs) and timeshift for a specified antenna.

Suffix:

<ch> 1..n

Parameters:

<STSI> Imag part of the complex element of the STS-Stream

Example:

```
CONF:WLAN:SMAP:TX
1.0,1.0,2.0,2.0,3.0,3.0,4.0,4.0,1e-9
```

Manual operation: See "[User Defined Spatial Mapping](#)" on page 173

CONFigure:WLAN:SMAPPing:TX<ch>:STReam<ant> <STSI>, <STSQ>

This remote control command specifies the mapping for a specific stream and antenna.

Suffix:

<ch> 1..n

<ant> 1..n

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<STSI> Imag part of the complex element of the STS-Stream

<STSQ> Real part of the complex element of the STS-Stream

Example: CONF:WLAN:SMAP:TX4:STR1 1.0,1.0

Manual operation: See "[User Defined Spatial Mapping](#)" on page 173

CONFigure:WLAN:SMAPping:TX<ch>:TIMeshift <TimeShift>

This remote control command specifies the timeshift for a specific antenna.

Suffix:

<ch> 1..n

Parameters:

<TimeShift> Time shift (in s) for specification of user defined CSD (cyclic delay diversity) for the Spatial Mapping.

Range: -32 ns to 32 ns

Default unit: S

Manual operation: See "[User Defined Spatial Mapping](#)" on page 173

9.5.8 Evaluation range

The evaluation range defines which data is evaluated in the result display.

Note that, as opposed to manual operation, the PPDU's to be analyzed can be defined either by the number of data symbols, the number of data bytes, or the measurement duration.

CONFigure:BURSt:PVT:AVERage	306
CONFigure:BURSt:PVT:RPOWer	306
CONFigure:WLAN:PAYLoad:LENGth:SRC	306
CONFigure:WLAN:PVERror:MRANge	306
[SENSe:]BURSt:COUNt	307
[SENSe:]BURSt:COUNt:STATe	307
[SENSe:]BURSt:SELEct	307
[SENSe:]BURSt:SELEct:STATe	308
[SENSe:]DEMod:FORMat:BANalyze:DBYtes:EQUal	308
[SENSe:]DEMod:FORMat:BANalyze:DBYtes:MAX	309
[SENSe:]DEMod:FORMat:BANalyze:DBYtes:MIN	309
[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal	309
[SENSe:]DEMod:FORMat:BANalyze:DURation:MAX	310
[SENSe:]DEMod:FORMat:BANalyze:DURation:MIN	310
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:EQUal	310
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe	311
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth	311
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MAX	312

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:MIN.....	312
[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:OFFSet.....	313
[SENSe:]SWEep:LIMit:ABORt:STATe.....	313

CONFigure:BURSt:PVT:AVERAge <Value>

Defines the number of samples used to adjust the length of the smoothing filter for PVT measurement.

Is **only** available for **IEEE 802.11b, g (DSSS)** standards.

Parameters:

<Value>

Manual operation: See "[PVT \[:\] Average Length](#)" on page 178

CONFigure:BURSt:PVT:RPOWER <Mode>

This remote control command configures the use of either mean or maximum PPDU power as a reference power for the 802.11b, g (DSSS) PVT measurement.

Parameters:

<Mode> MEAN | MAXimum

Manual operation: See "[PVT : Reference Power](#)" on page 178

CONFigure:WLAN:PAYLoad:LENGth:SRC <Source>

Defines which payload length is used to determine the minimum or maximum number of required data symbols (**IEEE 802.11n, ac**).

Parameters:

<Source> ESTimate | HTSignal | LSiGnal | SFieLd

ESTimate

Uses a length estimated from the input signal

HTSignal

(**IEEE811.02 n**)

Determines the length of the HT signal (from the signal field)

LSiGnal

(**IEEE811.02 ac**)

Determines the length of the L signal (from the signal field)

Manual operation: See "[Source of Payload Length](#)" on page 175

CONFigure:WLAN:PVERror:MRANge <Range>

This remote control command defines or queries whether the Peak Vector Error results are calculated over the complete PPDU or just over the PSDU.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Is supported for **802.11b** and **802.11g (DSSS)** only.

Parameters:

<Range> ALL | PSDU
ALL
 Peak Vector Error results are calculated over the complete PPDU
PSDU
 Peak Vector Error results are calculated over the PSDU only

Manual operation: See "[Peak Vector Error : Meas Range](#)" on page 178

[SENSe:]BURSt:COUNt <Value>

If the statistic count is enabled (see [\[SENSe:\]BURSt:COUNt:STATe](#) on page 307), the specified number of PPDU's is taken into consideration for the statistical evaluation (maximally the number of PPDU's detected in the current capture buffer).

If disabled, all detected PPDU's in the current capture buffer are considered.

Parameters:

<Value> integer
 *RST: 1

Example:
 SENS:BURS:COUN:STAT ON
 SENS:BURS:COUN 10

Manual operation: See "[PPDU Statistic Count / No of PPDU's to Analyze](#)" on page 175

[SENSe:]BURSt:COUNt:STATe <State>

If the statistic count is enabled, the specified number of PPDU's is taken into consideration for the statistical evaluation (maximally the number of PPDU's detected in the current capture buffer).

If disabled, all detected PPDU's in the current capture buffer are considered.

Parameters:

<State> ON | OFF | 1 | 0
 *RST: 0

Example:
 SENS:BURS:COUN:STAT ON
 SENS:BURS:COUN 10

Manual operation: See "[PPDU Statistic Count / No of PPDU's to Analyze](#)" on page 175

[SENSe:]BURSt:SELEct <Value>

If single PPDU analysis is enabled (see [\[SENSe:\]BURSt:SELEct:STATe](#) on page 308), the WLAN 802.11 I/Q results are based on the specified PPDU.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

If disabled, all detected PPDU's in the current capture buffer are evaluated.

Parameters:

<Value> integer
*RST: 1

Example:

```
SENS:BURS:SEL:STAT ON
SENS:BURS:SEL 2
```

Results are based on the PPDU number 2 only.

Manual operation: See "[Analyze this PPDU / PPDU to Analyze](#)" on page 174

[SENSe:]BURSt:SElect:STATe <State>

Defines the evaluation basis for result displays.

Note that this setting is only applicable *after* a measurement has been performed.

Parameters:

<State> ON | OFF | 0 | 1

OFF | 0

All detected PPDU's in the current capture buffer are evaluated.

ON | 1

The WLAN 802.11 I/Q results are based on one individual PPDU only, namely the defined using [\[SENSe:\]BURSt:SElect](#) on page 307. As soon as a new measurement is started, the evaluation range is reset to all PPDU's in the current capture buffer.

*RST: 0

Example:

```
SENS:BURS:SEL:STAT ON
SENS:BURS:SEL 2
```

Results are based on the PPDU number 2 only.

Manual operation: See "[Analyze this PPDU / PPDU to Analyze](#)" on page 174

[SENSe:]DEMod:FORMat:BANalyze:DBYTes:EQUal <State>

For IEEE 802.11b and g (DSSS) signals only:

If **enabled**, only PPDU's with a **specific** payload length are considered for measurement analysis.

If **disabled**, only PPDU's whose length is within a specified **range** are considered.

The payload length is specified by the [\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:MIN](#) command.

A payload length **range** is defined as a minimum and maximum number of symbols the payload may contain (see [\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:MAX](#) on page 309 and [\[SENSe:\]DEMod:FORMat:BANalyze:DBYTes:MIN](#)).

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<State> ON | OFF | 1 | 0
 *RST: 0

Manual operation: See "[Equal PPDU Length](#)" on page 175

[SENSe:]DEMod:FORMat:BANalyze:DBYtes:MAX <NumDataBytes>

If the `[SENSe:]DEMod:FORMat:BANalyze:DBYtes:EQUal` command is set to **false**, this command specifies the maximum number of data bytes allowed for a PPDU to take part in measurement analysis.

If the `[SENSe:]DEMod:FORMat:BANalyze:DBYtes:EQUal` command is set to **true**, then this command has no effect.

Parameters:

<NumDataBytes> *RST: 64
 Default unit: bytes

Manual operation: See "[\(Min./Max.\) Payload Length](#)" on page 178

[SENSe:]DEMod:FORMat:BANalyze:DBYtes:MIN <NumDataBytes>

For **IEEE 802.11b and g (DSSS)** signals only:

If the `[SENSe:]DEMod:FORMat:BANalyze:DBYtes:EQUal` command is set to **true**, then this command specifies the exact number of data bytes a PPDU must have to take part in measurement analysis.

If the `[SENSe:]DEMod:FORMat:BANalyze:DBYtes:EQUal` command is set to **false**, this command specifies the minimum number of data bytes required for a PPDU to take part in measurement analysis.

Parameters:

<NumDataBytes> *RST: 1
 Default unit: bytes

Manual operation: See "[\(Min./Max.\) Payload Length](#)" on page 178

[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal <State>

For **IEEE 802.11b and g (DSSS)** signals only:

If **enabled**, only PPDU's with a **specific** duration are considered for measurement analysis.

If **disabled**, only PPDU's whose duration is within a specified **range** are considered.

The duration is specified by the `[SENSe:]DEMod:FORMat:BANalyze:DURation:MIN` command.

A duration **range** is defined as a minimum and maximum duration the PPDU may have (see `[SENSe:]DEMod:FORMat:BANalyze:DURation:MAX` and `[SENSe:]DEMod:FORMat:BANalyze:DURation:MIN`).

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<State> ON | OFF | 1 | 0
 *RST: 0

Manual operation: See "[Equal PPDU Length](#)" on page 175

[SENSe:]DEMod:FORMat:BANalyze:DURation:MAX <Duration>

For IEEE 802.11b and g (DSSS) signals only:

If the `[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal` command is set to **false**, this command specifies the maximum number of symbols allowed for a PPDU to take part in measurement analysis.

If the `[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal` command is set to **true**, then this command has no effect.

Parameters:

<Duration> *RST: 5464
 Default unit: us

Manual operation: See "[\(Min./Max.\) Payload Length](#)" on page 178

[SENSe:]DEMod:FORMat:BANalyze:DURation:MIN <Duration>

For IEEE 802.11b and g (DSSS) signals only:

If the `[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal` command is set to **true** then this command specifies the **exact** duration required for a PPDU to take part in measurement analysis.

If the `[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal` command is set to **false** this command specifies the **minimum** duration required for a PPDU to take part in measurement analysis.

Parameters:

<Duration> *RST: 1
 Default unit: us

Manual operation: See "[\(Min./Max.\) Payload Length](#)" on page 178

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:EQUal <State>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

If **enabled**, only PPDU's with a **specific** number of symbols are considered for measurement analysis.

If **disabled**, only PPDU's whose length is within a specified **range** are considered.

The number of symbols is specified by the `[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MIN` command.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

A **range** of data symbols is defined as a minimum and maximum number of symbols the payload may contain (see [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:MAX](#) on page 312 and [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:MIN](#) on page 312).

Parameters:

<State> ON | OFF | 1 | 0
*RST: 0

Manual operation: See ["Equal PPDU Length"](#) on page 175

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe <State>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

If **enabled**, the number of PPDU data symbols after the "Analysis Interval Offset" which are to be analyzed can be specified (see [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:LENGth](#) on page 311).

If **disabled**, all PPDU data symbols after the "Analysis Interval Offset" are evaluated.

Parameters:

<State> ON | OFF | 0 | 1
OFF | 0
Switches the function off
ON | 1
Switches the function on
*RST: 1

Example:

```
SENS:DEMod:FORMat:BANalyze:SYMB:OFFS 10
PPDUs are analyzed after the 10th symbol in the PPDU.
SENS:DEMod:FORMat:BANalyze:SYMB:LENG:STAT OFF
PPDUs are analyzed after the symbol offset (10) until the end of
each PPDU.
SENS:DEMod:FORMat:BANalyze:SYMB:LENG 100
100 symbols after the symbol offset (10-110) are analyzed in
each PPDU.
```

Manual operation: See ["Analysis Interval Offset/Analysis Interval Length"](#) on page 176

[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth <NumDataSymbols>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

If the [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe](#) command is set to **false**, this command specifies the number of PPDU data symbols after the Analysis Interval Offset (see [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:OFFSet](#) on page 313) which are to be analyzed.

If the [\[SENSe:\]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe](#) command is set to **true**, then this command has no effect.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<NumDataSymbols> Range: 0 to 10000
*RST: 0

Example:

```
SENS:DEM:FORM:BAN:SYMB:OFFS 10
SENS:DEM:FORM:BAN:SYMB:LENG:STAT OFF
SENS:DEM:FORM:BAN:SYMB:LENG 100
```

Manual operation: See "[Analysis Interval Offset/Analysis Interval Length](#)" on page 176

[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:MAX <NumDataSymbols>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

If the `[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:EQual` command is set to **false**, this command specifies the maximum number of payload symbols allowed for a PPDU to take part in measurement analysis.

The number of payload symbols is defined as the uncoded bits including service and tail bits.

If the `[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:EQual` command has been set to **true**, then this command has no effect.

Parameters:

<NumDataSymbols> integer
*RST: 64

Manual operation: See "[\(Min./Max.\) No. of Data Symbols](#)" on page 176

[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:MIN <NumDataSymbols>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

If the `[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:EQual` command has been set to **true**, then this command specifies the exact number of payload symbols a PPDU must have to take part in measurement analysis.

If the `[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:EQual` command is set to **false**, this command specifies the minimum number of payload symbols required for a PPDU to take part in measurement analysis.

The number of payload symbols is defined as the uncoded bits including service and tail bits.

Parameters:

<NumDataSymbols> integer
*RST: 1

Example:

```
SENS:DEM:FORM:BAN:SYMB:EQU ON
SENS:DEMO:FORM:BANA:SYMB:MIN
```

Manual operation: See "[\(Min./Max.\) No. of Data Symbols](#)" on page 176

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]DEMod:FORMat:BANalyze:SYMBOLs:OFFSet <NumDataSymbols>

For IEEE 802.11a, ac, g (OFDM), j, n, p signals only:

Specifies the number of data symbols from the start of each PPDU that are to be skipped before symbols take part in analysis.

Parameters:

<NumDataSymbols> integer

Range: 0 to 10000

*RST: 0

Example:

SENS:DEM:FORM:BAN:SYMB:OFFS 10

PPDUs are analyzed after the 10th symbol in the PPDU.

SENS:DEM:FORM:BAN:SYMB:OFFS 0

PPDUs are analyzed with a symbol offset of 0, i.e. starting with the first symbol

Manual operation: See "[Analysis Interval Offset/Analysis Interval Length](#)" on page 176

[SENSe:]SWEep:LIMit:ABORt:STATe <State>

Determines the behavior of the application after a limit check fails.

Parameters:

<State> ON | OFF | 0 | 1

OFF | 0

A limit check has no effects on the measurement.

ON | 1

The measurement is stopped if the limit check fails at any time during the measurement.

*RST: 0

Example:

SWE:LIM:ABOR:STAT ON

Manual operation: See "[Stop RUN on Limit Check Fail](#)" on page 175

9.5.9 Limits

The following commands are required to define the limits against which the individual parameter results are checked. Principally, the limits are defined in the WLAN 802.11 standards. However, you can change the limits for your own test cases and reset the limits to the standard values later. Note that changing limits is currently only possible via remote control, not manually via the user interface.

The commands required to retrieve the limit check results are described in [Chapter 9.9.1.3, "Limit check results"](#), on page 370.

Useful commands for defining limits described elsewhere:

- [UNIT:EVM](#) on page 369

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

- [UNIT:GIMBalance](#) on page 369

Remote commands exclusive to defining limits:

CALCulate<n>:LIMit:BURSt:ALL	314
CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge]	315
CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum	315
CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge]	315
CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum	315
CALCulate<n>:LIMit:BURSt:EVM:PILOt[:AVERAge]	316
CALCulate<n>:LIMit:BURSt:EVM:PILOt:MAXimum	316
CALCulate<n>:LIMit:BURSt:EVM[:AVERAge]	316
CALCulate<n>:LIMit:BURSt:EVM:MAXimum	316
CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge]	316
CALCulate<n>:LIMit:BURSt:FERRor:MAXimum	316
CALCulate<n>:LIMit:BURSt:IQOFFset[:AVERAge]	317
CALCulate<n>:LIMit:BURSt:IQOFFset:MAXimum	317
CALCulate<n>:LIMit:BURSt:SYMBOLerror[:AVERAge]	317
CALCulate<n>:LIMit:BURSt:SYMBOLerror:MAXimum	317
CALCulate<n>:LIMit:BURSt:TFALI[:AVERAge]	317
CALCulate<n>:LIMit:BURSt:TFALI:MAXimum	317
CALCulate<n>:LIMit:BURSt:TRISe[:AVERAge]	318
CALCulate<n>:LIMit:BURSt:TRISe:MAXimum	318

CALCulate<n>:LIMit:BURSt:ALL <Limits>...

Sets or returns the limit values for the parameters determined by the default WLAN measurement all in one step.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

To define individual limit values use the individual
CALCulate<n>:LIMit<k>:BURSt... commands.

Note that the units for the EVM and gain imbalance parameters must be defined in advance using the following commands:

- [UNIT:EVM](#) on page 369
- [UNIT:GIMBalance](#) on page 369

Suffix:

<n>	Window
	1..n

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Limits>

The parameters are input or output as a list of (ASCII) values separated by ',' in the following order:

<average CF error>, <max CF error>, <average symbol clock error>, <max symbol clock error>, <average I/Q offset>, <maximum I/Q offset>, <average EVM all carriers>, <max EVM all carriers>, <average EVM data carriers>, <max EVM data carriers> <average EVM pilots>, <max EVM pilots>

CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum <Limit>

Sets or queries the average or maximum error vector magnitude limit for all carriers as determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n>

Window

1..n

Parameters:

<Limit>

numeric value in dB

The unit for the EVM parameters can be changed in advance using [UNIT:EVM](#) on page 369.

Default unit: DB

CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum <Limit>

Sets or queries the average or maximum error vector magnitude limit for the data carrier determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n>

Window

1..n

Parameters:

<Limit>

numeric value in dB

The unit for the EVM parameters can be changed in advance using [UNIT:EVM](#) on page 369.

Default unit: DB

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

CALCulate<n>:LIMit:BURSt:EVM:PILot[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:EVM:PILot:MAXimum <Limit>

Sets or queries the average or maximum error vector magnitude limit for the pilot carriers determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Parameters:

<Limit> numeric value in dB
The unit for the EVM parameters can be changed in advance using [UNIT:EVM](#) on page 369.

Default unit: DB

CALCulate<n>:LIMit:BURSt:EVM[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:EVM:MAXimum <Limit>

Sets or queries the average or maximum error vector magnitude limit determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Is only available for **IEEE 802.11b and g (DSSS)**.

Suffix:

<n> [Window](#)

 1..n

Parameters:

<Limit> numeric value in dB
The unit for the EVM parameters can be changed in advance using [UNIT:EVM](#) on page 369.

Default unit: PCT

CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:FERRor:MAXimum <Limit>

Sets or queries the average or maximum center frequency error limit determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Limit> numeric value in Hertz
 Default unit: HZ

CALCulate<n>:LIMit:BURSt:IQOFFset[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:IQOFFset:MAXimum <Limit>

Sets or queries the average or maximum I/Q offset error limit determined by the default WLAN measurement..

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Parameters:

<Limit> Range: -1000000 to 1000000
 Default unit: DB

CALCulate<n>:LIMit:BURSt:SYMBOLerror[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:SYMBOLerror:MAXimum <Limit>

Sets or queries the average or maximum symbol clock error limit determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Parameters:

<Limit> numeric value in parts per million
 Default unit: PPM

CALCulate<n>:LIMit:BURSt:TFALI[:AVERAge] <Limit>

CALCulate<n>:LIMit:BURSt:TFALI:MAXimum <Limit>

Sets or queries the average or maximum fall time limit for the data carrier determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

Parameters:

<Limit> Default unit: S

CALCulate<n>:LIMit:BURSt:TRISe[:AVERage] <Limit>

CALCulate<n>:LIMit:BURSt:TRISe:MAXimum <Limit>

Sets or queries the average or maximum rise time limit for the data carrier determined by the default WLAN measurement.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Suffix:

<n> [Window](#)

 1..n

Parameters:

<Limit> Default unit: S

9.5.10 Automatic settings

Useful commands for automatic configuration described elsewhere:

- [CONFigure:POWer:AUTO](#) on page 250
- [CONFigure:POWer:AUTO:SWEep:TIME](#) on page 251

Remote commands exclusive to automatic configuration:

[SENSe:]ADJust:CONFigure:HYSTeresis:LOWer	318
[SENSe:]ADJust:CONFigure:HYSTeresis:UPPer	319
[SENSe:]ADJust:CONFigure:LEVel:DURation	319
[SENSe:]ADJust:CONFigure:LEVel:DURation:MODE	319
[SENSe:]ADJust:LEVel	320

[SENSe:]ADJust:CONFigure:HYSTeresis:LOWer <Threshold>

Parameters:

<Threshold> Range: 0 dB to 200 dB
 *RST: +1 dB
 Default unit: dB

Example:

SENS:ADJ:CONF:HYST:LOW 2

For an input signal level of currently 20 dBm, the reference level is only adjusted when the signal level falls below 18 dBm.

Configuring the WLAN IQ measurement (modulation accuracy, flatness and tolerance)

[SENSe:]ADJust:CONFigure:HYSTeresis:UPPer <Threshold>

Parameters:

<Threshold> Range: 0 dB to 200 dB
 *RST: +1 dB
 Default unit: dB

Example: SENS:ADJ:CONF:HYST:UPP 2

Example: For an input signal level of currently 20 dBm, the reference level is only adjusted when the signal level rises above 22 dBm.

[SENSe:]ADJust:CONFigure:LEVel:DURation <Duration>

To determine the ideal reference level, the R&S FSV/A performs a measurement on the current input data. This command defines the length of the measurement if [\[SENSe:\]ADJust:CONFigure:LEVel:DURation:MODE](#) is set to MANual.

Parameters:

<Duration> Numeric value in seconds
 Range: 0.001 to 16000.0
 *RST: 0.001
 Default unit: s

Example: ADJ:CONF:DUR:MODE MAN
 Selects manual definition of the measurement length.
 ADJ:CONF:LEV:DUR 5ms
 Length of the measurement is 5 ms.

Manual operation: See "[Changing the Automatic Measurement Time \(Meas Time Manual\)](#)" on page 187

[SENSe:]ADJust:CONFigure:LEVel:DURation:MODE <Mode>

To determine the ideal reference level, the R&S FSV/A performs a measurement on the current input data. This command selects the way the R&S FSV/A determines the length of the measurement .

Parameters:

<Mode> **AUTO**
 The R&S FSV/A determines the measurement length automatically according to the current input data.

MANual
 The R&S FSV/A uses the measurement length defined by [\[SENSe:\]ADJust:CONFigure:LEVel:DURation](#) on page 319.
 *RST: AUTO

Configuring frequency sweep measurements on WLAN 802.11 signals

Manual operation: See "Resetting the Automatic Measurement Time (Meas Time Auto)" on page 187
See "Changing the Automatic Measurement Time (Meas Time Manual)" on page 187

[SENSe:]ADJust:LEVel

Initiates a single (internal) measurement that evaluates and sets the ideal reference level for the current input data and measurement settings. Thus, the settings of the RF attenuation and the reference level are optimized for the signal level. The R&S FSV/A is not overloaded and the dynamic range is not limited by an S/N ratio that is too small.

Example: ADJ:LEV

9.6 Configuring frequency sweep measurements on WLAN 802.11 signals

The R&S FSV3 WLAN application uses the functionality of the R&S FSV/A base system (Spectrum application, see the R&S FSV/A User Manual) to perform the WLAN frequency sweep measurements. The R&S FSV3 WLAN application automatically sets the parameters to predefined settings as described in [Chapter 5.4, "Frequency sweep measurements"](#), on page 188.

The WLAN RF measurements must be activated for a measurement channel in the R&S FSV3 WLAN application, see [Chapter 9.3, "Activating WLAN 802.11 measurements"](#), on page 211.

For details on configuring these RF measurements in a remote environment, see the Remote Commands chapter of the R&S FSV/A User Manual.

Remote commands exclusive to RF measurements in the R&S FSV3 WLAN application:

CONFigure:BURSt:SPECTrum:MASK:SElect.....	320
[SENSe:]POWer:SEM.....	320
[SENSe:]POWer:ACHannel:CBWidth.....	323
[SENSe:]POWer:SEM:CLASs.....	323
[SENSe:]FREQuency:SPAN.....	323
[SENSe:]FREQuency:SPAN:FULL.....	323
[SENSe:]FREQuency:START.....	324
[SENSe:]FREQuency:STOP.....	324

CONFigure:BURSt:SPECTrum:MASK:SElect <Standard>

[SENSe:]POWer:SEM <Standard>

Sets the "Spectrum Emission Mask" (SEM) measurement type.

Parameters:

<Standard> IEEE | ETSI | User

Configuring frequency sweep measurements on WLAN 802.11 signals

User

Settings and limits are configured via a user-defined XML file. Load the file using `MMEMoRy:LOAD:SEM:STATe` on page 412.

IEEE

Settings and limits are as specified in the IEEE Std 802.11n™-2009 Figure 20-17—Transmit spectral mask for 20 MHz transmission. For other IEEE standards see the parameter values in the table below.

After a query, `IEEE` is returned for all IEEE standards.

ETSI

Settings and limits are as specified in the ETSI standard.

*RST: IEEE

Example:

POW:SEM ETSI

Table 9-7: Supported IEEE standards

Manual operation	The spectrum emission mask measurement is performed according to the standard	Parameter value
IEEE 802.11n-2009 20M@2.4G	IEEE Std 802.11n™-2009 Figure 20-17—Transmit spectral mask for 20 MHz transmission	IEEE or 'IEEE_2009_20_2_4'
IEEE 802.11n-2009 40M@2.4G	IEEE Std 802.11n™-2009 Figure 20-18—Transmit spectral mask for a 40 MHz channel	'IEEE_2009_40_2_4'
IEEE 802.11n-2009 20M@5G	IEEE Std 802.11n™-2009 Figure 20-17—Transmit spectral mask for 20 MHz transmission	'IEEE_2009_20_5'
IEEE 802.11n-2009 40M@5G	IEEE Std 802.11n™-2009 Figure 20-18—Transmit spectral mask for a 40 MHz channel	'IEEE_2009_40_5'
IEEE 802.11mb/D08 20M@2.4G	IEEE Std 802.11n™-2009 Figure 20-17—Transmit spectral mask for 20 MHz transmission IEEE Draft P802.11-REVMb™/D8.0, March 2011 Figure 19-17—Transmit spectral mask for 20 MHz transmission in the 2.4 GHz band	'IEEE_D08_20_2_4'
IEEE 802.11mb/D08 40M@2.4G	IEEE Std 802.11n™-2009 Figure 20-18—Transmit spectral mask for a 40 MHz channel IEEE Draft P802.11-REVMb™/D8.0, March 2011 Figure 19-18—Transmit spectral mask for a 40 MHz channel in the 2.4 GHz band	'IEEE_D08_40_2_4'
IEEE 802.11mb/D08 20M@5G	IEEE Draft P802.11-REVMb™/D8.0, March 2011 Figure 19-19—Transmit spectral mask for 20 MHz transmission in the 5 GHz band	'IEEE_D08_20_5'
IEEE 802.11mb/D08 40M@5G	IEEE Draft P802.11-REVMb™/D8.0, March 2011 Figure 19-20—Transmit spectral mask for a 40 MHz channel in the 5 GHz band	'IEEE_D08_40_5'

Configuring frequency sweep measurements on WLAN 802.11 signals

Manual operation	The spectrum emission mask measurement is performed according to the standard	Parameter value
IEEE 802.11ac/D1.1 20M@5G	IEEE P802.11ac™/D1.1, August 2011 Figure 22-17—Transmit spectral mask for a 20 MHz channel	'IEEE_AC_D1_1_20_5'
IEEE 802.11ac/D1.1 40M@5G	IEEE P802.11ac™/D1.1, August 2011 Figure 22-18—Transmit spectral mask for a 40 MHz channel	'IEEE_AC_D1_1_40_5'
IEEE 802.11ac/D1.1 80M@5G	IEEE P802.11ac™/D1.1, August 2011 Figure 22-19—Transmit spectral mask for a 80 MHz channel	'IEEE_AC_D1_1_80_5'
IEEE 802.11ax-2021 20M@5G	IEEE Std 802.11ax-2021 Figure 27-47—Example transmit spectral mask for a 20 MHz mask PPDU	'IEEE_AX_2021_20'
IEEE 802.11ax-2021 40M@5G	IEEE Std 802.11ax-2021 Figure 27-48—Example transmit spectral mask for a 40 MHz mask PPDU	'IEEE_AX_2021_40'
IEEE 802.11ax-2021 80M@5G	IEEE Std 802.11ax-2021 Figure 27-49—Example transmit spectral mask for an 80 MHz mask PPDU	'IEEE_AX_2021_80'
IEEE 802.11ax-2021 160M@5G	IEEE Std 802.11ax-2021 Figure 27-50—Example transmit spectral mask for a 160 MHz mask PPDU	'IEEE_AX_2021_160'
IEEE 802.11be/D1.4 20M@5G	IEEE Std 802.11be/D1.4 January 2022 Figure 36-64—Example transmit spectral mask for a 20 MHz mask PPDU	'IEEE_BE_D1_4_20'
IEEE 802.11be/D1.4 40M@5G	IEEE Std 802.11be/D1.4 January 2022 Figure 36-65—Example transmit spectral mask for a 40 MHz mask PPDU	'IEEE_BE_D1_4_40'
IEEE 802.11be/D1.4 80M@5G	IEEE Std 802.11 be/D1.4 January 2022 Figure 36-66—Example transmit spectral mask for an 80 MHz mask PPDU	'IEEE_BE_D1_4_80'
IEEE 802.11be/D1.4 160M@5G	IEEE Std 802.11 be/D1.4 January 2022 Figure 36-67—Example transmit spectral mask for a 160 MHz mask PPDU	'IEEE_BE_D1_4_160'
IEEE 802.11be/D1.4 320M@5G	IEEE Std 802.11 be/D1.4 January 2022 Figure 36-68—Example transmit spectral mask for a 320 MHz mask PPDU	'IEEE_BE_D1_4_320'
IEEE 802.11ad-2016 2160M@60G	IEEE Std 802.11-2016 Figure 20-1—Transmit mask	'IEEE_AD_2016_2160'
IEEE 802.11ay/D7.0 2160M@60G	IEEE Std 802.11ay/D7.0 December 2020 IEEE Std 802.11-2016 Figure 20-1—Transmit mask	'IEEE_AD_2016_2160'
IEEE 802.11ay/D7.0 4320M@60G	IEEE Std 802.11ay/D7.0 December 2020 Figure 28-8 – Example transmit spectral mask for a 4.32 GHz mask PPDU	'IEEE_AY_D7_0_4320'
IEEE 802.11ay/D7.0 6480M@60G	IEEE Std 802.11ay/D7.0 December 2020 Figure 28-9 – Example transmit spectral mask for a 6.48 GHz mask PPDU	'IEEE_AY_D7_0_6480'
IEEE 802.11ay/D7.0 8640M@60G	IEEE Std 802.11ay/D7.0 December 2020 Figure 28-10 – Example transmit spectral mask for an 8.64 GHz mask PPDU	'IEEE_AY_D7_0_8640'

[SENSe:]POWer:ACHannel:CBWidth <ChannelBandwidth>

Sets the channel bandwidth to be applied for the "Spectrum Emission Mask" measurement.

Parameters:

<ChannelBandwidth> BW2_5 | BW5 | BW10 | BW20 | BW40 | BW80 | BW160 | BW320

BW2_5

2.5 MHz

BW5

5 MHz

BW10

10 MHz

BW20

20 MHz

BW40

40 MHz

(Requires a bandwidth extension option.)

BW80

80 MHz

(Requires a bandwidth extension option.)

BW160

160 MHz

(Requires a bandwidth extension option.)

[SENSe:]POWer:SEM:CLASs <Index>

Sets the "Spectrum Emission Mask" (SEM) power class index. The index represents the power classes to be applied. The index is directly related to the entries displayed in the power class drop-down box, within the SEM settings configuration page.

Parameters:

<Index> *RST: 0

**[SENSe:]FREQuency:SPAN **

Defines the frequency span.

Parameters:

 The minimum span for measurements in the frequency domain is 10 Hz.

Range: 0 Hz to fmax

*RST: Full span

Default unit: Hz

[SENSe:]FREQuency:SPAN:FULL

Restores the full span.

[SENSe:]FREQuency:STARt <Frequency>

Parameters:

<Frequency> 0 to (fmax - min span)
 *RST: 0
 Default unit: HZ

Example: `FREQ:STAR 20MHz`

[SENSe:]FREQuency:STOP <Frequency>

Parameters:

<Frequency> min span to fmax
 *RST: fmax
 Default unit: HZ

Example: `FREQ:STOP 2000 MHz`

9.7 Configuring the result display

The following commands are required to configure the screen display in a remote environment. The corresponding tasks for manual operation are described in [Chapter 5.2, "Display configuration"](#), on page 104.



The suffix <n> in the following remote commands represents the window (1..16) in the currently selected measurement channel.

- [General window commands](#).....324
- [Working with windows in the display](#).....327
- [Configuring the result summary display](#).....335
- [Configuring the spectrum flatness and group delay result displays](#).....337
- [Configuring the AM/AM result display](#).....337
- [Configuring constellation diagrams](#).....344

9.7.1 General window commands

The following commands are required to configure general window layout, independent of the application.

Note that the suffix <n> always refers to the window *in the currently selected channel* (see `INSTrument[:SELEct]` on page 214).

`DISPlay:FORMat`..... 325
`DISPlay[:WINDow<n>]:SIZE`..... 325
`DISPlay[:WINDow<n>][:SUBWindow<w>]:SELEct`..... 325
`DISPlay[:WINDow<n>]:SUBWindow<w>:SIZE`..... 326
`DISPlay[:WINDow<n>]:TAB<1..n>:SELEct`..... 326

DISPlay:FORMat <Format>

Determines which tab is displayed.

Parameters:

<Format>

SPLit

Displays the MultiView tab with an overview of all active channels

SINGle

Displays the measurement channel that was previously focused.

*RST: SING

Example:

```
DISP:FORM SPL
```

DISPlay[:WINDow<n>]:SIZE <Size>

Maximizes the size of the selected result display window *temporarily*. To change the size of several windows on the screen permanently, use the `LAY:SPL` command (see [LAYout:SPLitter](#) on page 332).

Suffix:

<n>

Window

Parameters:

<Size>

LARGE

Maximizes the selected window to full screen. Other windows are still active in the background.

SMALI

Reduces the size of the selected window to its original size. If more than one measurement window was displayed originally, these are visible again.

*RST: SMALI

Example:

```
DISP:WIND2:SIZE LARG
```

DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect

Sets the focus on the selected result display window.

This window is then the active window.

For measurements with multiple results in subwindows, the command also selects the subwindow. Use this command to select the (sub)window before querying trace data.

Suffix:

<n>

Window

<w>

subwindow

Not supported by all applications

Example:

```
//Put the focus on window 1
```

```
DISP:WIND1:SEL
```

Example: //Put the focus on subwindow 2 in window 1
DISP:WIND1:SUBW2:SEL

DISPlay[:WINDow<n>]:SUBWindow<w>:SIZE <Size>

Maximizes the size of the selected result display subwindow *temporarily*. To change the size of several windows on the screen permanently, use the LAY:SPL command (see LAYout:SPLitter on page 332).

Suffix:

<n> Window

<w> 1..n

Parameters:

<Size> FULL | SPLit

FULL

Maximizes the selected subwindow to full screen. Other windows are still active in the background.

SPLit

Reduces the size of the selected subwindow to its original size. If more than one measurement window was displayed originally, these are visible again.

*RST: SPLit

DISPlay[:WINDow<n>]:TAB<1..n>:SElect [<SUBWindowName>]

Sets the focus on the selected result display subwindow for measurements with multiple result windows (MIMO). The subwindow is selected either by its number (<No> suffix) or by its name (<SubWindowName> parameter).

This window is then the active window.

Use this command to select the (sub)window before querying trace data.

Suffix:

<n> 1..n
Window

<1..n> 1..n
Number of the subwindow

Parameters:

<SUBWindowName> Name of the subwindow

Example: Both the following commands select the same window for a 2-antenna MIMO setup:

```
DISPlay:WINDow2:TAB1:SElect 'Stream 2'
DISPlay:WINDow2:TAB3:SElect
```

9.7.2 Working with windows in the display

The following commands are required to change the evaluation type and rearrange the screen layout for a channel as you do using the SmartGrid in manual operation. Since the available evaluation types depend on the selected application, some parameters for the following commands also depend on the selected channel.

Note that the suffix <n> always refers to the window *in the currently selected channel*.

(See `INSTrument[:SElect]` on page 214).

<code>LAYout:ADD[:WINDow]?</code>	327
<code>LAYout:CATalog[:WINDow]?</code>	330
<code>LAYout:IDENtify[:WINDow]?</code>	330
<code>LAYout:MOVE[:WINDow]</code>	330
<code>LAYout:REMove[:WINDow]</code>	331
<code>LAYout:REPLace[:WINDow]</code>	331
<code>LAYout:SPLitter</code>	332
<code>LAYout:WINDow<n>:ADD?</code>	333
<code>LAYout:WINDow<n>:IDENtify?</code>	333
<code>LAYout:WINDow<n>:REMove</code>	334
<code>LAYout:WINDow<n>:REPLace</code>	334

`LAYout:ADD[:WINDow]?` <WindowName>, <Direction>, <WindowType>

Adds a window to the display in the active channel.

Is always used as a query so that you immediately obtain the name of the new window as a result.

To replace an existing window, use the `LAYout:REPLace[:WINDow]` command.

Query parameters:

<WindowName>	String containing the name of the existing window the new window is inserted next to. By default, the name of a window is the same as its index. To determine the name and index of all active windows, use the <code>LAYout:CATalog[:WINDow]?</code> query.
<Direction>	LEFT RIGHT ABOVE BELOW Direction the new window is added relative to the existing window.
<WindowType>	text value Type of result display (evaluation method) you want to add. See the table below for available parameter values.

Return values:

<NewWindowName>	When adding a new window, the command returns its name (by default the same as its number) as a result.
-----------------	---------------------------------------------------------------------------------------------------------

Example:	LAY:ADD? '1', LEFT, MTAB Result: '2' Adds a new window named '2' with a marker table to the left of window 1.
Usage:	Query only
Manual operation:	See "AM/AM" on page 27 See "AM/PM" on page 28 See "AM/EVM" on page 28 See "Amplitude Tracking" on page 29 See "Bitstream" on page 29 See "Constellation" on page 31 See "Constellation vs Carrier" on page 33 See "EVM vs Carrier" on page 34 See "EVM vs Chip" on page 35 See "EVM vs Symbol" on page 35 See "FFT Spectrum" on page 36 See "Freq. Error vs Preamble" on page 37 See "Gain Imbalance vs Carrier" on page 38 See "Group Delay" on page 39 See "Magnitude Capture" on page 40 See "Phase Error vs Preamble" on page 40 See "Phase Tracking" on page 41 See "PLCP Header (IEEE 802.11b, g (DSSS))" on page 42 See "PvT Full PPDU" on page 43 See "PvT Rising Edge" on page 44 See "PvT Falling Edge" on page 45 See "Quad Error vs Carrier" on page 45 See "Result Summary Detailed" on page 46 See "Result Summary Global" on page 47 See "Signal Content Detailed (IEEE 802.11ax, be)" on page 49 See "Signal Field" on page 50 See "Spectrum Flatness" on page 52 See "Spectrum Flatness Result Summary" on page 54 See "Unused Tone Error" on page 54 See "Unused Tone Error Summary" on page 55 See "Diagram" on page 60 See "Result Summary" on page 61 See "Marker Table" on page 61 See "Marker Peak List" on page 62

Table 9-8: <WindowType> parameter values for WLAN application

Parameter value	Window type
Window types for I/Q data	
AMAM	"AM/AM" (IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be only)
AMEV	"AM/EVM" (IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be only)
AMPM	"AM/PM" (IEEE 802.11a, ac, ax, g (OFDM), j, n, p, be only)

Parameter value	Window type
ATRacking	"Amplitude Tracking" (IEEE 802.11 ac, ax, n, be only)
BITStream	"Bitstream"
CMEMory	"Magnitude Capture"
CONStellation	"Constellation"
CVCarrier	"Constellation vs. Carrier"(IEEE 802.11a, ac, g (OFDM), j, n, p only)
EVCARRIER	"EVM vs. Carrier"(IEEE 802.11a, ac, g (OFDM), j, n, p only)
EVCHip	"EVM vs. Chip" (IEEE 802.11b and g (DSSS) only)
EVSymbol	"EVM vs. Symbol" (IEEE 802.11a, ac, g (OFDM), j, n, p only)
FEVPreamble	"Frequency Error vs. Preamble"
FSPpectrum	"FFT Spectrum"
GAIN	"Gain Imbalance vs. Carrier"
GDElay	"Group Delay" (IEEE 802.11a, ac, g (OFDM), j, n, p only)
PEVPreamble	"Phase Error vs. Preamble"
PFALling	"PvT Falling Edge"
PFPPdu	"PvT Full PPDU"
PRISing	"PvT Rising Edge"
PTRacking	"Phase Tracking vs. Symbol"
QUAD	"Quadrature Error vs. Carrier"
RSDetailed	"Result Summary Detailed" (IEEE 802.11a, ac, g (OFDM), j, n, p only)
RSGlobal	"Result Summary Global"
SCDetailed	"Signal Content Detailed"
SFeld	"Signal Field" (IEEE 802.11a, ac, g (OFDM), j, n, p) "PLCP Header" (IEEE 802.11b and g (DSSS))
SFLatness	"Spectrum Flatness" (IEEE 802.11a, ac, g (OFDM), j, n, p only)
SFSummary	"Spectrum Flatness Result Summary" (IEEE 802.11ax only)""
UTERror	"Unused Tone Error" (IEEE 802.11ax only)
UTESummary	"Unused Tone Error" Summary (IEEE 802.11ax only)
Window types for RF data	
DIAGram	"Diagram" (SEM, ACLR)
MTABLE	"Marker table" (SEM, ACLR)
PEAKlist	"Marker peak list" (SEM, ACLR)
RSUMmary	"Result summary" (SEM, ACLR)

LAYout:CATalog[:WINDow]?

Queries the name and index of all active windows in the active channel from top left to bottom right. The result is a comma-separated list of values for each window, with the syntax:

<WindowName_1>,<WindowIndex_1>..<WindowName_n>,<WindowIndex_n>

Return values:

<WindowName> string
Name of the window.
In the default state, the name of the window is its index.

<WindowIndex> **numeric value**
Index of the window.

Example:

LAY:CAT?

Result:

'2',2,'1',1

Two windows are displayed, named '2' (at the top or left), and '1' (at the bottom or right).

Usage: Query only

LAYout:IDENtify[:WINDow]? <WindowName>

Queries the **index** of a particular display window in the active channel.

Note: to query the **name** of a particular window, use the [LAYout:WINDow<n>:IDENtify?](#) query.

Query parameters:

<WindowName> String containing the name of a window.

Return values:

<WindowIndex> Index number of the window.

Example:

LAY:IDEN:WIND? '2'

Queries the index of the result display named '2'.

Response:

2

Usage: Query only

LAYout:MOVE[:WINDow] <WindowName>, <WindowName>, <Direction>**Setting parameters:**

<WindowName> String containing the name of an existing window that is to be moved.

By default, the name of a window is the same as its index. To determine the name and index of all active windows in the active channel, use the [LAYout:CATalog\[:WINDow\]?](#) query.

<WindowName>	String containing the name of an existing window the selected window is placed next to or replaces. By default, the name of a window is the same as its index. To determine the name and index of all active windows in the active channel, use the LAYout:CATalog[:WINDow]? query.
<Direction>	LEFT RIGHT ABOVE BELOW REPLACE Destination the selected window is moved to, relative to the reference window.
Example:	<code>LAY:MOVE '4', '1', LEFT</code> Moves the window named '4' to the left of window 1.
Example:	<code>LAY:MOVE '1', '3', REPL</code> Replaces the window named '3' by window 1. Window 3 is deleted.
Usage:	Setting only

LAYout:REMOve[:WINDow] <WindowName>

Removes a window from the display in the active channel.

Setting parameters:

<WindowName> String containing the name of the window. In the default state, the name of the window is its index.

Example: `LAY:REM '2'`
Removes the result display in the window named '2'.

Usage: Setting only

LAYout:REPLace[:WINDow] <WindowName>, <WindowType>

Replaces the window type (for example from "Diagram" to "Result Summary") of an already existing window in the active channel while keeping its position, index and window name.

To add a new window, use the [LAYout:ADD\[:WINDow\]?](#) command.

Setting parameters:

<WindowName> String containing the name of the existing window.
By default, the name of a window is the same as its index. To determine the name and index of all active windows in the active channel, use the [LAYout:CATalog\[:WINDow\]?](#) query.

<WindowType> Type of result display you want to use in the existing window.
See [LAYout:ADD\[:WINDow\]?](#) on page 327 for a list of available window types.

Example: `LAY:REPL:WIND '1', MTAB`
Replaces the result display in window 1 with a marker table.

Usage: Setting only

LAYout:SPLitter <Index1>, <Index2>, <Position>

Changes the position of a splitter and thus controls the size of the windows on each side of the splitter.

Note that windows must have a certain minimum size. If the position you define conflicts with the minimum size of any of the affected windows, the command does not work, but does not return an error.




Figure 9-1: SmartGrid coordinates for remote control of the splitters

Setting parameters:

- <Index1> The index of one window the splitter controls.
- <Index2> The index of a window on the other side of the splitter.
- <Position> New vertical or horizontal position of the splitter as a fraction of the screen area (without channel and status bar and softkey menu).
The point of origin ($x = 0$, $y = 0$) is in the lower left corner of the screen. The end point ($x = 100$, $y = 100$) is in the upper right corner of the screen. (See Figure 9-1.)
The direction in which the splitter is moved depends on the screen layout. If the windows are positioned horizontally, the splitter also moves horizontally. If the windows are positioned vertically, the splitter also moves vertically.
- Range: 0 to 100

Example: `LAY:SPL 1,3,50`
 Moves the splitter between window 1 ('Frequency Sweep') and 3 ('Marker Table') to the center (50%) of the screen, i.e. in the figure above, to the left.

Example: `LAY:SPL 1,4,70`
 Moves the splitter between window 1 ('Frequency Sweep') and 3 ('Marker Peak List') towards the top (70%) of the screen. The following commands have the exact same effect, as any combination of windows above and below the splitter moves the splitter vertically.

`LAY:SPL 3,2,70`

`LAY:SPL 4,1,70`

`LAY:SPL 2,1,70`

Usage: Setting only

LAYout:WINDow<n>:ADD? <Direction>,<WindowType>

Adds a measurement window to the display. Note that with this command, the suffix <n> determines the existing window next to which the new window is added. Unlike [LAYout:ADD\[:WINDow\]?](#), for which the existing window is defined by a parameter.

To replace an existing window, use the [LAYout:WINDow<n>:REPLace](#) command.

Is always used as a query so that you immediately obtain the name of the new window as a result.

Suffix:

<n> [Window](#)

Query parameters:

<Direction> LEFT | RIGHT | ABOVE | BELOW

<WindowType> Type of measurement window you want to add. See [LAYout:ADD\[:WINDow\]?](#) on page 327 for a list of available window types.

Return values:

<NewWindowName> When adding a new window, the command returns its name (by default the same as its number) as a result.

Example: `LAY:WIND1:ADD? LEFT,MTAB`
 Result:
 '2'
 Adds a new window named '2' with a marker table to the left of window 1.

Usage: Query only

LAYout:WINDow<n>:IDENTify?

Queries the **name** of a particular display window (indicated by the <n> suffix) in the active channel.

Note: to query the **index** of a particular window, use the `LAYout:IDENtify[:WINDow]?` command.

Suffix:

<n> [Window](#)

Return values:

<WindowName> String containing the name of a window.
In the default state, the name of the window is its index.

Example:

LAY:WIND2:IDEN?
Queries the name of the result display in window 2.
Response:
'2'

Usage: Query only

LAYout:WINDow<n>:REMOve

Removes the window specified by the suffix <n> from the display in the active channel.
The result of this command is identical to the `LAYout:REMOve[:WINDow]` command.

Suffix:

<n> [Window](#)

Example:

LAY:WIND2:REM
Removes the result display in window 2.

Usage: Event

LAYout:WINDow<n>:REPLace <WindowType>

Changes the window type of an existing window (specified by the suffix <n>) in the active channel.

The effect of this command is identical to the `LAYout:REPLace[:WINDow]` command.

To add a new window, use the `LAYout:WINDow<n>:ADD?` command.

Suffix:

<n> [Window](#)

Setting parameters:

<WindowType> Type of measurement window you want to replace another one with.
See `LAYout:ADD[:WINDow]?` on page 327 for a list of available window types.

Example:

LAY:WIND2:REPL MTAB
Replaces the result display in window 2 with a marker table.

Usage: Setting only

9.7.3 Configuring the result summary display

The following command defines which items are displayed in the "Result Summary".

DISPlay[:WINDow<n>]:TABLE <State>

Displays or removes the "Result Summary" Global window.

Suffix:

<n> 1..n

Parameters:

<State> ON | OFF | 0 | 1

OFF | 0

Removes the "Result Summary" Global window

ON | 1

Displays the "Result Summary" Global window

*RST: 1

DISPlay[:WINDow<n>]:TABLE:ITEM <Item>, <State>

Defines which items are *displayed* in the "Result Summary" (see ["Result Summary Detailed"](#) on page 46 and ["Result Summary Global"](#) on page 47).

Note that the results are always *calculated*, regardless of their visibility in the "Result Summary".

Suffix:

<n> 1..n
[Window](#)

Parameters:

<Item> Item to be included in "Result Summary". For an overview of possible results and the required parameters see the tables below.

<State> ON | OFF | 0 | 1

OFF | 0

Item is displayed in "Result Summary".

ON | 1

Item is not displayed in "Result Summary".

*RST: 1

Table 9-9: Parameters for the items of the "Result Summary Detailed"

Result in table	SCPI parameter
TX channel ("Tx All")	TALL
I/Q offset	IOFSset
Gain imbalance	GIMBalance
Quadrature offset	QOFFset

Result in table	SCPI parameter
PPDU power	TPPower
Crest factor	TCFactor
Receive channel ("Rx All")	RALL
PPDU power	RPPower
Crest factor	RCFactor
Center frequency error	RCError
Symbol clock error	RSError
Common phase error	RCPerror
MIMO cross power	RMCPower
MIMO channel power	RMCHpower
Bitstream ("Stream All")	SALL
Pilot bit error rate	BPILot
EVM all carriers	SEACarriers
EVM data carriers	SEDCarriers
EVM pilot carriers	SEPCarriers
Only available for IEEE 802.11b and g :	
Peak vector error	PVERror
PPDU EVM	PEVM
I/Q offset	GIOffset
Gain imbalance	GGIMbalance
Quadrature error	QERRor
Center frequency error	GCFerror
Chip clock error	CCERRor
Rise time	RTIME
Fall time	FTIME
Mean power	MPOWER
Peak power	PPOWER
Crest factor	GCFactor

Table 9-10: Parameters for the items of the "Result Summary Global"

Result in table	SCPI parameter
Pilot bit error rate	PBERate
EVM all carriers	EACarriers
EVM data carriers	EDCarriers

Result in table	SCPI parameter
EVM pilot carriers	EPCarriers
Center frequency error	CFERror
Symbol clock error	SCERror

9.7.4 Configuring the spectrum flatness and group delay result displays

The following command is only relevant for the "Spectrum Flatness" and "Group Delay" result displays.

CONF:BURSt:SPECTrum:FLATness:CSElect <ChannelType>

This remote control command configures the "Spectrum Flatness" and "Group Delay" results to be based on either effective or physical channels. This command is only valid for IEEE 802.11n and IEEE 802.11ac standards.

While the physical channels cannot always be determined, the effective channel can always be estimated from the known training fields. Thus, for some PPDU or measurement scenarios, only the results based on the mapping of the space-time stream to the Rx antenna (effective channel) are available, as the mapping of the Rx antennas to the Tx antennas (physical channel) could not be determined.

Parameters:

<ChannelType> EFFective | PHYSical
 *RST: EFF

Example:

CONF:BURSt:SPEC:FLAT:CSEL PHYS

Configures the "Spectrum Flatness" and "Group Delay" result displays to calculate the results based on the physical channel.

Manual operation: See ["Result based on"](#) on page 181

UNIT:SFLatness <Unit>

Switches between relative (dB) and absolute (dBm) results for "Spectrum Flatness" results (see ["Spectrum Flatness"](#) on page 52).

Parameters:

<Unit> DB | DBM
 *RST: DBM

Example:

UNIT:SFL DBM

Manual operation: See ["Units"](#) on page 181

9.7.5 Configuring the AM/AM result display

The following commands are only relevant for the "AM/AM" result display.

CONFigure:BURSt:AM:AM:POLYnomial <Degree>

This remote control command specifies the degree of the polynomial regression model used to determine the "AM/AM" result display.

The resulting coefficients of the regression polynomial can be queried using the [FETCh:BURSt:AM:AM:COEFicients?](#) command.

Parameters:

<Degree> integer
 Range: 1 to 20
 *RST: 4

Example: CONF:BURSt:AM:AM:POLY 3

Manual operation: See ["AM/AM"](#) on page 27
 See ["Polynomial degree for curve fitting"](#) on page 182

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO <State>**DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO** <Auto>

Activates or deactivates automatic scaling of the x-axis or y-axis for the specified trace display.

Suffix:

<n> 1..n
[Window](#)
 <t> 1..n
[Trace](#)

Parameters:

<Auto> ON | OFF | 0 | 1

OFF | 0

The x-axis or y-axis is scaled according to the specified minimum/maximum values (see [DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:MINimum](#)/[DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:MAXimum](#)) and number of divisions (see [DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:DIVisions](#)).

ON | 1

The R&S FSV3 WLAN application automatically scales the x-axis or y-axis to best fit the measurement results.

*RST: 1

Example: DISP:WIND2:TRAC:Y:SCAL:AUTO ON

Manual operation: See ["Automatic Grid Scaling"](#) on page 183

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:FIXed:RANGe
<AutoFixRange>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:FIXed:RANGe
<AutoFixRange>

Defines the use of fixed value limits.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<AutoFixRange> NONE | LOWer | UPPer

NONE

Both the upper and lower limits are determined by automatic scaling of the x-axis or y-axis.

LOWer

The lower limit is fixed (defined by `DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MINimum/DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MAXimum`), while the upper limit is determined by automatic scaling of the x-axis or y-axis.

UPPer

The upper limit is fixed, while the lower limit is determined by automatic scaling of the x-axis or y-axis.

Example:

`DISP:WIND1:TRAC:Y:AUTO:FIX:RANG LOW`

`DISP:WIND1:TRAC:Y:MIN 0dBm`

Sets the lower limit of the y-axis to a fixed value of 0 dBm.

Manual operation: See ["Auto Fix Range"](#) on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:LOWer:UPPer
<Value>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:LOWer:UPPer
<Value>

For automatic scaling based on hysteresis, this command defines the upper limit of the lower hysteresis interval.

If the minimum value in the current measurement exceeds this limit, the x-axis or y-axis is rescaled automatically.

For details see ["Hysteresis Interval Upper/Lower"](#) on page 184.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<Value> numeric value

Percentage of the currently displayed value range on the x-axis or y-axis.

Example: `DISP:WIND2:TRAC:Y:SCAL:AUTO:HYST:LOW:UPP 5`

Manual operation: See "[Hysteresis Interval Upper/Lower](#)" on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:LOWer:LOWer
<Value>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:LOWer:LOWer
<Value>

For automatic scaling based on hysteresis, this command defines the lower limit of the lower hysteresis interval.

If the minimum value in the current measurement drops below this limit, the x-axis or y-axis is rescaled automatically.

For details see "[Hysteresis Interval Upper/Lower](#)" on page 184.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<Value> numeric value
Percentage of the currently displayed value range on the x-axis or y-axis.

Example: `DISP:WIND2:TRAC:Y:SCAL:AUTO:HYST:LOW:LOW 5`

Manual operation: See "[Hysteresis Interval Upper/Lower](#)" on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:UPPer:LOWer
<Value>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:UPPer:LOWer
<Value>

For automatic scaling based on hysteresis, this command defines the lower limit of the upper hysteresis interval.

If the maximum value in the current measurement drops below this limit, the x-axis or y-axis is rescaled automatically.

For details see "[Hysteresis Interval Upper/Lower](#)" on page 184.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<Value> numeric value
Percentage of the currently displayed value range on the x-axis or y-axis.

Example: `DISP:WIND2:TRAC:Y:AUTO:HYST:UPP:LOW 25`

Manual operation: See ["Hysteresis Interval Upper/Lower"](#) on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:UPPer:UPPer
<Value>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:UPPer:UPPer
<Value>

For automatic scaling based on hysteresis, this command defines the upper limit of the upper hysteresis interval.

If the maximum value in the current measurement exceeds this limit, the x-axis or y-axis is rescaled automatically.

For details see ["Hysteresis Interval Upper/Lower"](#) on page 184.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<Value> numeric value
Percentage of the currently displayed value range on the x-axis or y-axis.

Example: `DISP:WIND2:TRAC:Y:AUTO:HYST:UPP:UPP 20`

Manual operation: See ["Hysteresis Interval Upper/Lower"](#) on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:MEMory:DEPTh <NoMeas>
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MEMory:DEPTh <NoMeas>

For automatic scaling based on memory, this value defines the number <x> of previous results to be considered when determining if rescaling is required.

The minimum and maximum value of each measurement are added to the memory. After <x> measurements, the oldest results in the memory are overwritten by each new measurement.

For details see ["Auto Mode"](#) on page 184.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<NoMeas> integer value
Number of measurement results to be stored for autoscaling

Example: `DISP:WIND2:TRAC:Y:AUTO:MEM:DEPT 16`

Manual operation: See ["Memory Depth"](#) on page 185

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:MODE <AutoMode>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MODE <AutoMode>

Determines which algorithm is used to determine whether the x-axis or y-axis requires automatic rescaling.

Suffix:

<n> 1..n
Window

<t> 1..n
Trace

Parameters:

<AutoMode>

HYSTeresis

If the minimum and/or maximum values of the current measurement exceed a specific value range (hysteresis interval), the axis is rescaled. The hysteresis interval is defined as a percentage of the currently displayed value range on the x-axis or y-axis. An upper hysteresis interval is defined for the maximum value, a lower hysteresis interval is defined for the minimum value.

MEMory

If the minimum and/or maximum values of the current measurement exceed the minimum and/or maximum of the <x> previous results, the axis is rescaled.

The minimum and maximum value of each measurement are added to the memory. After <x> measurements, the oldest results in the memory are overwritten by each new measurement.

The number of results in the memory to be considered is configurable (see [DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:AUTO:MEMory:DEPTh](#)).

*RST: HYSTeresis

Example:

DISP:WIND2:TRAC:Y:AUTO:MODE MEM

Manual operation: See ["Auto Mode"](#) on page 184

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:DIVisions <NoDivisions>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:DIVisions <Divisions>

Defines the number of divisions to be used for the x-axis or y-axis in the specified window.

Separate division settings can be configured for individual result displays.

Suffix:

<n> 1..n
Window

<t> 1..n
Trace

Parameters:

<Divisions> integer

Example:

DISP:WIND2:TRAC:Y:SCAL:DIV 10

Manual operation: See ["Number of Divisions"](#) on page 186

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:MAXimum <Max>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MAXimum <Max>

Defines the maximum value to be displayed on the x-axis or y-axis of the specified evaluation diagram.

For automatic scaling with a fixed range (see [DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:AUTO:FIXed:RANGe](#) on page 339), the maximum defines the fixed upper limit.

Suffix:

<n> 1..n
[Window](#)

<t> 1..n
[Trace](#)

Parameters:

<Max> numeric value

Example:

DISP:WIND2:TRAC:Y:SCAL:MAX 100

Manual operation: See ["Minimum / Maximum"](#) on page 185

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:MINimum <Min>

DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MINimum <Min>

Defines the minimum value to be displayed on the x-axis or y-axis of the specified evaluation diagram.

For automatic scaling with a fixed range (see [DISPlay\[:WINDow<n>\]:TRACe<t>:Y\[:SCALe\]:AUTO:FIXed:RANGe](#) on page 339), the minimum defines the fixed lower limit.

Suffix:

<n> 1..n
[Window](#)

<t> 1..n
[Trace](#)

Parameters:

<Min> numeric value

Example:

DISP:WIND2:TRAC:Y:SCAL:MIN -20

Manual operation: See ["Minimum / Maximum"](#) on page 185

DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:PDIVision <Multiple>[,<Multiple>]
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:PDIVision <Multiple>[,<Multiple>]

Determines the values shown for each division on the x-axis or y-axis in the specified window.

One or more multiples of 10^n can be selected. The R&S FSV3 WLAN application then selects the optimal scaling from the selected values.

For details see "[Scaling per division](#)" on page 186.

Suffix:

<n> [Window](#)

<t> [Trace](#)

Parameters:

<Multiple> 1.0 | 2.0 | 2.5 | 5.0

Each division on the x-axis or y-axis displays the selected multiple of 10^n .

*RST: 1.0,5.0

Example:

DISP:WIND:TRAC:Y:SCAL:PDIV 2.0,2.5

Multiples of $2.0 \cdot 10^n$ or multiples of $2.5 \cdot 10^n$ are displayed on the x-axis or y-axis.

Manual operation: See "[Scaling per division](#)" on page 186

9.7.6 Configuring constellation diagrams

CONFigure:BURSt:CONSt:CARRier:SElect <Carriers>

Defines the carriers included in the constellation diagram.

Parameters:

<Carriers> **ALL**
Results for all carriers

PILots
Results for pilot carriers only

<integer>
Specific carrier number only

Example: CONF:BURS:CONS:CARR:SEL 4

9.8 Starting a measurement

When a WLAN measurement channel is activated on the R&S FSV/A, a WLAN IQ measurement (Modulation Accuracy, Flatness and Tolerance, see [Chapter 3.1, "WLAN I/Q measurement \(modulation accuracy, flatness and tolerance\)"](#), on page 14), is started immediately. However, you can stop and start a new measurement any time.

Furthermore, you can perform a sequence of measurements using the Sequencer (see [Chapter 5.1, "Multiple measurement channels and sequencer function"](#), on page 102).

ABORt.....	345
CALCulate<n>:BURSt[:IMMEDIATE].....	346
INITiate<n>:CONTinuous.....	346
INITiate<n>[:IMMEDIATE].....	346
INITiate:SEQuencer:ABORt.....	347
INITiate:SEQuencer:IMMEDIATE.....	347
INITiate:SEQuencer:MODE.....	347
SYSTem:SEQuencer.....	348

ABORt

Aborts the measurement in the current channel and resets the trigger system.

To prevent overlapping execution of the subsequent command before the measurement has been aborted successfully, use the `*OPC?` or `*WAI` command after `ABOR` and before the next command.

For details on overlapping execution see [Remote control via SCPI](#).

To abort a sequence of measurements by the Sequencer, use the `INITiate:SEQuencer:ABORt` command.

Note on blocked remote control programs:

If a sequential command cannot be completed, for example because a triggered sweep never receives a trigger, the remote control program will never finish and the remote channel to the R&S FSV/A is blocked for further commands. In this case, you must interrupt processing on the remote channel first in order to abort the measurement.

To do so, send a "Device Clear" command from the control instrument to the R&S FSV/A on a parallel channel to clear all currently active remote channels. Depending on the used interface and protocol, send the following commands:

- **Visa:** `viClear()`

Now you can send the `ABORt` command on the remote channel performing the measurement.

Example: `ABOR; :INIT:IMM`
Aborts the current measurement and immediately starts a new one.

Example: `ABOR; *WAI`
`INIT:IMM`
Aborts the current measurement and starts a new one once abortion has been completed.

Usage: Event

CALCulate<n>:BURSt[:IMMEDIATE]

Forces the IQ measurement results to be recalculated according to the current settings.

Suffix:

<n> 1..n
Window

Manual operation: See "[Calc Results](#)" on page 135

INITiate<n>:CONTinuous <State>

Controls the measurement mode for an individual channel.

Note that in single measurement mode, you can synchronize to the end of the measurement with *OPC, *OPC? or *WAI. In continuous measurement mode, synchronization to the end of the measurement is not possible. Thus, it is not recommended that you use continuous measurement mode in remote control, as results like trace data or markers are only valid after a single measurement end synchronization.

For details on synchronization see [Remote control via SCPI](#).

If the measurement mode is changed for a channel while the Sequencer is active (see [INITiate:SEQuencer:IMMEDIATE](#) on page 347), the mode is only considered the next time the measurement in that channel is activated by the Sequencer.

Suffix:

<n> irrelevant

Parameters:

<State> ON | OFF | 0 | 1
ON | 1
Continuous measurement
OFF | 0
Single measurement
*RST: 1 (some applications can differ)

Example:

```
INIT:CONT OFF
Switches the measurement mode to single measurement.
INIT:CONT ON
Switches the measurement mode to continuous measurement.
```

Manual operation: See "[Continuous Sweep / Run Cont](#)" on page 188

INITiate<n>[:IMMEDIATE]

Starts a (single) new measurement.

You can synchronize to the end of the measurement with *OPC, *OPC? or *WAI.

For details on synchronization see [Remote control via SCPI](#).

Suffix:	<n>	irrelevant
Usage:		Asynchronous command
Manual operation:		See " Single / Cont. " on page 135 See " Single Sweep / Run Single " on page 188

INITiate:SEQuencer:ABORt

Stops the currently active sequence of measurements.

You can start a new sequence any time using [INITiate:SEQuencer:IMMediate](#) on page 347.

Usage:	Event
Manual operation:	See " Sequencer State " on page 103

INITiate:SEQuencer:IMMediate

Starts a new sequence of measurements by the Sequencer.

Before this command can be executed, the Sequencer must be activated (see [SYSTem:SEQuencer](#) on page 348).

Example:	SYST:SEQ ON Activates the Sequencer.
	INIT:SEQ:MODE SING Sets single sequence mode so each active measurement is performed once.
	INIT:SEQ:IMM Starts the sequential measurements.

Manual operation:	See " Sequencer State " on page 103
--------------------------	-----------------------------------------------------

INITiate:SEQuencer:MODE <Mode>

Defines the capture mode for the entire measurement sequence and all measurement groups and channels it contains.

Note: To synchronize to the end of a measurement sequence using *OPC, *OPC? or *WAI, use [SINGLE](#) Sequencer mode.

Parameters:	
<Mode>	SINGLE Each measurement group is started one after the other in the order of definition. All measurement channels in a group are started simultaneously and performed once. After <i>all</i> measurements are completed, the next group is started. After the last group, the measurement sequence is finished.

CONTInuous

Each measurement group is started one after the other in the order of definition. All measurement channels in a group are started simultaneously and performed once. After *all* measurements are completed, the next group is started. After the last group, the measurement sequence restarts with the first one and continues until it is stopped explicitly.

*RST: CONTInuous

Manual operation: See "[Sequencer Mode](#)" on page 103

SYSTem:SEQuencer <State>

Turns the Sequencer on and off. The Sequencer must be active before any other Sequencer commands (`INIT:SEQ...`) are executed, otherwise an error occurs.

A detailed programming example is provided in the "Operating Modes" chapter in the R&S FSV/A User Manual.

Parameters:

<State> ON | OFF | 0 | 1

ON | 1

The Sequencer is activated and a sequential measurement is started immediately.

OFF | 0

The Sequencer is deactivated. Any running sequential measurements are stopped. Further Sequencer commands (`INIT:SEQ...`) are not available.

*RST: 0

Example:

```
SYST:SEQ ON
```

Activates the Sequencer.

```
INIT:SEQ:MODE SING
```

Sets single Sequencer mode so each active measurement is performed once.

```
INIT:SEQ:IMM
```

Starts the sequential measurements.

```
SYST:SEQ OFF
```

Manual operation: See "[Sequencer State](#)" on page 103

9.9 Retrieving results

The following commands are required to retrieve the results from a WLAN measurement in a remote environment.



Before retrieving measurement results, check if PPDU synchronization was successful or not by checking the status register (see [Chapter 9.11.1, "The STATus:QUESTionable:SYNC register"](#), on page 405). If no PDUs were found, STAT:QUES:SYNC:COND? returns 0 (see [STATus:QUESTionable:SYNC:CONDition?](#) on page 407).



The *OPC command should be used after commands that retrieve data so that subsequent commands to change the trigger or data capturing settings are held off until after the data capture is completed and the data has been returned.

- [Numeric modulation accuracy, flatness and tolerance results](#)..... 349
- [Numeric results for frequency sweep measurements](#)..... 377
- [Retrieving trace results](#)..... 382
- [Measurement results for TRACe<n>\[:DATA\]? TRACE<n>](#)..... 386
- [Retrieving captured I/Q data](#)..... 398
- [Importing and exporting I/Q data and results](#)..... 399
- [Exporting trace results](#)..... 401

9.9.1 Numeric modulation accuracy, flatness and tolerance results

The following commands describe how to retrieve the numeric results from the standard WLAN measurements.



The commands to retrieve results from frequency sweep measurements for WLAN signals are described in [Chapter 9.9.2, "Numeric results for frequency sweep measurements"](#), on page 377.

- [PPDU and symbol count results](#)..... 349
- [Error parameter results](#)..... 353
- [Limit check results](#)..... 370

9.9.1.1 PPDU and symbol count results

The following commands are required to retrieve PPDU and symbol count results from the WLAN IQ measurement on the captured I/Q data (see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14).

FETCh:BURSt:COUNT?	350
FETCh:BURSt:COUNT:ALL?	350
FETCh:SYMBol:COUNT?	350
FETCh:BURSt:GINTerval?	350
FETCh:BURSt:LENGthS?	351
FETCh:BURSt:MCSindex?	351
FETCh:BURSt:PPDU:STATus?	351
FETCh:BURSt:PPDU:TYPE?	352
FETCh:BURSt:STARts?	352
UNIT:BURSt	352

FETCH:BURSt:COUNT?

Returns the number of analyzed PPDU's from the current capture buffer. If multiple measurements are required because the number of PPDU's to analyze is greater than the number of PPDU's that can be captured in one buffer, this command only returns the number of captured PPDU's *in the current capture buffer* (as opposed to [FETCH:BURSt:COUNT:ALL?](#)).

Return values:

<PPDUCount>

Usage: Query only

FETCH:BURSt:COUNT:ALL?

Returns the number of analyzed PPDU's for the entire measurement. If multiple measurements are required because the number of PPDU's to analyze is greater than the number of PPDU's that can be captured in one buffer, this command returns the number of analyzed PPDU's in *all* measurements (as opposed to [FETCH:BURSt:COUNT?](#)).

Return values:

<PPDUCount>

Usage: Query only

FETCH:SYMBol:COUNT?

Returns the number of symbols in each analyzed PPDU as a comma-separated list. The length of the list corresponds to the number of PPDU's, i.e. the result of [FETCH:BURSt:COUNT:ALL?](#).

Return values:

<Result> <list>

Usage: Query only

FETCH:BURSt:GINterval?

Queries the guard interval of the first analyzed PPDU.

Return values:

<GuardInterval> Guard interval in microseconds.

Example:

```
FETCH:BURSt:GINt?
//Result: '24'
```

Usage: Query only

FETCh:BURSt:LENGths?

Returns the length of the analyzed PPDU from the current measurement. If the number of PPDU to analyze is greater than the number of PPDU that can be captured in one buffer, this command only returns the lengths of the PPDU *in the current capture buffer*.

The result is a comma-separated list of lengths, one for each PPDU.

Return values:

<PPDULength>

Length of the PPDU in the unit specified by the [UNIT:BURSt](#) command.

Tip: To obtain the result in seconds, divide the number of samples by the input sample rate. This value is indicated as "Sample Rate Fs" in the channel bar.

Example:

```
UNIT:BURSt SAMP
```

```
FETCh:BURSt:LENG?
```

```
//Result: 39,39,39
```

Result in seconds for an input sample rate of 40 MHz:

```
0.001 ms
```

Usage:

Query only

FETCh:BURSt:MCSindex?

Queries the Modulation and Coding Scheme (MCS) index of the first analyzed PPDU.

Return values:

<MCSIndex>

Example:

```
SENS:DEM:FORM:MCS 1
```

```
FETCh:BURSt:MCS?
```

```
//Result: '1'
```

Usage:

Query only

FETCh:BURSt:PPDU:STATus?

Queries the status of the analyzed PPDU in the current capture buffer (see [FETCh:BURSt:COUNT?](#) on page 350).

Return values:

<Result>

Comma-separated list of values; one value for each analyzed PPDU

OK

Analysis correct

WARN

Warning, an error occurred

SEL

Selected PPDU

Example: `FETC:BURS:COUN?`
 `//Result: 3`
 `FETCh:BURSt:PPDU:STATus?`
 `OK,OK,OK`

Usage: Query only

FETCh:BURSt:PPDU:TYPE?

Queries the type of the first analyzed PPDU in the current capture buffer.

Return values:

<PPDUType> See [Table 4-3](#).

Example: `SENS:DEM:FORM:BAN:BTYP 'OFDM'`
 `FETC:BURS:PPDU:TYPE?`
 `//Result: 'OFDM'`

Usage: Query only

FETCh:BURSt:STARts?

Returns the start position of each analyzed PPDU in the current capture buffer.

Return values:

<Position> <list>

Comma-separated list of sample numbers indicating the start position of each PPDU.

Tip: To obtain the result in seconds, divide the sample number by the input sample rate. This value is indicated as "Sample Rate Fs" in the channel bar.

Example: `FETC:BURS:STAR?`
 `//Result: 6922,17962,29002`
 Result in seconds for an input sample rate of 40 MHz:
 0.17 ms, 0.45 ms, 0.73 ms

Usage: Query only

UNIT:BURSt <Unit>

Specifies the units for PPDU length results (see [FETCh:BURSt:LENGths?](#) on page 351).

Parameters:

<Unit> SYMBol | SAMPlE

SYMBol

Number of OFDM data symbols for each analyzed PPDU. Preamble symbols are NOT included.

SAMPLE

Number of samples each analyzed PPDU contains.

Tip: To obtain the result in seconds, divide the number of samples by the input sample rate. This value is indicated as "Sample Rate Fs" in the channel bar.

*RST: SYMBol

Example:

```
UNIT:BURS SAMP
FETC:BURS:LENG?
//Result: 39,39,39
```

Result in seconds for an input sample rate of 40 MHz:
0.001 ms

9.9.1.2 Error parameter results

The following commands are required to retrieve individual results from the WLAN IQ measurement on the captured I/Q data (see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14).

FETCh:BURSt:ALL:FORMatted?	355
FETCh:BURSt:AM:AM:COEFicients?	356
FETCh:BURSt:BERPilot:AVERAge?	356
FETCh:BURSt:BERPilot:MAXimum?	356
FETCh:BURSt:BERPilot:MINimum?	356
FETCh:BURSt:CPERror:AVERAge?	356
FETCh:BURSt:CPERror:MAXimum?	356
FETCh:BURSt:CPERror:MINimum?	356
FETCh:BURSt:CRESt[:AVERAge]?	356
FETCh:BURSt:CRESt:MAXimum?	356
FETCh:BURSt:CRESt:MINimum?	356
FETCh:BURSt:ECMGain?	357
FETCh:BURSt:PCMGain?	357
FETCh:BURSt:EVM:ALL:AVERAge?	357
FETCh:BURSt:EVM:ALL:MAXimum?	357
FETCh:BURSt:EVM:ALL:MINimum?	357
FETCh:BURSt:EVM:DATA:AVERAge?	358
FETCh:BURSt:EVM:DATA:MAXimum?	358
FETCh:BURSt:EVM:DATA:MINimum?	358
FETCh:BURSt:EVM:DIRect:AVERAge?	358
FETCh:BURSt:EVM:DIRect:MAXimum?	358
FETCh:BURSt:EVM:DIRect:MINimum?	358
FETCh:BURSt:EVM:PILot:AVERAge?	358
FETCh:BURSt:EVM:PILot:MAXimum?	358
FETCh:BURSt:EVM:PILot:MINimum?	358
FETCh:BURSt:EVM[:IEEE]:AVERAge?	358
FETCh:BURSt:EVM[:IEEE]:MAXimum?	358
FETCh:BURSt:EVM[:IEEE]:MINimum?	358
FETCh:BURSt:CFERror:AVERAge?	359
FETCh:BURSt:CFERror:MAXimum?	359
FETCh:BURSt:CFERror:MINimum?	359

FETCh:BURSt:FERRor:AVERage?	359
FETCh:BURSt:FERRor:MAXimum?	359
FETCh:BURSt:FERRor:MINimum?	359
FETCh:BURSt:GIMBalance:AVERage?	359
FETCh:BURSt:GIMBalance:MAXimum?	359
FETCh:BURSt:GIMBalance:MINimum?	359
FETCh:BURSt:IQOFset:AVERage?	359
FETCh:BURSt:IQOFset:MAXimum?	359
FETCh:BURSt:IQOFset:MINimum?	359
FETCh:BURSt:IQSKew:AVERage?	359
FETCh:BURSt:IQSKew:MAXimum?	359
FETCh:BURSt:IQSKew:MINimum?	359
FETCh:BURSt:MCPower:AVERage?	360
FETCh:BURSt:MCPower:MAXimum?	360
FETCh:BURSt:MCPower:MINimum?	360
FETCh:BURSt:MCHPower:AVERage?	360
FETCh:BURSt:MCHPower:MAXimum?	360
FETCh:BURSt:MCHPower:MINimum?	360
FETCh:BURSt:PAYLoad[:AVERage]?	360
FETCh:BURSt:PAYLoad:MINimum?	360
FETCh:BURSt:PAYLoad:MAXimum?	360
FETCh:BURSt:PEAK[:AVERage]?	360
FETCh:BURSt:PEAK:MINimum?	360
FETCh:BURSt:PEAK:MAXimum?	360
FETCh:BURSt:PREamble[:AVERage]?	361
FETCh:BURSt:PREamble:MAXimum?	361
FETCh:BURSt:PREamble:MINimum?	361
FETCh:BURSt:QUADoffset:AVERage?	361
FETCh:BURSt:QUADoffset:MAXimum?	361
FETCh:BURSt:QUADoffset:MINimum?	361
FETCh:BURSt:RMS[:AVERage]?	361
FETCh:BURSt:RMS:MAXimum?	361
FETCh:BURSt:RMS:MINimum?	361
FETCh:BURSt:SYMBOLerror:AVERage?	361
FETCh:BURSt:SYMBOLerror:MAXimum?	361
FETCh:BURSt:SYMBOLerror:MINimum?	361
FETCh:BURSt:TFALI:AVERage?	362
FETCh:BURSt:TFALI:MAXimum?	362
FETCh:BURSt:TFALI:MINimum?	362
FETCh:BURSt:TRISe:AVERage?	362
FETCh:BURSt:TRISe:MAXimum?	362
FETCh:BURSt:TRISe:MINimum?	362
FETCh:BURSt:PPDU:EVM:ALL:AVERage?	362
FETCh:BURSt:PPDU:EVM:DATA:AVERage?	363
FETCh:BURSt:PPDU:EVM:PILot:AVERage?	363
FETCh:SCDetailed:ALL?	363
FETCh:SCDetailed:EVM:ALL?	364
FETCh:SCDetailed:EVM:DATA?	365
FETCh:SCDetailed:EVM:PILot?	365
FETCh:SCDetailed:POWer:PPDU?	365

FETCh:SCDetailed:POWer:RU?	366
FETCh:SCDetailed:POWer[:SC]?	366
FETCh:SField:ALL?	367
FETCh:SFSummary:ALL?	368
FETCh:UTESummary:ALL?	368
UNIT:EVM	369
UNIT:GIMBalance	369
UNIT:PREamble	369

FETCh:BURSt:ALL:FORMatted?

Returns all results from the default WLAN measurement (Modulation Accuracy, Flatness and Tolerance).

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

The results are output as a list of result strings separated by commas in ASCII format. The results are output in the following order:

<Global Result>, <Stream 1 result> ... <Stream n result>

Return values:

```
<GlobalResult>      <list>
                    <preamble power>, <payload power>, <peak power>,
                    'nan','nan','nan',
                    'nan','nan','nan',
                    <min freq error>,<avg freq error>, <max freq error>,
                    <min symbol error>, <avg symbol error>, <max symbol error>,
                    'nan','nan','nan',
                    'nan','nan','nan',
                    'nan','nan','nan',
                    <min EVM all>, <avg EVM all>, <max EVM all>,
                    <min EVM data>, <avg EVM data >, <max EVM data>
                    <min EVM pilots>, <avg EVM pilots >, <max EVM pilots>
                    'nan','nan','nan',
                    'nan','nan','nan',
                    'nan','nan','nan',
                    'nan','nan','nan',
```

Example:

```
FETC:BURSt:ALL:FORM?
```

For sample results see ["Example of results from a WLAN 802.11 MIMO measurement"](#) on page 416.

Usage:

Query only

Manual operation:

See ["Result Summary Detailed"](#) on page 46

See ["Result Summary Global"](#) on page 47

FETCH:BURSt:AM:AM:COEFicients?

This remote control returns the coefficients of the polynomial regression model used to determine the "AM/AM" result display.

See ["AM/AM"](#) on page 27 for details.

Return values:

<Coefficients>

Example:

FETCH:BURSt:AM:AM:COEF?

Usage:

Query only

Manual operation: See ["Polynomial degree for curve fitting"](#) on page 182

FETCH:BURSt:BERPilot:AVERAge?**FETCH:BURSt:BERPilot:MAXimum?****FETCH:BURSt:BERPilot:MINimum?**

Returns the Bit Error Rate (BER) for Pilots (average, maximum or minimum value) in % for the IEEE 802.11n (MIMO) standard. For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage:

Query only

FETCH:BURSt:CPERror:AVERAge?**FETCH:BURSt:CPERror:MAXimum?****FETCH:BURSt:CPERror:MINimum?**

Returns the common phase error (average, maximum or minimum value) in degrees for the IEEE 802.11n (MIMO) standard. For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Stream 1 result> ... <Stream n result>

Usage:

Query only

FETCH:BURSt:CRESt[:AVERAge]?**FETCH:BURSt:CRESt:MAXimum?****FETCH:BURSt:CRESt:MINimum?**

Returns the average, maximum or minimum determined CREST factor (= ratio of peak power to average power) in dB.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:ECMGain?

Returns the effective channel gain result which is used as the reference for the "Spectrum Flatness" limits when "Spectrum Flatness" results are based on effective channels (see [CONFigure:BURSt:SPECTrum:FLATness:CSElect](#) on page 337).

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> comma-separated list of values; one value for each RX stream
Default unit: dBm

Example: FETC:BURS:ECMG?

Usage: Query only

FETCh:BURSt:PCMGain?

Returns the physical channel gain result which is used as the reference for the "Spectrum Flatness" limits when "Spectrum Flatness" results are based on physical channels (see [CONFigure:BURSt:SPECTrum:FLATness:CSElect](#) on page 337).

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> comma-separated list of values; one value for each RX stream
Default unit: dBm

Example: FETC:BURS:PCMG?

Usage: Query only

FETCh:BURSt:EVM:ALL:AVERAge?

FETCh:BURSt:EVM:ALL:MAXimum?

FETCh:BURSt:EVM:ALL:MINimum?

Returns the average, maximum or minimum EVM in dB. This is a combined figure that represents the pilot, data and the free carrier.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCh:BURSt:EVM:DATA:AVERAge?
FETCh:BURSt:EVM:DATA:MAXimum?
FETCh:BURSt:EVM:DATA:MINimum?

Returns the average, maximum or minimum EVM for the data carrier in dB.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCh:BURSt:EVM:DIRect:AVERAge?
FETCh:BURSt:EVM:DIRect:MAXimum?
FETCh:BURSt:EVM:DIRect:MINimum?

Returns the average, maximum or minimum EVM in dB for the IEEE 802.11b standard. This result is the value after filtering.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:EVM:PILot:AVERAge?
FETCh:BURSt:EVM:PILot:MAXimum?
FETCh:BURSt:EVM:PILot:MINimum?

Returns the average, maximum or minimum EVM in dB for the pilot carrier.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCh:BURSt:EVM[:IEEE]:AVERAge?
FETCh:BURSt:EVM[:IEEE]:MAXimum?
FETCh:BURSt:EVM[:IEEE]:MINimum?

Returns the average, maximum or minimum EVM in dB for the IEEE 802.11b standard. This result is the value before filtering.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:CFERror:AVERage?
FETCh:BURSt:CFERror:MAXimum?
FETCh:BURSt:CFERror:MINimum?
FETCh:BURSt:FERRor:AVERage?
FETCh:BURSt:FERRor:MAXimum?
FETCh:BURSt:FERRor:MINimum?

Returns the average, maximum or minimum center frequency errors in Hertz.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCh:BURSt:GIMBalance:AVERage?
FETCh:BURSt:GIMBalance:MAXimum?
FETCh:BURSt:GIMBalance:MINimum?

Returns the average, maximum or minimum I/Q imbalance in dB.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:IQOFfset:AVERage?
FETCh:BURSt:IQOFfset:MAXimum?
FETCh:BURSt:IQOFfset:MINimum?

Returns the average, maximum or minimum I/Q offset in dB.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:IQSKew:AVERage?
FETCh:BURSt:IQSKew:MAXimum?
FETCh:BURSt:IQSKew:MINimum?

Returns the average, maximum or minimum I/Q skew in picoseconds.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Usage: Query only

FETCH:BURSt:MCPower:AVERAge?
FETCH:BURSt:MCPower:MAXimum?
FETCH:BURSt:MCPower:MINimum?

Returns the MIMO cross power (average, maximum or minimum value) in dB for the IEEE 802.11n (MIMO) standard. For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCH:BURSt:MCHPower:AVERAge?
FETCH:BURSt:MCHPower:MAXimum?
FETCH:BURSt:MCHPower:MINimum?

Returns the MIMO channel power (average, maximum or minimum value) in dBm for the IEEE 802.11n (MIMO) standard. For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCH:BURSt:PAYLoad[:AVERAge]?
FETCH:BURSt:PAYLoad:MINimum?
FETCH:BURSt:PAYLoad:MAXimum?

Returns the average, maximum or minimum of the "Payload Power per PPDU" (in dBm). All analyzed PPDUs, up to the statistic length, take part in the statistical evaluation.

Return values:

<Result> <list>

Usage: Query only

FETCH:BURSt:PEAK[:AVERAge]?
FETCH:BURSt:PEAK:MINimum?
FETCH:BURSt:PEAK:MAXimum?

Returns the average, maximum or minimum of the "Peak Power per PPDU" (in dBm). All analyzed PPDUs, up to the statistic length, take part in the statistical evaluation.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:PREAmble[:AVERAge]?

FETCh:BURSt:PREAmble:MAXimum?

FETCh:BURSt:PREAmble:MINimum?

Returns the average, maximum or minimum of the "Preamble Power per PPDU" (in dBm). All symbols prior to the first data symbol of the PPDU are used to calculate the preamble power.

All analyzed PPDUs, up to the statistic length, take part in the statistical evaluation.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:QUADoffset:AVERAge?

FETCh:BURSt:QUADoffset:MAXimum?

FETCh:BURSt:QUADoffset:MINimum?

Returns the average, maximum or minimum quadrature offset of symbols within a PPDU. This value indicates the phase accuracy.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCh:BURSt:RMS[:AVERAge]?

FETCh:BURSt:RMS:MAXimum?

FETCh:BURSt:RMS:MINimum?

Returns the average, maximum or minimum RMS power in dBm for all analyzed PPDUs.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCh:BURSt:SYMBolerror:AVERAge?

FETCh:BURSt:SYMBolerror:MAXimum?

FETCh:BURSt:SYMBolerror:MINimum?

Returns the average, maximum or minimum percentage of symbols that were outside the allowed demodulation range within a PPDU (as defined by the standard).

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <Global Result>, <Stream 1 result> ... <Stream n result>

Usage: Query only

FETCH:BURSt:TFALi:AVERage?**FETCH:BURSt:TFALi:MAXimum?****FETCH:BURSt:TFALi:MINimum?**

Returns the average, maximum or minimum PPDU fall time in seconds.

Is only applicable to IEEE802.11b & IEEE802.11g (DSSS) signals.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCH:BURSt:TRISe:AVERage?**FETCH:BURSt:TRISe:MAXimum?****FETCH:BURSt:TRISe:MINimum?**

Returns the average, maximum or minimum burst rise time in seconds.

Is only applicable to IEEE802.11b & IEEE802.11g (DSSS) signals.

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Return values:

<Result> <list>

Usage: Query only

FETCH:BURSt:PPDU:EVM:ALL:AVERage?

Returns the error vector magnitude results for each PPDU, averaged over all data and pilot subcarriers for all symbols and streams.

Return values:

<Result> Comma-separated list of EVM values, one for each PPDU
Default unit: dB

Example: `FETCH:BURSt:PPDU:EVM:ALL:AVER?`
`//Result:`
`-83.2953,-83.2953....`

Usage: Query only

Manual operation: See ["Result Summary Global"](#) on page 47

FETCh:BURSt:PPDU:EVM:DATA:AVERAge?

Returns the error vector magnitude results for each PPDU, averaged over all data sub-carriers for all symbols and streams.

Return values:

<Result> Comma-separated list of EVM values, one for each PPDU
Default unit: dB

Example:

```
FETC:BURS:PPDU:EVM:DATA:AVER?
//Result:
-83.2953,-83.2953....
```

Usage: Query only

FETCh:BURSt:PPDU:EVM:PILot:AVERAge?

Returns the error vector magnitude results for each PPDU, averaged over all pilot sub-carriers for all symbols and streams.

Return values:

<Result> Comma-separated list of EVM values, one for each PPDU
Default unit: dB

Example:

```
FETC:BURS:PPDU:EVM:PIl:AVER?
//Result:
-83.2953,-83.2953....
```

Usage: Query only

FETCh:SCDetailed:ALL?

Returns detailed signal information for each decoded RU and for each object. The result is a comma-separated list of values with 5 rows per RU, in the same order as the Signal Content Detailed result display (see "[Signal Content Detailed \(IEEE 802.11ax, be\)](#)" on page 49).

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).

The information for each decoded RU is returned in the following object order:

- (As of firmware version 3.20:) Legacy long training field (L-LTF)
- Long training field (HE-LTF)
- Data + Pilot
- Data only
- Pilot only

Return values:

1:<PPDUIndex> integer
sequential order of detected PPDU

2:<RUIndex>	integer sequential order of resource unit
3:<RUSize>	integer size of the resource unit Range: 26 to 996
4:<Object>	L-LTF HE-LTF Data + Pilot Data Pilot Type of object
5: <EVM>	numeric value Default unit: dB
6:<Power>	numeric value Power per subcarrier Default unit: dBm
7:<BER>	numeric value Bit error rate
8:<BERCheck>	PASS FAIL Check whether any bit errors occurred.
9:<CWER>	numeric value Code word error rate
10:<CWERCheck>	PASS FAIL Check whether any code word errors occurred.

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:ALL?
//Result:
1, nan, nan, L-LTF, nan, 0.5497, nan, PASS, nan, PASS,
1, 1, S996S484, HE-LTF, nan, -30.8854, nan, PASS, nan, PASS,
1, 1, S996S484, Data + Pilot, -88.6586, -30.9008, nan, PASS, nan, PASS,
1, 1, S996S484, Data, -88.6741, nan, nan, PASS, nan, PASS,
1, 1, S996S484, Pilot, -88.0084, nan, nan, PASS, nan, PASS
```

Usage: Query only**Manual operation:** See "[Signal Content Detailed \(IEEE 802.11ax, be\)](#)" on page 49**FETCh:SCDetailed:EVM:ALL?**

Returns the EVM for all data and pilot subcarriers. The result is a comma-separated list of values, one for each PPDU and each RU.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).

Return values:

<Result> Default unit: dB

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:EVM:ALL?
//Result:
//-45.3692,-40.0135,-36.0258,-37.8301,-37.1719
```

Usage: Query only

FETCh:SCDetailed:EVM:DATA?

Returns the EVM for all data subcarriers. The result is a comma-separated list of values, one for each PPDU and each RU.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).

Return values:

<Result> Default unit: dB

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:EVM:DATA?
//Result:
//-45.0616,-39.6757,-35.6879,-37.4979,-36.9032
```

Usage: Query only

FETCh:SCDetailed:EVM:PILOt?

Returns the EVM for all pilot subcarriers. The result is a comma-separated list of values, one for each PPDU and each RU.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).

Return values:

<Result> Default unit: dB

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:EVM:PILOt?
//Result:
//-54.6124,-55.3704,-51.4149,-51.1958,-43.4808
```

Usage: Query only

FETCh:SCDetailed:POWer:PPDU? <SCDetailedObject>

Returns the power results for each PPDU for the selected subcarriers.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).

Query parameters:

<SCDetailedObject> HELTf | EHTLtf | DPILot | LLTF

HELTf

Includes long training field (HE-LTF) subcarriers only

DPILot

Includes data and pilot subcarriers only

LLTF

Includes legacy long training field (L-LTF) subcarriers only

Default unit: dBm

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCDE:POWE:PPDU? LLTF
//Result for 3 PPDUs:
//-11.1802, -11.1770, -11.1751
```

Usage:

Query only

FETCh:SCDetailed:POWer:RU? <SCDetailedObject>

Returns the power in all PPDUs for each RU. The result is a comma-separated list of power values, one per RU.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).Tip: to obtain the results for an individual subcarrier, use [FETCh:SCDetailed:POWer\[:SC\]?](#) on page 366.**Query parameters:**

<SCDetailedObject> HELTf | EHTLf | DPILot | LLTF

HELTf

Includes long training field (HE-LTF) subcarriers only

DPILot

Includes data and pilot subcarriers only

Default unit: dBm

Example:

```
LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:POW:RU?
```

Usage:

Query only

FETCh:SCDetailed:POWer[:SC]? <SCDetailedObject>

Returns the power per subcarrier in all PPDUs and all RUs. The result is a comma-separated list of power values, one per subcarrier.

These results are only available if the Signal Content Detailed result display is currently active (see [LAYout:ADD\[:WINDow\]?](#) on page 327).Tip: to obtain the results for an individual resource unit, use [FETCh:SCDetailed:POWer:RU?](#) on page 366.**Query parameters:**

<SCDetailedObject> HELTf | EHTLf | DPILot | LLTF

HELTf

Includes long training field (HE-LTF) subcarriers only

DPILot

Includes data and pilot subcarriers only

Default unit: dBm

Example: LAY:ADD:WIND? '1', RIGH, SCD
FETC:SCD:POW:SC?

Usage: Query only

FETCh:SField:ALL?

Returns the results of the Signal Fields table, including column headers. The result is a comma-separated list of values for the selected PDU. For details on the provided information see ["Signal Field"](#) on page 50

Is only available for the **IEEE 802.11ax, be** standards. For other standards, see [TRACe \[:DATA\] ?](#) on page 384.

Return values:

<Result> <Signal_field_type>[,<Occupied_bits>,<Field_name>,<Binary_value>,<Human_readable_value>],...

Example:

```
FETC:SFI:ALL?
// Result:
// L-SIG,
// B0-B3,Rate,0000,0,
// B4,Reserved,1,1,
// B5-B16,Length,000000000010,2,
// B17,Parity,0,0,
// B18-B23,Tail,010100,20,
// HE-SIG-A1,
// B0,Format,1,1,
// B1,Beam Change,1,1,
// B2,UL/DL,0,0,
// B3-B6,MCS,1010,10,B7,DCM,0,0,
// B8-B13,BSS Color,000000,0,
// B14,Reserved,0,0,
// B15-B18,Spatial Reuse,0000,0,
// B19-B20,Bandwidth,10,2,
// B21-B22,GI + LTF Size,010,2,
// B23-B25,Nsts,001,1,
// HE-SIG-A2
// B0-B6, TXOP Duration,0000000,0,
// B7,Coding,0,0,B8,LDPC Extra Symbol,0,0,
// B9,STBC,0,0,
// B10,TxBF,0,0,
// B11-B12,Pre-FEC Padding Factor,00,0,
// B13,PE Disambiguity,0,0,B14,Reserved,0,0,
// B15,Doppler,0,0,
// B16-B19,CRC,0000,0,
// B20-B25,Tail,000000,0
```

Usage: Query only
Manual operation: See ["Signal Field"](#) on page 50

FETCh:SFSummary:ALL?

Returns the numeric results of the "Spectrum Flatness" trace.

Is only available for the **IEEE 802.11ax, be** standards.

For details see ["Spectrum Flatness Result Summary"](#) on page 54.

Return values:

<Result> <SC_Start_No>,<SC_End_No>,<MinDist_Low>,<SC_MinDist_Low>,<MinDist_Up>,<SC_MinDist_Up>,<LimitCheckResult>,...

Comma-separated list of values for the overall subcarrier range and each subrange.

Example:

```
FETC:SFS:ALL?
//Result:
'-1012', '1012', '2.9906', '166', 'PASS',
'3.1331', '-826', 'PASS', '-1012', '-697',
'4.2194', '-1012', 'PASS', '3.1331', '-826',
'PASS', '-696', '-515', '4.2559', '-533',
'FAIL', '3.3923', '-696', 'PASS', '-509',
'-166', '4.1220', '-167', 'FAIL', '3.5353',
'-292', 'PASS', '-165', '-12', '5.3224', '-13',
'PASS', '3.8853', '-165', 'PASS', '12', '165',
'4.9335', '128', 'PASS', '4.7902', '12',
'PASS', '166', '509', '2.9906', '166', 'FAIL',
'3.9672', '508', 'PASS', '515', '696',
'3.7037', '695', 'FAIL', '3.9859', '519',
'PASS', '697', '1012', '3.6607', '1011',
'PASS', '4.1990', '953', 'PASS'
```

Usage: Query only
Manual operation: See ["Spectrum Flatness Result Summary"](#) on page 54

FETCh:UTESummary:ALL?

Returns the results of the "Unused Tone Error" Summary. The result is a comma-separated list of values for up to 37 measurement points in the channel. Which subcarriers are measured depends on the size and position of the RU being transmitted.

This result is required by the **IEEE 802.11ax** standard for HE trigger-based PPDU with a maximum channel bandwidth of 80 MHz.

Return values:

<Result> -35 dB LHS | RUIdx-3 | RUIdx-2 | RUIdx-1 | RUIdx | RUIdx+1 | RUIdx+2 | RUIdx+3 | -35 dB RHS

Set of n subcarriers, where n is the number of subcarriers in the resource unit to be checked.

For details see [Chapter 3.1.1.8, "Unused tone error"](#), on page 24

Default unit: -

Example:

```
FETC:UTES:ALL?
//Result:
//-35 dB LHS,-1,nan,nan,nan,nan,nan,-1,NONE,
//RUIdx-3,-1,nan,nan,nan,nan,nan,-1,NONE,
//RUIdx-2,-1,nan,nan,nan,nan,nan,-1,NONE,
//RUIdx-1,-1,nan,nan,nan,nan,nan,-1,NONE,
//RUIdx,4,-59.64,-58.80,-58.11,-30.00,-28.11,2,PASS,
//RUIdx+1,4,-68.39,-67.93,-67.28,-32.00,-35.28,7,PASS,
//RUIdx+2,4,-66.06,-65.14,-63.41,-35.00,-28.41,12,PASS,
//RUIdx+3,4,-68.06,-67.31,-65.97,-35.00,-30.97,13,PASS,
//-35 dB RHS,4,-73.80,-71.81,-69.82,-35.00,-34.82,17,PASS
```

Usage: Query only

Manual operation: See ["Unused Tone Error Summary"](#) on page 55

UNIT:EVM <Unit>

Specifies the units for EVM limits and results

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Parameters:

<Unit> DB | PCT
*RST: DB

UNIT:GIMBalance <Unit>

Specifies the units for gain imbalance results

For details see [Chapter 3.1.1, "Modulation accuracy, flatness and tolerance parameters"](#), on page 14.

Parameters:

<Unit> DB | PCT
*RST: DB

UNIT:PREamble <Unit>

Specifies the units for preamble error results.

Parameters:

<Unit> HZ | PCT

9.9.1.3 Limit check results

The following commands are required to query the results of the limit checks.

Useful commands for retrieving results described elsewhere:

- [UNIT:EVM](#) on page 369
- [UNIT:GIMBalance](#) on page 369

Remote commands exclusive to retrieving limit check results

CALCulate<n>:LIMit:BURSt:ALL:RESult?	370
CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge]:RESult?	371
CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum:RESult?	371
CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge]:RESult?	371
CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum:RESult?	371
CALCulate<n>:LIMit:BURSt:EVM[:AVERAge]:RESult?	372
CALCulate<n>:LIMit:BURSt:EVM:MAXimum:RESult?	372
CALCulate<n>:LIMit:BURSt:EVM:PILot[:AVERAge]:RESult?	372
CALCulate<n>:LIMit:BURSt:EVM:PILot:MAXimum:RESult?	372
CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge]:RESult?	372
CALCulate<n>:LIMit:BURSt:FERRor:MAXimum:RESult?	372
CALCulate<n>:LIMit:BURSt:IQOffset[:AVERAge]:RESult?	373
CALCulate<n>:LIMit:BURSt:IQOffset:MAXimum:RESult?	373
CALCulate<n>:LIMit:BURSt:SYMBolerror[:AVERAge]:RESult?	373
CALCulate<n>:LIMit:BURSt:SYMBolerror:MAXimum:RESult?	373
CALCulate<n>:LIMit:BURSt:TFALI[:AVERAge]:RESult?	374
CALCulate<n>:LIMit:BURSt:TFALI:MAXimum:RESult?	374
CALCulate<n>:LIMit:BURSt:TRISet[:AVERAge]:RESult?	374
CALCulate<n>:LIMit:BURSt:TRISet:MAXimum:RESult?	374
CALCulate<n>:LIMit:CONTRol[:DATA]?	374
CALCulate<n>:LIMit:FAIL?	375
CALCulate<n>:LIMit:UPPER[:DATA]?	376
CALCulate<n>:LIMit:LOWer:FULL?	376
CALCulate<n>:LIMit:UPPer:FULL?	376
CALCulate<n>:LIMit:ESPectrum:CHECK:X?	377
CALCulate<n>:LIMit:SPECtrum:MASK:CHECK:X?	377
CALCulate<n>:LIMit:ESPectrum:CHECK:Y?	377
CALCulate<n>:LIMit:SPECtrum:MASK:CHECK:Y?	377

CALCulate<n>:LIMit:BURSt:ALL:RESult?

Returns the result of the EVM limit check for all carriers. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:ALL](#) on page 314).

Suffix:

<n> Window

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge]:RESult?

CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum:RESult?

Returns the result of the average or maximum EVM limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum](#) on page 315).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge]:RESult?

CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum:RESult?

Returns the result of the average or maximum EVM limit check for data carriers. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum](#) on page 315).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:EVM[:AVERAge]:RESult?
CALCulate<n>:LIMit:BURSt:EVM:MAXimum:RESult?

Returns the result of the average or maximum EVM limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:EVM:MAXimum](#) on page 316).

Is only available for **IEEE 802.11b and g (DSSS)**.

Suffix:

<n> [Window](#)

 1..n

Usage: Query only

CALCulate<n>:LIMit:BURSt:EVM:PILOt[:AVERAge]:RESult?
CALCulate<n>:LIMit:BURSt:EVM:PILOt:MAXimum:RESult?

Returns the result of the average or maximum EVM limit check for pilot carriers. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:EVM:PILOt:MAXimum](#) on page 316).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge]:RESult?
CALCulate<n>:LIMit:BURSt:FERRor:MAXimum:RESult?

Returns the result of the average or maximum center frequency error limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:FERRor:MAXimum](#) on page 316).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:IQOFFset[:AVERAge]:RESult?

CALCulate<n>:LIMit:BURSt:IQOFFset:MAXimum:RESult?

Returns the result of the average or maximum I/Q offset limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:IQOFFset:MAXimum](#) on page 317).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:SYMBOLerror[:AVERAge]:RESult?

CALCulate<n>:LIMit:BURSt:SYMBOLerror:MAXimum:RESult?

Returns the result of the average or maximum symbol clock error limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:SYMBOLerror:MAXimum](#) on page 317).

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

PASS

The defined limit for the parameter was not exceeded.

FAILED

The defined limit for the parameter was exceeded.

Usage: Query only

CALCulate<n>:LIMit:BURSt:TFALl[:AVERAge]:RESult?**CALCulate<n>:LIMit:BURSt:TFALl:MAXimum:RESult?**

Returns the result of the average or maximum fall time limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:TFALl:MAXimum](#) on page 317).

Is **only** available for **IEEE 802.11b**.

Suffix:

<n> [Window](#)

 1..n

Return values:

<LimitCheck> PASS | FAILED

Usage: Query only

CALCulate<n>:LIMit:BURSt:TRISe[:AVERAge]:RESult?**CALCulate<n>:LIMit:BURSt:TRISe:MAXimum:RESult?**

Returns the result of the average or maximum rise time limit check. The limit value is defined by the standard or the user (see [CALCulate<n>:LIMit:BURSt:TRISe:MAXimum](#) on page 318).

Is **only** available for **IEEE 802.11b**.

Suffix:

<n> [Window](#)

 1..n

Usage: Query only

CALCulate<n>:LIMit:CONTrol[:DATA]?

Queries the x-axis values for the specified limit line.

Suffix:

<n> 1..n

 1..n

Limit line for unused tone error RU group:

// 1 = -35dB LHS

// 2 = RUIdx-3

// 3 = RUIdx-2

// 4 = RUIdx-1

// 5 = RUIdx

// 6 = RUIdx+1

// 7 = RUIdx+2

// 8 = RUIdx+3

// 9 = -35dB RHS

Return values:

<Result>

Usage: Query only**Manual operation:** See "[Unused Tone Error Summary](#)" on page 55**CALCulate<n>:LIMit:FAIL?**

Queries the result of a limit check in the specified window.

To get a valid result, you have to perform a complete measurement with synchronization to the end of the measurement before reading out the result. This is only possible for single measurement mode.

See also [INITiate<n>:CONTinuous](#) on page 346.**Suffix:**

<n> 1..n
[Window](#)

 1..n
 SEM: Limit line according to [Table 9-11](#)
 Limit line for unused tone error RU group:
 // 1 = -35dB LHS
 // 2 = RUIdx-3
 // 3 = RUIdx-2
 // 4 = RUIdx-1
 // 5 = RUIdx
 // 6 = RUIdx+1
 // 7 = RUIdx+2
 // 8 = RUIdx+3
 // 9 = -35dB RHS

Return values:

<Result> **OFF | 0**
 PASS
ON | 1
 FAIL

Example:

INIT; *WAI

Starts a new sweep and waits for its end.

CALC2:LIM4:FAIL?

Queries the result of the check for spectrum flatness (upper) limit line in window 2.

Usage: Query only**Manual operation:** See "[Unused Tone Error Summary](#)" on page 55See "[Spectrum Emission Mask](#)" on page 58**Table 9-11: Limit line suffix <k> for SEM measurements in R&S FSV3 WLAN application**

Suffix	Limit
1 to 2	These indexes are not used

3	Limit line for "Spectrum Emission Mask" as defined by ETSI
4	"Spectrum Flatness" (Upper) limit line
5	"Spectrum Flatness" (Lower) limit line
6	Limit line for "Spectrum Emission Mask" as defined by IEEE
7	PVT Rising Edge max limit
8	PVT Rising Edge mean limit
9	PVT Falling Edge max limit
10	PVT Falling Edge mean limit

CALCulate<n>:LIMit:UPPer[:DATA]?

Queries the y-axis values for the specified limit line.

Suffix:

<n> 1..n

 1..n

Limit line for unused tone error RU group:

// 1 = -35dB LHS

// 2 = RUIdx-3

// 3 = RUIdx-2

// 4 = RUIdx-1

// 5 = RUIdx

// 6 = RUIdx+1

// 7 = RUIdx+2

// 8 = RUIdx+3

// 9 = -35dB RHS

Return values:

<Result> Default unit: DB

Usage: Query only

Manual operation: See "[Unused Tone Error Summary](#)" on page 55

CALCulate<n>:LIMit:LOWer:FULL?
CALCulate<n>:LIMit:UPPer:FULL?

Queries the limit line y-values as defined by the standard for the specified window.

Tip: to query the corresponding x-values, use the [TRACe<n>\[:DATA\]:X?](#) command.

Note: both commands have the same effect; the suffix determines whether the upper or lower limit is returned. For compatibility reasons, both commands are maintained.

Suffix:

<n> 1..n
[Window](#)

 4 | 5
 The limit line to query
4: "Spectrum Flatness" **upper** limit line
5: "Spectrum Flatness" **lower** limit line

Example: CALC2:LIM4:UPP:FULL?

Usage: Query only

CALCulate<n>:LIMit:ESpectrum:CHECK:X?

CALCulate<n>:LIMit:SPECTrum:MASK:CHECK:X?

Returns the highest frequency for which the SEM limit was exceeded. If no limit was exceeded, an error is returned.

Suffix:

<n> 1..n
[Window](#)

 1..n

Usage: Query only

CALCulate<n>:LIMit:ESpectrum:CHECK:Y?

CALCulate<n>:LIMit:SPECTrum:MASK:CHECK:Y?

Returns the highest (absolute) power level that exceeds the SEM limit. If no limit was exceeded, an error is returned.

Suffix:

<n> 1..n
[Window](#)

 1..n

Usage: Query only

9.9.2 Numeric results for frequency sweep measurements

The following commands are required to retrieve the numeric results of the WLAN frequency sweep measurements (see [Chapter 3.2, "Frequency sweep measurements"](#), on page 56).



In the following commands used to retrieve the numeric results for RF data, the suffixes <n> for CALCulate and <k> for LIMit are irrelevant.

CALCulate<n>:LIMit:ACPower:ACHannel:RESult?..... 378
 CALCulate<n>:LIMit:ACPower:ALternate<ch>:RESult?..... 378
 CALCulate<n>:MARKer<m>:FUNction:POWer<sb>:RESult?..... 378
 CALCulate<n>:MARKer<m>:FUNction:POWer:RESult:MAXHold..... 380

CALCulate<n>:MARKer<m>:FUNction:POWer<sb>:RESult:PHZ.....	380
CALCulate<n>:MARKer<m>:X.....	381
CALCulate<n>:STATistics:RESult<res>?.....	381

CALCulate<n>:LIMit:ACPoweR:ACHannel:RESult?
CALCulate<n>:LIMit:ACPoweR:ALternate<ch>:RESult?

Queries the state of the limit check for the adjacent or alternate channels in an ACLR measurement.

To get a valid result, you have to perform a complete measurement with synchronization to the end of the measurement before reading out the result. This is only possible for single measurement mode.

See also [INITiate<n>:CONTinuous](#) on page 346.

Suffix:

<n>	irrelevant
	irrelevant
<ch>	Alternate channel number

Return values:

<LowerChan> text value
The state of the limit check for the lower alternate or adjacent channels.

PASSED

Limit check has passed.

FAIL

Limit check has failed.

<UpperChan> text value
The state of the limit check for the upper alternate or adjacent channels.

PASSED

Limit check has passed.

FAIL

Limit check has failed.

Example:

```
INIT: IMM; *WAI;
CALC: LIM: ACP: ACH: RES?
PASSED, PASSED
```

Usage:

Query only

CALCulate<n>:MARKer<m>:FUNction:POWer<sb>:RESult? <Measurement>

Queries the results of power measurements.

Is only available for measurements on RF data (see [Chapter 3.2, "Frequency sweep measurements"](#), on page 56).

To get a valid result, you have to perform a complete measurement with synchronization to the end of the measurement before reading out the result. This is only possible for single measurement mode.

See also `INITiate<n>:CONTinuous` on page 346.

Suffix:

<n>	irrelevant
<m>	irrelevant
<sb>	Sub block in a Multi-standard radio measurement; MSR ACLR: 1 to 8 Multi-SEM: 1 to 8 for all other measurements: irrelevant

Parameters:

<Measurement>

ACPower | MCACpower

ACLR measurements (also known as adjacent channel power or multicarrier adjacent channel measurements).

Returns the power for every active transmission and adjacent channel. The order is:

- power of the transmission channels
- power of adjacent channel (lower,upper)
- power of alternate channels (lower,upper)

MSR ACLR results:

For MSR ACLR measurements, the order of the returned results is slightly different:

- power of the transmission channels
- total power of the transmission channels for each sub block
- power of adjacent channels (lower, upper)
- power of alternate channels (lower, upper)
- power of gap channels (lower1, upper1, lower2, upper2)

The unit of the return values depends on the scaling of the y-axis:

- logarithmic scaling returns the power in the current unit
- linear scaling returns the power in W

GACLR

For MSR ACLR measurements only: returns a list of ACLR values for each gap channel (lower1, upper1, lower2, upper2)

MACM

For MSR ACLR measurements only: returns a list of CACLR values for each gap channel (lower1, upper1, lower2, upper2)

CN

Carrier-to-noise measurements.

Returns the C/N ratio in dB.

CNO

Carrier-to-noise measurements.

Returns the C/N ratio referenced to a 1 Hz bandwidth in dBm/Hz.

CPOWer

Channel power measurements.

Returns the channel power. The unit of the return values depends on the scaling of the y-axis:

- logarithmic scaling returns the power in the current unit
- linear scaling returns the power in W

For SEM measurements, the return value is the channel power of the reference range (in the specified sub block).

PPOWer

Peak power measurements.

Returns the peak power. The unit of the return values depends on the scaling of the y-axis:

- logarithmic scaling returns the power in the current unit
- linear scaling returns the power in W

For SEM measurements, the return value is the peak power of the reference range (in the specified sub block).

OBANdwidth | OBWidth

Occupied bandwidth.

Returns the occupied bandwidth in Hz.

Manual operation: See "[Channel Power ACLR](#)" on page 57
See "[Occupied Bandwidth](#)" on page 58

CALCulate<n>:MARKer<m>:FUNction:POWer:RESult:MAXHold

Returns a comma-separated list of the maxhold trace results for power measurements.

Suffix:

<n> 1..n
irrelevant

<m> 1..n

Example:

```
CALC:MARK:FUNC:POW:RES:MAXH?
-36.1680526733,0.76843261719,0.76843261719,
0.76984405518,0.76984405518,0.02191543579,
0.02191543579
```

CALCulate<n>:MARKer<m>:FUNction:POWer<sb>:RESult:PHZ <State>

Selects the unit the R&S FSV/A returns results for power measurements.

You can query results with `CALCulate<n>:MARKer<m>:FUNction:POWer<sb>:RESult?`.

Suffix:

<n> [Window](#)

<m> [Marker](#)

<sb> irrelevant

Parameters:

<State> ON | OFF | 1 | 0
ON | 1
 Channel power density in dBm/Hz
OFF | 0
 Channel power in dBm
 *RST: 0

Example:

CALC:MARK:FUNC:POW:RES:PHZ ON
 Output of results referred to the channel bandwidth.

CALCulate<n>:MARKer<m>:X <Position>

Moves a marker to a specific coordinate on the x-axis.

If necessary, the command activates the marker.

If the marker has been used as a delta marker, the command turns it into a normal marker.

Suffix:

<n> [Window](#)
 <m> [Marker](#)

Parameters:

<Position> Numeric value that defines the marker position on the x-axis.
 The unit depends on the result display.
 Range: The range depends on the current x-axis range.
 Default unit: Hz

Example:

CALC:MARK2:X 1.7MHz
 Positions marker 2 to frequency 1.7 MHz.

Manual operation:

See "[Marker Table](#)" on page 61
 See "[Marker Peak List](#)" on page 62

CALCulate<n>:STATistics:RESult<res>? <ResultType>

Queries the results of a measurement for a specific trace.

Suffix:

<n> [Window](#)
 <res> [Trace](#)

Query parameters:

<ResultType> **MEAN**
 Average (=RMS) power in dBm measured during the measurement time.
PEAK
 Peak power in dBm measured during the measurement time.

CFACTor

Determined crest factor (= ratio of peak power to average power) in dB.

ALL

Results of all three measurements mentioned before, separated by commas: <mean power>,<peak power>,<crest factor>

Example:

```
CALC:STAT:RES2? ALL
```

Reads out the three measurement results of trace 2. Example of answer string: 5.56,19.25,13.69 i.e. mean power: 5.56 dBm, peak power 19.25 dBm, crest factor 13.69 dB

Usage:

Query only

Manual operation: See "CCDF" on page 59

9.9.3 Retrieving trace results

The following commands describe how to retrieve the trace data from the WLAN IQ measurement (Modulation Accuracy, Flatness and Tolerance). Note that for these measurements, only 1 trace per window can be configured.

**MIMO results in subwindows**

For MIMO measurements, the results for each data stream are displayed in a separate tab. In addition, an overview tab is provided in which all data streams are displayed at once, in individual subwindows. To query the trace data for a specific data stream, you must select the subwindow first (see `DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect`).

Useful commands for retrieving trace results described elsewhere:

- The traces for frequency sweep measurements are identical to those in the Spectrum application.
- `[SENSe:]BURSt:SElect` on page 307

Remote commands exclusive to retrieving trace results:

<code>DISPlay[:WINDow<n>]:FLAGs</code>	382
<code>FORMat[:DATA]</code>	383
<code>[SENSe:]BURSt:COUNT:SElect:STATe</code>	384
<code>TRACe[:DATA]?</code>	384
<code>TRACe<n>[:DATA]:X?</code>	386

DISPlay[:WINDow<n>]:FLAGs <State>

Configures the output of bitstream data in ASCII format

Suffix:<n> [Window](#)**Parameters:**

<State> 0 | 2

0
Switches the function off

2
In bitstream trace results, any DC (empty) carriers found in the bitstream are indicated by `NULL` in the bitstream, if the output format is ASCII.

*RST: 0

Example:

```
DISP:WIND3:FLAG 2
//Result:
//.....02,37,3E,01,"NULL",01,19,2A.....
```

FORMat[:DATA] <Format>[, <BitLength>]

Selects the data format that is used for transmission of trace data from the R&S FSV/A to the controlling computer.

Note that the command has no effect for data that you send to the R&S FSV/A. The R&S FSV/A automatically recognizes the data it receives, regardless of the format.

Parameters:

<Format>

ASCIi
ASCII format, separated by commas.
This format is almost always suitable, regardless of the actual data format. However, the data is not as compact as other formats can be.

REAL
Floating-point numbers (according to IEEE 754) in the "definite length block format".

UINT
In the R&S FSV3 WLAN application, bitstream data can be sent as unsigned integers format to improve the data transfer speed (compared to ASCII format).

<BitLength> Length in bits for floating-point results

16
16-bit floating-point numbers.
Compared to `REAL, 32` format, half as many numbers are returned.

32
32-bit floating-point numbers
For I/Q data, 8 bytes per sample are returned for this format setting.

64

64-bit floating-point numbers

Compared to `REAL, 32` format, twice as many numbers are returned.**Example:** `FORM REAL, 32`**[SENSe:]BURSt:COUnT:SElect:STATe <State>**Determines whether a selected PPDU (using `[SENSe:]BURSt:SElect`) is considered or ignored.**Parameters:**

<State> ON | OFF | 1 | 0

ON | 1Only the results for the selected PPDU are considered by a subsequent `TRACe[:DATA]?` query for "EVM vs Symbol" and "EVM vs Carrier" result displays.**OFF | 0****"EVM vs Symbol"** result display: query returns all detected PPDUs in the current capture buffer**"EVM vs Carrier"** result display: query returns the statistical results for all analyzed PPDUs`*RST: 0`**Example:**

```
LAY:WIND2:REPL EVSY
SENS:BURS:SEL:STAT ON
SENS:BURS:SEL 10
TRAC2:DATA? TRACE1
```

Returns the trace results for the PPDU number 10 in window 2 ("EVM vs Symbol").

TRACe[:DATA]? <TraceNumber>Queries current trace data and measurement results from the window previously selected using `DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect`.As opposed to the R&S FSV/A base unit, the window suffix <n> is not considered in the R&S FSV3 WLAN application! Use the `DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect` to select the (sub)window before you query trace results!For details see [Chapter 9.9.4, "Measurement results for TRACe<n>\[:DATA\]? TRACe<n>"](#), on page 386.**Query parameters:**

<TraceNumber> TRACE1 | ... | TRACE6

Selects the type of result to be returned.

TRACE1 | ... | TRACE6

Returns the trace data for the corresponding trace.

Note that for the default WLAN I/Q measurement (Modulation Accuracy, Flatness and Tolerance), only 1 trace per window (TRACE1) is available.

LIST

Returns the results of the peak list evaluation for "Spectrum Emission Mask" measurements.

Example:

```
DISP:WIND2:SEL
TRAC? TRACE3
```

Queries the data of trace 3 in window 2.

Manual operation:

See ["AM/AM"](#) on page 27
 See ["AM/PM"](#) on page 28
 See ["AM/EVM"](#) on page 28
 See ["Bitstream"](#) on page 29
 See ["Constellation"](#) on page 31
 See ["Constellation vs Carrier"](#) on page 33
 See ["EVM vs Carrier"](#) on page 34
 See ["EVM vs Chip"](#) on page 35
 See ["EVM vs Symbol"](#) on page 35
 See ["FFT Spectrum"](#) on page 36
 See ["Freq. Error vs Preamble"](#) on page 37
 See ["Gain Imbalance vs Carrier"](#) on page 38
 See ["Group Delay"](#) on page 39
 See ["Magnitude Capture"](#) on page 40
 See ["Phase Error vs Preamble"](#) on page 40
 See ["Phase Tracking"](#) on page 41
 See ["PLCP Header \(IEEE 802.11b, g \(DSSS\)\)"](#) on page 42
 See ["PvT Full PPDU"](#) on page 43
 See ["PvT Rising Edge"](#) on page 44
 See ["PvT Falling Edge"](#) on page 45
 See ["Quad Error vs Carrier"](#) on page 45
 See ["Signal Field"](#) on page 50
 See ["Spectrum Flatness"](#) on page 52
 See ["Unused Tone Error"](#) on page 54
 See ["Spectrum Emission Mask"](#) on page 58

Table 9-12: Return values for TRACE1 to TRACE6 parameter

For I/Q data traces, the results depend on the evaluation method (window type) selected for the current window (see [LAYout:ADD\[:WINDow\]?](#) on page 327). The results for the various window types are described in [Chapter 9.9.4, "Measurement results for TRACe<n>\[:DATA\]? TRACE<n>"](#), on page 386.

For RF data traces, the trace data consists of a list of 1001 power levels that have been measured. The unit depends on the measurement and on the unit you have currently set.

For SEM measurements, the x-values should be queried as well, as they are not equi-distant (see [TRACe<n>\[:DATA\]:X?](#) on page 386).

Table 9-13: Return values for LIST parameter

<p>This parameter is only available for SEM measurements.</p> <p>For each sweep list range you have defined (range 1...n), the command returns eight values in the following order.</p> <p><No>,<StartFreq>,<StopFreq>,<RBW>,<PeakFreq>,<PowerAbs>,<PowerRel>,<PowerDelta>,<LimitCheck>,<Unused1>,<Unused2></p> <ul style="list-style-type: none"> • <No>: range number • <StartFreq>,<StopFreq>: start and stop frequency of the range • <RBW>: resolution bandwidth • <PeakFreq>: frequency of the peak in a range • <PowerAbs>: absolute power of the peak in dBm • <PowerRel>: power of the peak in relation to the channel power in dBc • <PowerDelta>: distance from the peak to the limit line in dB, positive values indicate a failed limit check • <LimitCheck>: state of the limit check (0 = PASS, 1 = FAIL) • <Unused1>,<Unused2>: reserved (0.0)

TRACe<n>[:DATA]:X? <TraceNumber>

Queries the horizontal trace data for each sweep point in the specified window, for example the frequency in frequency domain or the time in time domain measurements.

Suffix:

<n> [Window](#)

Query parameters:

<TraceNumber> Trace number.

TRACE1 | TRACE2 | TRACE3 | TRACE4 | TRACE5 | TRACE6

Return values:

<X-Values>

Example:

TRAC3:X? TRACE1

Returns the x-values for trace 1 in window 3.

Usage:

Query only

9.9.4 Measurement results for TRACe<n>[:DATA]? TRACE<n>

The evaluation method selected by the `LAY:ADD:WIND` command also affects the results of the trace data query (see `TRACe<n>[:DATA]? TRACE<n>`).

Details on the returned trace data depending on the evaluation method are provided here.



No trace data is available for the following evaluation methods:

- "Magnitude Capture"
- "Result Summary" (Global/Detailed)

As opposed to the R&S FSV/A base unit, the window suffix <n> is not considered in the R&S FSV3 WLAN application! Use the `DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect` to select the window before you query trace results!

For details on the graphical results of these evaluation methods, see [Chapter 3.1.2, "Evaluation methods for WLAN IQ measurements"](#), on page 26.

The following table provides an overview of the main characteristics of the WLAN OFDM symbol structure in the frequency domain for various standards. The description of the TRACe results refers to these values to simplify the description.

Table 9-14: WLAN OFDM symbol structure in the frequency domain

Standard	CBW / MHz	N_{FFT}	N_{SD} No. of data sc	N_{SP} No. of pilot sc	Pilot subcarrier (sc)	N_{ST} No. of sc total: $=N_{SD}+N_{SP}$	N_{Null} No. of DC/Null sc	DC / Null subcarrier	N_{Used} No. of used sc := $N_{ST} + N_{Null}$	$N_{guard} := N_F - N_{Used}$	Comment
IEEE 802.11 a, j, p	5	64	48	4	{-21,-7,7,21}	52	1	{0}	53	11	IEEE Std 802.11-2012 Tab Table 18-5—Timing-related parameters
	10	64	48	4	{-21,-7,7,21}	52	1	{0}	53	11	IEEE Std 802.11-2012 Tab Table 18-5—Timing-related parameters
	20	64	48	4	{-21,-7,7,21}	52	1	{0}	53	11	IEEE Std 802.11-2012 Tab Table 18-5—Timing-related parameters
11n	20	64	52	4	{-21,-7,7,21} ¹⁾	56	1	{0}	57	7	IEEE Std 802.11-2012 Tab Table 20-6—Timing-related constants
	40	128	108	6	{-53, -25, -11, 11, 25, 53} ¹⁾	114	3	{-1,0,1} ³⁾	117	11	IEEE Std 802.11-2012 Tab Table 20-6—Timing-related constants
11ac	20	64	52	4	{-21,-7,7,21} ²⁾	56	1	{0}	57	7	IEEE P802.11ac/D2.1, March 2012 Table 22-5—Timing-related constants
	40	128	108	6	{-53, -25, -11, 11, 25, 53} ²⁾	114	3	{-1,0,1} ⁴⁾	117	11	IEEE P802.11ac/D2.1, March 2012 Table 22-5—Timing-related constants

1) IEEE Std 802.11-2012 Section 20.3.11.10 Pilot subcarriers

2) IEEE P802.11ac/D2.1, March 2012 Section 22.3.10.10 Pilot subcarriers

3) IEEE Std 802.11-2012 equation (20-59)

4) IEEE P802.11ac/D2.1, March 2012 equation (22-94)

5) IEEE P802.11ac/D2.1, March 2012 equation (22-95)

6) IEEE P802.11ac/D2.1, March 2012 equation (22-96)

Standard	CBW / MHz	N_{FFT}	N_{SD} No. of data sc	N_{SP} No. of pilot sc	Pilot subcarrier (sc)	N_{ST} No. of sc total: $=N_{SD}+N_{SP}$	N_{Null} No. of DC/Null sc	DC / Null subcarrier	N_{used} No. of used sc := $N_{ST} + N_{Null}$	$N_{guard} := N_F - N_{used}$	Comment
	80	256	234	8	{-103, -75, -39, -11, 11, 39, 75, 103} ²⁾	242	3	{-1, 0, 1} ⁵⁾	245	11	IEEE P802.11ac/D2.1, March 2012 Table 22-5—Timing-related constants
	160	512	468	16	{-231, -203, -167, -139, -117, -89, -53, -25, 25, 53, 89, 117, 139, 167, 203, 231} ²⁾	484	17	{-129, -128, -127, -5:1-5, 127, 128, 129} ⁶⁾	501	11	IEEE P802.11ac/D2.1, March 2012 Table 22-5—Timing-related constants
<p>1) IEEE Std 802.11-2012 Section 20.3.11.10 Pilot subcarriers</p> <p>2) IEEE P802.11ac/D2.1, March 2012 Section 22.3.10.10 Pilot subcarriers</p> <p>3) IEEE Std 802.11-2012 equation (20-59)</p> <p>4) IEEE P802.11ac/D2.1, March 2012 equation (22-94)</p> <p>5) IEEE P802.11ac/D2.1, March 2012 equation (22-95)</p> <p>6) IEEE P802.11ac/D2.1, March 2012 equation (22-96)</p>											

• AM/AM	390
• AM/PM	390
• AM/EVM	390
• Bitstream	390
• CCDF – complementary cumulative distribution function	391
• Constellation	392
• Constellation vs carrier	393
• Error vs carrier	393
• Error vs preamble	393
• EVM vs carrier	393
• EVM vs chip	394
• EVM vs symbol	394
• FFT spectrum	395
• Group delay	395
• Magnitude capture	396
• Phase tracking	396
• Power vs time (PVT)	396
• Signal field	397
• Spectrum flatness	397
• Unused tone error	397

9.9.4.1 AM/AM

For each sample, the x-axis value represents the amplitude of the reference-signal and the y-axis value represents the amplitude of the measured-signal.

Note: The measured signal and reference signal are complex signals.

9.9.4.2 AM/PM

For each sample, the x-axis value represents the amplitude of the reference signal. The y-axis value represents the angle difference of the measured signal minus the reference signal.

Note: The measured signal and reference signal are complex signals.

9.9.4.3 AM/EVM

For each sample, the x-axis value represents the amplitude of the reference-signal. The y-axis value represents the length of the error vector between the measured signal and the reference signal.

Note: The measured signal and reference signal are complex signals.

9.9.4.4 Bitstream

Data is returned depending on the selected standard for which the measurement was executed (see [CONFigure:STANdard](#) on page 222):

IEEE 802.11a, ac, g (OFDM), j, n, p standard (OFDM physical layers)

For a given OFDM symbol and a given subcarrier, the bitstream result is derived from the corresponding complex constellation point according to *Std IEEE802.11-2012 "Figure 18-10—BPSK, QPSK, 16-QAM, and 64-QAM constellation bit encoding"*. The bit pattern (binary representation) is converted to its equivalent integer value as the final measurement result. The number of values returned for each analyzed OFDM symbol corresponds to the number of data subcarriers plus the number of pilot subcarriers ($N_{SD}+N_{SP}$) in remote mode.



As opposed to the graphical "Bitstream" results, the DC and NULL carriers are not available in remote mode.

Standard	CBW in MHz	N_{SD} (Number of data subcarriers)	N_{SP} (Number of pilot subcarriers)	N_{ST} (Total number of subcarriers: $N_{SD}+N_{SP}$)
IEEE 802.11 a, p	5	48	4	52
IEEE 802.11 a, j, p	10	48	4	52
IEEE 802.11 a, j, p	20	48	4	52
IEEE 802.11n	20	52	4	56
IEEE 802.11n	40	108	6	114
IEEE 802.11ac	20	52	4	56
IEEE 802.11ac	40	108	6	114
IEEE 802.11ac	80	234	8	242
IEEE 802.11ac	160	468	16	484

IEEE 802.11b and g (DSSS) standard (DSSS physical layers)

For the IEEE 802.11b and g (DSSS) standard, the data is returned in PPDU order. Each PPDU is represented as a series of bytes. For each PPDU, the first 9 or 18 bytes represent the PLCP preamble for short and long PPDU types, respectively. The next 6 bytes represent the PLCP header. The remaining bytes represent the PSDU. Data is returned in ASCII printable hexadecimal character format.

TRACE1 is used for these measurement results.

9.9.4.5 CCDF – complementary cumulative distribution function

The length of the results varies; up to a maximum of 201 data points is returned, following a data count value. The first value in the return data represents the quantity of probability values that follow. Each of the potential 201 data points is returned as a probability value and represents the total number of samples that are equal to or exceed the current mean power level.

Probability data is returned up to the power level that contains at least one sample. It is highly unlikely that the full 201 data values will ever be returned.

Each probability value is returned as a floating point number, with a value between 0 and 1.

The syntax of the result is thus:

N, "CCDF"(0), "CCDF"(1/10), "CCDF"(2/10), ..., "CCDF"((N-1)/10)

9.9.4.6 Constellation

This measurement represents the complex constellation points as I and Q data. See for example IEEE Std. 802.11-2012 'Fig. 18-10 BPSK, QPSK, 16-QAM and 64-QAM constellation bit encoding'. Each I and Q point is returned in floating point format.

Data is returned as a repeating array of interleaved I and Q data in groups of selected carriers per OFDM-Symbol, until all the I and Q data for the analyzed OFDM-Symbols is exhausted.

The following carrier selections are possible:

- "All Carriers": `CONFigure:BURSt:CONStellation:CARRier:SElect ALL`
 N_{ST} pairs of I and Q data per OFDM-Symbol
 OFDM-Symbol 1: $(I_{1,1}, Q_{1,1}), (I_{1,2}, Q_{1,2}), \dots, (I_{1,Nst}, Q_{1,Nst})$
 OFDM-Symbol 2: $(I_{2,1}, Q_{2,1}), (I_{2,2}, Q_{2,2}), \dots, (I_{2,Nst}, Q_{2,Nst})$
 ...
 OFDM-Symbol N:
 $(I_{N,1}, Q_{N,1}), (I_{N,2}, Q_{N,2}), \dots, (I_{N,Nst}, Q_{N,Nst})$
- "Pilots Only": `CONFigure:BURSt:CONStellation:CARRier:SElect PILOTS`
 N_{SP} pairs of I and Q data per OFDM-Symbol in the natural number order.
 OFDM-Symbol 1: $(I_{1,1}, Q_{1,1}), (I_{1,2}, Q_{1,2}), \dots, (I_{1,Nsp}, Q_{1,Nsp})$
 OFDM-Symbol 2: $(I_{2,1}, Q_{2,1}), (I_{2,2}, Q_{2,2}), \dots, (I_{2,Nsp}, Q_{2,Nsp})$
 ...
 OFDM-Symbol N:
 $(I_{N,1}, Q_{N,1}), (I_{N,2}, Q_{N,2}), \dots, (I_{N,Nsp}, Q_{N,Nsp})$
- Single carrier:
 1 pair of I and Q data per OFDM-Symbol for the selected carrier
`CONFigure:BURSt:CONStellation:CARRier:SElect k`
 With
 $k \in \left\{ -\frac{(N_{used} - 1)}{2}, -\frac{(N_{used} - 1)}{2} + 1, \dots, \frac{(N_{used} - 1)}{2} \right\}$
 OFDM-Symbol 1: $(I_{1,1}, Q_{1,1})$
 OFDM-Symbol 2: $(I_{2,1}, Q_{2,1})$
 ...
 OFDM-Symbol N: $(I_{N,1}, Q_{N,1})$

9.9.4.7 Constellation vs carrier

This measurement represents the complex constellation points as I and Q data. See for example IEEE Std. 802.11-2012 'Fig. 18-10 BPSK, QPSK, 16-QAM and 64-QAM constellation bit encoding'. Each I and Q point is returned in floating point format. Data is returned as a repeating array of interleaved I and Q data in groups of N_{used} subcarriers per OFDM-Symbol, until all the I and Q data for the analyzed OFDM-Symbols is exhausted.

Note that as opposed to the "Constellation" results, the DC/null subcarriers are included as NaNs.

N_{used} pairs of I and Q data per OFDM-Symbol

OFDM-Symbol 1: $(I_{1,1}, Q_{1,1}), (I_{1,2}, Q_{1,2}), \dots, (I_{1,N_{\text{used}}}, Q_{1,N_{\text{used}}})$

OFDM-Symbol 2: $(I_{2,1}, Q_{2,1}), (I_{2,2}, Q_{2,2}), \dots, (I_{2,N_{\text{used}}}, Q_{2,N_{\text{used}}})$

...

OFDM-Symbol N:

$(I_{N,1}, Q_{N,1}), (I_{N,2}, Q_{N,2}), \dots, (I_{N,N_{\text{used}}}, Q_{N,N_{\text{used}}})$

9.9.4.8 Error vs carrier

Three trace types are provided for gain imbalance/quadrature error evaluation:

TRACE1	The minimum gain imbalance/quadrature error value - over the analyzed PPDU's - for each of the N_{used} subcarriers
TRACE2	The average gain imbalance/quadrature error value - over the analyzed PPDU's - for each of the N_{used} subcarriers
TRACE3	The maximum gain imbalance/quadrature error value - over the analyzed PPDU's - for each of the N_{used} subcarriers

Each gain imbalance/quadrature error value is returned as a floating point number, expressed in units of dB.

Supported data formats (see [FORMat \[:DATA \]](#) on page 383): ASCii|UINT

9.9.4.9 Error vs preamble

Three traces types are available for frequency or phase error measurement. The basic trace types show either the minimum, mean or maximum frequency or phase value as measured over the preamble part of the PPDU.

Supported data formats (see [FORMat \[:DATA \]](#) on page 383): ASCii|REAL

9.9.4.10 EVM vs carrier

Three trace types are provided for this evaluation:

Table 9-15: Query parameter and results for EVM vs Carrier

TRACE1	The minimum EVM value - over the analyzed PPDU's - for each of the N_{used} subcarriers
TRACE2	The average EVM value - over the analyzed PPDU's - for each of the N_{used} subcarriers
TRACE3	The maximum EVM value - over the analyzed PPDU's - for each of the N_{used} subcarriers

Each EVM value is returned as a floating point number, expressed in units of dB.

Supported data formats (see [FORMat \[:DATA\]](#) on page 383): ASCii|UINT

Example:

For $EVM_{m,n}$: the EVM of the m-th analyzed PPDU for the subcarrier $n = \{1, 2, \dots, N_{\text{used}}\}$

TRACE1: Minimum EVM value per subcarrier

Minimum($EVM_{1,1}$, $EVM_{2,1}$, ..., $EVM_{\text{Statistic Length},1}$),

//Minimum EVM value for subcarrier $-(N_{\text{used}}-1)/2$

Minimum($EVM_{1,2}$, $EVM_{2,2}$, ..., $EVM_{\text{Statistic Length},2}$),

// Minimum EVM value for subcarrier $-(N_{\text{used}}-1)/2 + 1$

...

Minimum($EVM_{1,N_{\text{used}}}$, $EVM_{2,N_{\text{used}}}$, ..., $EVM_{\text{Statistic Length},N_{\text{used}}}$)

// Minimum EVM value for subcarrier $+(N_{\text{used}}-1)/2$

9.9.4.11 EVM vs chip

These results are **only** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).

Since the R&S FSV3 WLAN application provides two different methods to calculate the EVM, two traces are available:

TRACE1	EVM IEEE values
TRACE2	EVM Direct values

Each trace shows the EVM value as measured over the complete capture period.

The number of repeating groups that are returned is equal to the number of measured chips.

Each EVM value is returned as a floating point number, expressed in units of dBm.

Supported data formats (see [FORMat \[:DATA\]](#) on page 383): ASCii|REAL

9.9.4.12 EVM vs symbol

Three traces types are available with this measurement. The basic trace types show either the minimum, mean or maximum EVM value, as measured over the complete capture period.

The number of repeating groups that are returned is equal to the number of measured symbols.

Each EVM value is returned as a floating point number, expressed in units of dBm.

Supported data formats (see [FORMat \[:DATA \]](#) on page 383): ASCii|REAL

TRACE1	Minimum EVM values
TRACE2	Mean EVM values
TRACE3	Maximum EVM values

These results are **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).

9.9.4.13 FFT spectrum

Returns the power vs frequency values obtained from the FFT. This is an exhaustive call, due to the fact that there are nearly always more FFT points than I/Q samples. The number of FFT points is a power of 2 that is higher than the total number of I/Q samples, i.e.; number of FFT points := round number of I/Q-samples to next power of 2.

E.g. if there were 20000 samples, then 32768 FFT points are returned.

Data is returned in floating point format in dBm.

9.9.4.14 Group delay

Currently the following trace types are provided with this measurement:

- TRACE2
A repeating list of group delay values for each subcarrier. The number of repeating lists corresponds to the number of fully analyzed PPDU's as displayed in the current "Magnitude Capture". Each group delay value is returned as a floating point number, expressed in units of seconds.

Example:

For $GD_{m,n}$: the group delay of the m-th analyzed PPDU for the subcarrier corresponding to $n = \{1, 2, \dots, N_{used}\}$;

```
TRACE:DATA? TRACE2
```

Analyzed PPDU 1:

$GD_{1,1}, GD_{1,2}, \dots,$

Analyzed PPDU 2:

$GD_{2,1}, GD_{2,2}, \dots,$

...

Analyzed PPDU N :

$GD_{N,1}, GD_{N,2}, \dots,$

9.9.4.15 Magnitude capture

Returns the magnitude for each measurement point as measured over the complete capture period. The number of measurement points depends on the input sample rate and the capture time (see ["Input Sample Rate"](#) on page 123 and ["Capture Time"](#) on page 123).

9.9.4.16 Phase tracking

Returns the average phase tracking result per symbol (in Radians).

These results are **not** available for single-carrier measurements (**IEEE 802.11b, g (DSSS)**).

9.9.4.17 Power vs time (PVT)

All complete PDUs within the capture time are analyzed in three primary PDUs. The three primary PDUs relate to the minimum, maximum and average values across all complete PDUs. This data is returned in dBm values on a per sample basis. Each sample relates to an analysis of each corresponding sample within each processed PDU.

For PVT Rising and PVT Falling displays, the results are restricted to the rising or falling edge of the analyzed PDUs.

The type of PVT data returned is determined by the TRACE number passed as an argument to the SCPI command:

TRACE1	minimum PDU data values
TRACE2	mean PDU data values
TRACE3	maximum PDU data values

Supported data formats (see [FORMat \[:DATA\]](#) on page 383): ASCii|REAL

9.9.4.18 Signal field

The bits are returned as read from the corresponding signal field parts in transmit order. I.e. the first transmitted bit has the highest significance and the last transmitted bit has the lowest significance.

See also "Signal Field" on page 50

The `TRAC:DATA?` command returns the information as read from the signal field for each analyzed PPDU. The signal field bit sequence is converted to an equivalent sequence of hexadecimal digits for each analyzed PPDU in transmit order.



For **IEEE 802.11ax, be**, the data is displayed in the "Value" column of the Signal Fields table. To retrieve all values from the table in human-readable format, use `FETCh:SFieId:ALL?` on page 367.

9.9.4.19 Spectrum flatness

The spectrum flatness evaluation returns absolute power values per carrier (in dBm).

Two trace types are provided for this evaluation:

Table 9-16: Query parameter and results for Spectrum Flatness

TRACE1	An average spectrum flatness value for each of the 53 (or 57/117 within the IEEE 802.11 n standard) carriers
TRACE2	All spectrum flatness values per channel

Supported data formats (see `FORMat[:DATA]` on page 383): `ASCIi|REAL`

9.9.4.20 Unused tone error

Returns a comma-separated list of EVM values in dB. One value is provided for each measurement point. The maximum number of measurement points is 37 (up to 37 RU26 groups in an 80 MHz channel).

The type of EVM data returned is determined by the TRACE number passed as an argument to the SCPI command:

TRACE1	Minimum EVM data values
TRACE2	Mean EVM data values
TRACE3	Maximum EVM data values

Supported data formats (see `FORMat[:DATA]` on page 383): `ASCIi|REAL`

9.9.5 Retrieving captured I/Q data

The raw captured I/Q data is output in the form of a list.

TRACe:IQ:DATA?	398
TRACe:IQ:DATA:MEMory?	398

TRACe:IQ:DATA?

Initiates a measurement with the current settings and returns the captured data from I/Q measurements.

Corresponds to:

```
INIT:IMM;*WAI;:TRACe:IQ:DATA:MEMory?
```

However, the `TRACe:IQ:DATA?` command is quicker in comparison.

Return values:

<Results> Measured voltage for I and Q component for each sample that has been captured during the measurement.
Default unit: V

Example:

```
TRAC:IQ:STAT ON
Enables acquisition of I/Q data
TRAC:IQ:SET NORM,10MHz,32MHz,EXT,POS,0,4096
Measurement configuration:
Sample Rate = 32 MHz
Trigger Source = External
Trigger Slope = Positive
Pretrigger Samples = 0
Number of Samples = 4096
FORMat REAL,32
Selects format of response data
TRAC:IQ:DATA?
Starts measurement and reads results
```

Usage: Query only

TRACe:IQ:DATA:MEMory? [<OffsetSamples>,<NoOfSamples>]

Queries the I/Q data currently stored in the capture buffer of the R&S FSV/A.

By default, the command returns all I/Q data in the memory. You can, however, narrow down the amount of data that the command returns using the optional parameters.

If no parameters are specified with the command, the entire trace data is retrieved.

In this case, the command returns the same results as `TRACe:IQ:DATA?`. (Note, however, that the `TRAC:IQ:DATA?` command initiates a new measurement before returning the captured values, rather than returning the existing data in the memory.)

The command returns a comma-separated list of the measured values in floating point format (comma-separated values = CSV). The number of values returned is 2 * the number of complex samples.

The total number of complex samples is displayed in the channel bar in manual operation and can be calculated as:

`<SampleRate> * <CaptureTime>`

Query parameters:

`<OffsetSamples>` Selects an offset at which the output of data should start in relation to the first data. If omitted, all captured samples are output, starting with the first sample.

Range: 0 to `<# of samples> - 1`, with `<# of samples>` being the maximum number of captured values

*RST: 0

`<NoOfSamples>` Number of samples you want to query, beginning at the offset you have defined. If omitted, all captured samples (starting at offset) are output.

Range: 1 to `<# of samples> - <offset samples>` with `<# of samples>` maximum number of captured values

*RST: `<# of samples>`

Return values:

`<IQData>` Measured value pair (I,Q) for each sample that has been recorded.

The first half of the list contains the I values, the second half the Q values.

The data format of the individual values depends on [FORMat \[: DATA \]](#) on page 383.

Default unit: V

Example:

```
// Perform a single I/Q capture.
INIT; *WAI
// Determine output format (binary float32)
FORMat REAL,32
// Read 1024 I/Q samples starting at sample 2048.
TRAC:IQ:DATA:MEM? 2048,1024
```

Usage: Query only

9.9.6 Importing and exporting I/Q data and results

The I/Q data to be evaluated in the R&S FSV3 WLAN application can not only be measured by the R&S FSV3 WLAN application itself, it can also be imported to the application, provided it has the correct format. Furthermore, the evaluated I/Q data from the R&S FSV3 WLAN application can be exported for further analysis in external applications.

For details on importing and exporting I/Q data see the R&S FSV/A User Manual.

MMEMory:LOAD:IQ:STATe.....	400
MMEMory:STORe<n>:IQ:COMMeNt.....	400
MMEMory:STORe<n>:IQ:FORMat.....	400
MMEMory:STORe<n>:IQ:STATe.....	401

MMEMory:LOAD:IQ:STATe 1, <FileName>

Restores I/Q data from a file.

The file extension is *.iqw.

Setting parameters:

<FileName> string
 String containing the path and name of the source file.

Example: MMEM:LOAD:IQ:STAT 1, 'C:
 \R_S\Instr\user\data.iqw'
 Loads IQ data from the specified file.

Usage: Setting only

MMEMory:STORe<n>:IQ:COMMeNt <Comment>

Adds a comment to a file that contains I/Q data.

Suffix:

<n> irrelevant

Parameters:

<Comment> String containing the comment.

Example: MMEM:STOR:IQ:COMM 'Device test 1b'
 Creates a description for the export file.
 MMEM:STOR:IQ:STAT 1, 'C:
 \R_S\Instr\user\data.iq.tar'
 Stores I/Q data and the comment to the specified file.

MMEMory:STORe<n>:IQ:FORMat <Format>,<DataFormat>

Sets or queries the format of the I/Q data to be stored.

Suffix:

<n> irrelevant

Parameters:

<Format> **FLOat32**
 32-bit floating point format.

INT32
 32-bit integer format.

*RST: FLOat32

<DataFormat> **COMPLex**
 Exports complex data.

REAL

Exports real data.

*RST: COMPLex

Example: MMEM:STOR:IQ:FORM INT32,REAL**MMEMory:STORe<n>:IQ:STATe <1>, <FileName>**

Writes the captured I/Q data to a file.

The file extension is *.iq.tar. By default, the contents of the file are in 32-bit floating point format.

Suffix:

<n> 1..n

Parameters:

<1>

<FileName> String containing the path and name of the target file.

Example: MMEM:STOR:IQ:STAT 1, 'C:
\R_S\Instr\user\data.iq.tar'
Stores the captured I/Q data to the specified file.**Usage:** Asynchronous command

9.9.7 Exporting trace results

Trace results can be exported to a file.

For more commands concerning data and results storage see the "Data Management" chapter in the R&S FSV/A User Manual.

MMEMory:STORe<n>:TRACe.....	401
FORMat:DEXPort:DSEParator.....	402

MMEMory:STORe<n>:TRACe <Trace>, <Filename>

Exports trace data from the specified window to an ASCII file.

Suffix:

<n> Window

Setting parameters:

<Trace> Number of the trace to be stored

<Filename> String containing the path and name of the target file.

Example: MMEM:STOR1:TRAC 1, 'C:\TEST.ASC'
Stores trace 1 from window 1 in the file TEST.ASC.**Usage:** Setting only

FORMat:DEXPort:DSEParator <Separator>

Selects the decimal separator for data exported in ASCII format.

Parameters:

<Separator>

COMMa

Uses a comma as decimal separator, e.g. 4,05.

POINt

Uses a point as decimal separator, e.g. 4.05.

*RST: *RST has no effect on the decimal separator.
Default is POINt.

Example:

FORM:DEXP:DSEP POIN

Sets the decimal point as separator.

9.10 Analysis

The following commands define general result analysis settings concerning the traces and markers in standard WLAN measurements. Currently, only one (Clear/Write) trace and one marker are available for standard WLAN measurements.



Analysis for RF measurements

General result analysis settings concerning the trace, markers, lines etc. for RF measurements are identical to the analysis functions in the Spectrum application except for some special marker functions and spectrograms, which are not available in the R&S FSV3 WLAN application.

For details see the "General Measurement Analysis and Display" chapter in the R&S FSV/A User Manual.

- [Markers](#)..... 402

9.10.1 Markers

Markers help you analyze your measurement results by determining particular values in the diagram. Currently, only 1 marker per window can be configured for standard WLAN measurements.

CALCulate<n>:DELTaMarker<m>:AOFF	403
CALCulate<n>:MARKer<m>:AOFF	403
CALCulate<n>:MARKer<m>[:STATE]	403
CALCulate<n>:MARKer<m>:Y?	403
CALCulate<n>:MARKer<m>:BSYMBOL	404
CALCulate<n>:MARKer<m>:CARRIER	404
CALCulate<n>:MARKer<m>:SYMBOL	404

CALCulate<n>:DELTamarker<m>:AOFF

Turns off *all* delta markers.

Suffix:

<n> [Window](#)

<m> irrelevant

Example:

CALC:DELT:AOFF

Turns off all delta markers.

CALCulate<n>:MARKer<m>:AOFF

Turns off all markers.

Suffix:

<n> [Window](#)

<m> [Marker](#)

Example:

CALC:MARK:AOFF

Switches off all markers.

CALCulate<n>:MARKer<m>[:STATE] <State>

Turns markers on and off. If the corresponding marker number is currently active as a delta marker, it is turned into a normal marker.

Suffix:

<n> [Window](#)

<m> [Marker](#)

Parameters:

<State> ON | OFF | 0 | 1

OFF | 0

Switches the function off

ON | 1

Switches the function on

Example:

CALC:MARK3 ON

Switches on marker 3.

CALCulate<n>:MARKer<m>:Y?

Queries the result at the position of the specified marker.

Suffix:

<n> 1..n

<m> 1..n

Return values:

<Result> Default unit: DBM

Usage: Query only

Manual operation: See "CCDF" on page 59
 See "Marker Table" on page 61
 See "Marker Peak List" on page 62

CALCulate<n>:MARKer<m>:BSYMBOL <PPDU>, <Symbol>

Suffix:

<n> 1..n

<m> 1..n

Parameters:

<PPDU>

<Symbol>

CALCulate<n>:MARKer<m>:CARRIER <CarrierNo>

Positions the selected marker to the indicated carrier.

Is query only for the following result displays:

- "Constellation" vs Symbol
- "Constellation" vs Carrier

Suffix:

<n> 1..n

<m> 1..n

Parameters:

<CarrierNo> integer

CALCulate<n>:MARKer<m>:SYMBOL <Symbol>

Positions the selected marker to the indicated symbol.

Is query only for the following result displays:

- "Constellation" vs Symbol
- "Constellation" vs Carrier

Suffix:

<n> 1..n

<m> 1..n

Parameters:

<Symbol> integer

9.11 Status registers

The R&S FSV3 WLAN application uses the standard status registers of the R&S FSV/A (depending on the measurement type). However, some registers are used differently. Only those differences are described in the following sections.

For details on the common R&S FSV/A status registers refer to the description of remote control basics in the R&S FSV/A User Manual.



*RST does not influence the status registers.

- [The STATUS:QUESTIONABLE:SYNC register](#)..... 405
- [Querying the status registers](#)..... 406

9.11.1 The STATUS:QUESTIONABLE:SYNC register

The STATUS:QUESTIONABLE:SYNC register contains application-specific information about synchronization errors or errors during pilot symbol detection. If any errors occur in this register, the status bit #11 in the STATUS:QUESTIONABLE register is set to 1.



Each active channel uses a separate STATUS:QUESTIONABLE:SYNC register. Thus, if the status bit #11 in the STATUS:QUESTIONABLE register indicates an error, the error may have occurred in any of the channel-specific STATUS:QUESTIONABLE:SYNC registers. In this case, you must check the register of each channel to determine which channel caused the error. By default, querying the status of a register always returns the result for the currently selected channel. However, you can specify any other channel name as a query parameter.

Table 9-17: Meaning of the bits used in the STATUS:QUESTIONABLE:SYNC register

Bit No.	Meaning
0	PPDU not found This bit is set if an IQ measurement is performed and no PPDU are detected
1	This bit is not used
2	No PPDU of REQuired type This bit is set if an IQ measurement is performed and no PPDU of the specified type are detected
3	Limit check failed
4 - 14	These bits are not used.
15	This bit is always 0.

9.11.2 Querying the status registers

The following commands are required to query the status of the R&S FSV/A and the R&S FSV3 WLAN application.

For details on the common R&S FSV/A status registers refer to the description of remote control basics in the R&S FSV/A User Manual.

- [General status register commands](#)..... 406
- [Reading out the EVENT part](#)..... 406
- [Reading out the CONDition part](#)..... 407
- [Controlling the ENABLE part](#)..... 407
- [Controlling the negative transition part](#)..... 407
- [Controlling the positive transition part](#)..... 408

9.11.2.1 General status register commands

STATus:PRESet	406
STATus:QUEue[:NEXT]?	406

STATus:PRESet

Resets the edge detectors and `ENABLE` parts of all registers to a defined value. All `PTRansition` parts are set to `FFFFh`, i.e. all transitions from 0 to 1 are detected. All `NTRansition` parts are set to 0, i.e. a transition from 1 to 0 in a `CONDition` bit is not detected. The `ENABLE` part of the `STATus:OPERation` and `STATus:QUEStionable` registers are set to 0, i.e. all events in these registers are not passed on.

Usage: Event

STATus:QUEue[:NEXT]?

Queries the most recent error queue entry and deletes it.

Positive error numbers indicate device-specific errors, negative error numbers are error messages defined by SCPI. If the error queue is empty, the error number 0, "No error", is returned.

Usage: Query only

9.11.2.2 Reading out the EVENT part

STATus:OPERation[:EVENT]?

STATus:QUEStionable[:EVENT]?

STATus:QUEStionable:ACPLimit[:EVENT]? <ChannelName>

STATus:QUEStionable:LIMit<n>[:EVENT]? <ChannelName>

STATus:QUEStionable:SYNC[:EVENT]? <ChannelName>

Reads out the `EVENT` section of the status register.

The command also deletes the contents of the `EVENT` section.

Query parameters:

<ChannelName> String containing the name of the channel.
The parameter is optional. If you omit it, the command works for the currently active channel.

Usage: Query only

9.11.2.3 Reading out the CONDition part

STATus:OPERation:CONDition?

STATus:QUESTionable:CONDition?

STATus:QUESTionable:ACPLimit:CONDition? <ChannelName>

STATus:QUESTionable:LIMit<n>:CONDition? <ChannelName>

STATus:QUESTionable:SYNC:CONDition? <ChannelName>

Reads out the CONDition section of the status register.

The command does not delete the contents of the EVENT section.

Query parameters:

<ChannelName> String containing the name of the channel.
The parameter is optional. If you omit it, the command works for the currently active channel.

Usage: Query only

9.11.2.4 Controlling the ENABle part

STATus:OPERation:ENABle <SumBit>

STATus:QUESTionable:ENABle <SumBit>

STATus:QUESTionable:ACPLimit:ENABle <SumBit>, <ChannelName>

STATus:QUESTionable:LIMit<n>:ENABle <SumBit>, <ChannelName>

STATus:QUESTionable:SYNC:ENABle <BitDefinition>, <ChannelName>

Controls the ENABle part of a register.

The ENABle part allows true conditions in the EVENT part of the status register to be reported in the summary bit. If a bit is 1 in the enable register and its associated event bit transitions to true, a positive transition will occur in the summary bit reported to the next higher level.

Parameters:

<BitDefinition> Range: 0 to 65535

<ChannelName> String containing the name of the channel.
The parameter is optional. If you omit it, the command works for the currently active channel.

9.11.2.5 Controlling the negative transition part

STATus:OPERation:NTRansition <SumBit>

STATus:QUESTionable:NTRansition <SumBit>

STATus:QUESTIONable:ACPLimit:NTRansition <SumBit>,<ChannelName>
STATus:QUESTIONable:LIMit<n>:NTRansition <SumBit>,<ChannelName>
STATus:QUESTIONable:SYNC:NTRansition <BitDefinition>[,<ChannelName>]

Controls the Negative TRansition part of a register.

Setting a bit causes a 1 to 0 transition in the corresponding bit of the associated register. The transition also writes a 1 into the associated bit of the corresponding EVENT register.

Parameters:

<BitDefinition> Range: 0 to 65535
 <ChannelName> String containing the name of the channel.
 The parameter is optional. If you omit it, the command works for the currently active channel.

9.11.2.6 Controlling the positive transition part

STATus:OPERation:PTRansition <SumBit>
STATus:QUESTIONable:PTRansition <SumBit>
STATus:QUESTIONable:ACPLimit:PTRansition <SumBit>,<ChannelName>
STATus:QUESTIONable:LIMit<n>:PTRansition <SumBit>,<ChannelName>
STATus:QUESTIONable:SYNC:PTRansition <BitDefinition>[,<ChannelName>]

These commands control the Positive TRansition part of a register.

Setting a bit causes a 0 to 1 transition in the corresponding bit of the associated register. The transition also writes a 1 into the associated bit of the corresponding EVENT register.

Parameters:

<BitDefinition> Range: 0 to 65535
 <ChannelName> String containing the name of the channel.
 The parameter is optional. If you omit it, the command works for the currently active channel.

9.12 Deprecated commands

The following commands are provided only for compatibility to remote control programs from R&S FSV3 WLAN applications on previous signal analyzers. For new remote control programs use the specified alternative commands.



The `CONF:BURS:<ResultType>:IMM` commands used in former R&S Signal and Spectrum Analyzers to change the result display are still supported for compatibility reasons; however they have been replaced by the `LAY:ADD:WIND` commands in the R&S FSV/A (see [Chapter 9.7, "Configuring the result display"](#), on page 324). Note that the `CONF:BURS:<ResultType>:IMM` commands change the screen layout to display the "Magnitude Capture" buffer in window 1 at the top of the screen and the selected result type in window 2 below that.

<code>[SENSe:]DEMod:CESTimation</code>	409
<code>CONFigure:WLAN:GTIMe:AUTO:TYPE</code>	409
<code>DISPlay:WSElect?</code>	411
<code>FETCh:BURSt:ALL?</code>	411
<code>MMEMory:LOAD:SEM:STATe</code>	412
<code>TRIGger[:SEQuence]:MODE</code>	412

`[SENSe:]DEMod:CESTimation <State>`

Note that this command is maintained for compatibility reasons only. Use `[SENSe:]DEMod:CESTimation:RANGe` on page 274 for new remote control programs.

Defines whether channel estimation uses preamble and payload or only preamble. Channel estimation using both the preamble and the payload improves the EVM measurement results.

However, this functionality is not supported by the IEEE 802.11 standard and must be disabled if the results are to be measured strictly according to the standard.

Parameters:

<State>

ON | OFF | 1 | 0

ON | 1

The channel estimation is performed using the preamble and the payload. The EVM results can be calculated more accurately.

OFF | 0

The channel estimation is performed using the preamble only as required in the standard.

*RST: 0

Example:

```
[SENSe:]DEMod:CESTimation 1
```

`CONFigure:WLAN:GTIMe:AUTO:TYPE <GuardInterval>`

This remote control command specifies which PPDU's are analyzed depending on their guard length if automatic detection is used (`CONF:WLAN:GTIMe:AUTO ON`, see [CONFigure:WLAN:GTIMe:AUTO](#) on page 280).

Note that this command is maintained for compatibility reasons only. Use `CONFigure:WLAN:GTIMe:SElect` on page 281 for new remote control programs.

Is available for IEEE 802.11 ac, ax, n, be standards only.

Note: On previous Rohde & Schwarz signal and spectrum analyzers, this command configured both the guard interval type and the channel bandwidth. On the R&S FSV/A, this command only configures the guard type. The channel bandwidth of the PPDU to be measured must be configured separately using the `[SENSe:]BANDwidth:CHANnel:AUTO:TYPE` command.

Parameters:

<GuardInterval>

FBURst

The Guard interval length of the first PPDU is detected and subsequent PDUs are analyzed only if they have the same length (corresponds to "Auto, same type as first PPDU")

ALL

All PDUs are analyzed regardless of their guard length (corresponds to "Auto, individually for each PDU").

MS

Only PDUs with short guard interval length are analyzed. (corresponds to "Meas only Short" in manual operation; MN8 | MN16 parameters in previous Rohde & Schwarz signal and spectrum analyzers)

ML

Only PDUs with long guard interval length are analyzed. (corresponds to "Meas only Long" in manual operation; ML16 | ML32 parameters in previous Rohde & Schwarz signal and spectrum analyzers)

DS

All PDUs are demodulated assuming short guard interval length. (corresponds to "Demod all as short" in manual operation; DN8 | DN16 parameters in previous Rohde & Schwarz signal and spectrum analyzers)

DL

All PDUs are demodulated assuming long guard interval length. (corresponds to "Demod all as long" in manual operation; DL16 | DL32 parameters in previous Rohde & Schwarz signal and spectrum analyzers)

L1G1

Only HE/EHT PDUs with one guard interval (GI) and one long training field (LTF) with the specified length are analyzed. Not available for HE trigger-based PDUs. (For IEEE 802.11ax, be only; corresponds to "Meas only 4.0µs (1x HE-LTF + 1x GI1 = 3.2 + 0.8 µs)" in manual operation.)

L1G2

Only HE/EHT PDUs with one long training field (LTF) and two guard intervals (GI) with the specified length are analyzed. For HE trigger-based PDUs only. (For IEEE 802.11ax, be only; corresponds to "Meas only 4.8µs (1x HE-LTF + 2x GI1 = 3.2 + 1.6µs)" in manual operation.)

L2G1

Only HE/EHT PPDU with two long training fields (LTF) and one guard interval (GI) with the specified length are analyzed.
(For IEEE 802.11ax, be only; corresponds to "Meas only 7.2µs (2x HE-LTF + 1x GI1 = 6.4 + 0.8µs)" in manual operation.)

L2G2

Only HE/EHT PPDU with two long training fields (LTF) and two guard intervals (GI) with the specified length are analyzed.
(For IEEE 802.11ax, be only; corresponds to "Meas only 8.0µs (2x HE-LTF + 2x GI1 = 6.4 + 1.6µs)" in manual operation.)

L4G1

Only HE/EHT PPDU with four long training fields (LTF) and one guard interval (GI) with the specified length are analyzed.
(For IEEE 802.11ax, be only; corresponds to "Meas only 13.6µs (4x HE-LTF + 1x GI1 = 12.8 + 0.8µs)" in manual operation.)

L4G4

Only HE/EHT PPDU with four guard intervals (GI) and four long training fields (LTF) with the specified length are analyzed.
(For IEEE 802.11ax, be only; corresponds to "Meas only 16.0µs (4x HE-LTF + 4x GI1 = 12.8 + 3.2µs)" in manual operation.)

*RST: 'ALL'

Example:

```
CONF:WLAN:GTIM:AUTO:TYPE DL
```

Manual operation:

See ["Guard Interval Length"](#) on page 144

See ["Guard Interval \(GI\) + HE-LTF Size"](#) on page 156

See ["Guard Interval \(GI\) + EHT-LTF Size"](#) on page 164

DISPlay:WSElect?

Queries the currently active window (the one that is focused) *in the currently selected measurement channel*.

Return values:

<SelectedWindow> Index number of the currently active window.

Range: 1 to 16

Usage:

Query only

FETCh:BURSt:ALL?

Note that this command is maintained for compatibility reasons only. Use the [FETCh: BURSt:ALL:FORMatted?](#) command for new remote control programs.

Returns all results from the default WLAN measurement (Modulation Accuracy, Flatness and Tolerance). The results are output as a list of result strings separated by commas in ASCII format. The results are output in the following order:

Return values:

<Result> <list>

<preamble power>, <payload power>, <min rms power>, <average rms power>, <max rms power>, <peak power>, <min crest factor>, <average crest factor>, <max crest factor>, <min frequency error>, <average frequency error>, <max frequency error>, <min symbol error>, <average symbol error>, <max symbol error>, <min IQ offset>, <average IQ offset>, <maximum IQ offset>, <min gain imbalance>, <average gain imbalance>, <max gain imbalance>, <min quadrature offset>, <average quadrature offset>, <max quadrature offset>, <min EVM all bursts>, <average EVM all bursts>, <max EVM all bursts>, <min EVM data carriers>, <average EVM data carriers >, <max EVM data carriers> <min EVM pilots>, <average EVM pilots >, <max EVM pilots>

Usage: Query only

MMEMory:LOAD:SEM:STATe <1>, <FileName>

Loads a spectrum emission mask setup from an xml file.

Note that this command is maintained for compatibility reasons only. Use the `SENS:ESP:PRES` command for new remote control programs.

See the R&S FSV/A User Manual, "Remote commands for SEM measurements" chapter.

Parameters:

<1>

<FileName> string
Path and name of the .xml file that contains the SEM setup information.

Example: `MMEM:LOAD:SEM:STAT 1, '..\sem_std\WLAN\802_11a\802_11a_10MHz_5GHz_band.XML'`

TRIGger[:SEQUence]:MODE <Source>

Defines the trigger source.

Note that this command is maintained for compatibility reasons only. Use the [TRIGger\[:SEQUence\]:SOURCE](#) on page 262 commands for new remote control programs.

Configures how triggering is to be performed.

Parameters:

<Source> MANual | IMMEDIATE | EXTERNAL | VIDEO | RFPower | IFPower | TV | AF | AM | FM | PM | AMRelative | LXI | TIME | SLEFt | SRIGht | SMPX | SMONo | SSTereo | SRDS | SPILot | BBPower | MASK | PSEnsor | TDTRigger | IQPower | EXT2 | EXT3 | TUNit

9.13 Programming examples (R&S FSV3 WLAN application)

This example demonstrates how to configure a WLAN 802.11 measurement in a remote environment.

- [Measurement 1: measuring modulation accuracy for WLAN 802.11n standard... 413](#)
- [Measurement 2: determining the spectrum emission mask.....416](#)

9.13.1 Measurement 1: measuring modulation accuracy for WLAN 802.11n standard

This example demonstrates how to configure a WLAN IQ measurement for a signal according to WLAN 802.11n standard in a remote environment.

```
//----- Preparing the application -----
// Preset the instrument
*RST
// Enter the WLAN option K91n
INSTRUMENT:SELEct WLAN
// Switch to single sweep mode and stop sweep
INITiate:CONTinuous OFF;:ABORT

//----- Configuring the result display -----
// Activate following result displays:
// 1: Magnitude Capture (default, upper left)
// 2: Result Summary Detailed (below Mag Capt)
// 3: Result Summary Global (default, lower right)
// 4: EVM vs Carrier (next to Mag Capt)

LAY:REPL '2',RSD
LAY:ADD:WIND? '1',RIGH,EVC
//Result: '4'

//----- Signal description -----
//Use measurement standard IEEE 802 11n
CONF:STAN 6
//Center frequency is 13.25 GHz
FREQ:CENT 13.25GHZ

//----- Configuring Data Acquisition -----
//Each measurement captures data for 10 ms.
SWE:TIME 10ms
//Set the input sample rate for the captured I/Q data to 20MHz
TRAC:IQ:SRAT 20MHZ
// Number of samples captured per measurement: 0.01s * 20e6 samples per second
// = 200 000 samples
//Include effects from adjacent channels - switch off filter
BAND:FILT OFF
```

```

//----- Synchronization -----
//Improve performance - perform coarse burst search initially
SENS:DEM:TXAR ON
//Minimize the intersymbol interference - FFT start offset determined automatically
SENS:DEM:FFT:OFFS AUTO

//----- Tracking and channel estimation -----
//Improve EVM accuracy - estimate channel from preamble and payload
SENS:DEM:CEST ON
//Use pilot sequence as defined in standard
SENS:TRAC:PIL STAN
//Disable all tracking and compensation functions
SENS:TRAC:LEV OFF
SENS:TRAC:PHAS OFF
SENS:TRAC:TIME OFF

//----- Demodulation -----
//Define a user-defined logical filter to analyze:
SENS:DEM:FORM:BCON:AUTO OFF
//all PPDU formats
SENS:DEM:FORM:BAN:BTYP:AUTO:TYPE ALL
//20MHZ channel bandwidth
SENS:BAND:CHAN:AUTO:TYPE MB20
//an MCS Index '1'
SENS:DEM:FORM:MCS:MODE MEAS
SENS:DEM:FORM:MCS 1
//STBC field = '1'
CONF:WLAN:STBC:AUTO:TYPE M1
//Ness = 1
CONF:WLAN:EXT:AUTO:TYPE M1
//short guard interval length (8 samples)
CONF:WLAN:GTIM:AUTO ON
CONF:WLAN:GTIM:AUTO:TYPE MS

//----- Evaluation range settings -----
//Calculate statistics over 10 PPDU's
SENS:BURS:COUN:STAT ON
SENS:BURS:COUN 10
//Determine payload length from HT signal
CONF:WLAN:PAYL:LENG:SRC HTS
//Payload length: 8-16 symbols
SENS:DEM:FORM:BAN:SYMB:EQU OFF
SENS:DEM:FORM:BAN:SYMB:MIN 8
SENS:DEM:FORM:BAN:SYMB:MAX 16

//----- Measurement settings -----
//Define units for EVM and Gain imbalance results
UNIT:EVM PCT
UNIT:GIMB PCT

```

```

//----- Defining Limits -----
//Define non-standard limits for demonstration purposes
//and return to standard limits later.
//Query current limit settings:
CALC:LIM:BURS:ALL?
//Set new limits:
//Average CF error: 5HZ
//max CF error: 10HZ
//average symbol clock error: 5
//max symbol clock error: 10
//average I/Q offset: 5
//maximum I/Q offset: 10
//average EVM all carriers: 0.1%
//max EVM all carriers: 0.5%
//average EVM data carriers: 0.1%
//max EVM data carriers: 0.5%
//average EVM pilots: 0.1%
//max EVM pilots: 0.5%
CALC:LIM:BURS:ALL 5,10,5,10,5,10,0.1,0.5,0.1,0.5,0.1,0.5

//----- Performing the Measurements -----
// Run 10 (blocking) single measurements
INITiate:IMMEDIATE;*WAI

//----- Retrieving Results -----
//Query the I/Q data from magnitude capture buffer for first ms
// 200 000 samples per second -> 200 samples
TRACel:IQ:DATA:MEMory? 0,200
//Note: result will be too long to display in IECWIN, but is stored in log file
//Query the I/Q data from magnitude capture buffer for second ms
TRACel:IQ:DATA:MEMory? 201,400
//Note: result will be too long to display in IECWIN, but is stored in log file

//Select window 4 (EVM vs carrier)
DISP:WIND4:SEL
//Query the current EVM vs carrier trace
TRAC:DATA? TRACE1
//Note: result will be too long to display in IECWIN, but is stored in log file
//Query the result of the average EVM for all carriers
FETC:BURS:EVM:ALL:AVER?
//Query the result of the EVM limit check for all carriers
CALC:LIM:BURS:ALL:RES?

//Return to standard-defined limits
CALC:LIM:BURS:ALL
//Query the result of the EVM limit check for all carriers again
CALC:LIM:BURS:ALL:RES?

```

```
//----- Exporting Captured I/Q Data-----
//Store the captured I/Q data to a file.
MME:STOR:IQ:STAT 1, 'C:\R_S\Instr\user\data.iq.tar'
```

Example of results from a WLAN 802.11 MIMO measurement

```
FETC:BURS:ALL:FORM?
```

```
//Global Results from "Result Summary Global" for 11n/11ac standard
-11.0804,-11.0921,-0.9189, //<preamble power>, <payload power>, <peak power>,
nan,nan,nan, //<min rms power>, <avg rms power>, <max rms power>
nan,nan,nan, //<min crest factor>,<avg crest factor>,<max crest factor>,
199.0661,211.5656,222.7475, //<min freq error>,<avg freq error>, <max freq error>,
-0.0281,0.1477,0.3204, //<min symbol error>, <avg symbol error>, <max symbol error>,
nan,nan,nan, //<min IQ offset>, <avg IQ offset>, <max IQ offset>,
nan,nan,nan, //<min gain imb>, <avg gain imb>, <max gain imb>,
nan,nan,nan, //<min quad offset>, <avg quad offset>, <max quad offset>,
-43.8807,-43.4476,-43.0819, //<min EVM all>, <avg EVM all>, <max EVM all>,
-43.9346,-43.4823,-43.1164, //<min EVM data>, <avg EVM data >, <max EVM data>
-44.0135,-42.5833,-41.7621, //<min EVM pilots>, <avg EVM pilots >, <max EVM pilots>
nan,nan,nan, //<min BER>, <avg BER >, <max BER>
nan,nan,nan, //<min IQ skew>, <avg IQ skew>, <max IQ skew>
nan,nan,nan, //<min MIMO CP>, <avg MIMO CP>, <max MIMO CP>
nan,nan,nan, //<min CPE>, <avg CPE>, <max CPE>

//MIMO Stream 1 Results from "Result Summary Detailed" for 11n/11ac standard
nan,nan,nan, //<preamble power>, <payload power>, <peak power>,
-11.0882,-11.0876,-11.0866, //<min rms power>, <avg rms power>, <max rms power>
10.1580,10.1687,10.1756, //<min crest factor>,<avg crest factor>,<max crest factor>,
199.0661,211.5656,222.7475, //<min freq error>,<avg freq error>, <max freq error>,
-0.0281,0.1477,0.3204, //<min symbol error>, <avg symbol error>, <max symbol error>,
-60.1847,-59.6930,-59.2831, //<min IQ offset>, <avg IQ offset>, <max IQ offset>,
-0.0011,-0.0001,0.0010, //<min gain imb>, <avg gain imb>, <max gain imb>,
-0.0377,-0.0394,-0.0409, //<min quad offset>, <avg quad offset>, <max quad offset>,
-43.8807,-43.4476,-43.0819, //<min EVM all>, <avg EVM all>, <max EVM all>,
-43.9346,-43.4823,-43.1164, //<min EVM data>, <avg EVM data >, <max EVM data>
-44.0135,-42.5833,-41.7621, //<min EVM pilots>, <avg EVM pilots >, <max EVM pilots>
nan,nan,nan, //<min BER>, <avg BER >, <max BER>
1.4105,2.0148,2.4481, //<min IQ skew>, <avg IQ skew>, <max IQ skew>
nan,nan,nan, //<min MIMO CP>, <avg MIMO CP>, <max MIMO CP>
0.0026,-0.1309,-0.6969 //<min CPE>, <avg CPE>, <max CPE>
```

9.13.2 Measurement 2: determining the spectrum emission mask

```
//----- Preparing the application -----
*RST
//Reset the instrument
INST:CRE:NEW WLAN,'SEMMeasurement'
//Activate a WLAN measurement channel named "SEMMeasurement"
```

```

//----- Configuring the measurement -----
DISP:TRAC:Y:SCAL:RLEV 0
//Set the reference level to 0 dBm
FREQ:CENT 2.1175 GHz
//Set the center frequency to 2.1175 GHz
CONF:BURS:SPEC:MASK
//Select the spectrum emission mask measurement

//----- Performing the Measurement-----
INIT:CONT OFF
//Stops continuous sweep
SWE:COUN 100
//Sets the number of sweeps to be performed to 100
INIT;*WAI
//Start a new measurement with 100 sweeps and wait for the end

//----- Retrieving Results-----
CALC:LIM:FAIL?
//Queries the result of the limit check
//Result: 0 [passed]
TRAC:DATA? LIST
//Retrieves the peak list of the spectrum emission mask measurement
//Result:
//+1.000000000,-1.275000000E+007,-8.500000000E+006,+1.000000000E+006,
//+2.108782336E+009,-8.057177734E+001,-7.882799530E+001,-2.982799530E+001,
//+0.000000000,+0.000000000,+0.000000000,

//+2.000000000,-8.500000000E+006,-7.500000000E+006,+1.000000000E+006,
//+2.109000064E+009,-8.158547211E+001,-7.984169006E+001,-3.084169006E+001,
//+0.000000000,+0.000000000,+0.000000000,

//+3.000000000,-7.500000000E+006,-3.500000000E+006,+1.000000000E+006,
//+2.113987200E+009,-4.202708435E+001,-4.028330231E+001,-5.270565033,
//+0.000000000,+0.000000000,+0.000000000,

[...]

```

Table 9-18: Trace results for SEM measurement

Range No.	Start freq. [Hz]	Stop freq. [Hz]	RBW [Hz]	Freq. peak power [Hz]	Abs. peak power [dBm]	Rel. peak power [%]	Delta to margin [dB]	Limit check result	-	-	-
1	+1.00000000	-1.27500000E+007	-8.50000000E+006	+1.00000000E+006	+2.108782336E+009	-8.057177734E+001	-7.882799530E+001	-2.982799530E+001	+0.00000000	+0.00000000	+0.00000000
2	+2.00000000	-8.50000000E+006	-7.50000000E+006	+1.00000000E+006	+2.109000064E+009	-8.158547211E+001	-7.984169006E+001	-3.084169006E+001	+0.00000000	+0.00000000	+0.00000000
3	+3.00000000	-7.50000000E+006	-3.50000000E+006	+1.00000000E+006	+2.113987200E+009	-4.202708435E+001	-4.028330231E+001	-5.270565033	+0.00000000	+0.00000000	+0.00000000
...	...										

Annex

A Sample rate and maximum usable I/Q bandwidth for RF input

Definitions

- **Input sample rate (ISR):** the sample rate of the useful data provided by the device connected to the input of the R&S FSV/A
- (User, Output) **Sample rate (SR):** the user-defined sample rate (e.g. in the "Data Acquisition" dialog box in the "I/Q Analyzer" application) which is used as the basis for analysis or output
- **Usable I/Q (Analysis) bandwidth:** the bandwidth range in which the signal remains undistorted in regard to amplitude characteristic and group delay; this range can be used for accurate analysis by the R&S FSV/A
- **Record length:** Number of I/Q samples to capture during the specified measurement time; calculated as the measurement time multiplied by the sample rate

For the I/Q data acquisition, digital decimation filters are used internally in the R&S FSV/A. The passband of these digital filters determines the *maximum usable I/Q bandwidth*. In consequence, signals within the usable I/Q bandwidth (passband) remain unchanged, while signals outside the usable I/Q bandwidth (passband) are suppressed. Usually, the suppressed signals are noise, artifacts, and the second IF side band. If frequencies of interest to you are also suppressed, try to increase the output sample rate, which increases the maximum usable I/Q bandwidth.



Bandwidth extension options

You can extend the maximum usable I/Q bandwidth provided by the R&S FSV/A in the basic installation by adding options. These options can either be included in the initial installation (B-options) or updated later (U-options). The maximum bandwidth provided by the individual option is indicated by its number, for example, B40 extends the bandwidth to 40 MHz.

Note that the U-options as of U40 always require all lower-bandwidth options as a prerequisite, while the B-options already include them.

As a rule, the usable I/Q bandwidth is proportional to the output sample rate. Yet, when the I/Q bandwidth reaches the bandwidth of the analog IF filter (at very high output sample rates), the curve breaks.

- [Bandwidth extension options](#)..... 420
- [Relationship between sample rate, record length and usable I/Q bandwidth](#)..... 420
- [R&S FSV/A without additional bandwidth extension options](#)..... 421
- [R&S FSV/A with I/Q bandwidth extension option B40 or U40](#)..... 422
- [R&S FSV/A with I/Q bandwidth extension option B200](#)..... 422

Relationship between sample rate, record length and usable I/Q bandwidth

- R&S FSVA with I/Q bandwidth extension option B400..... 423
- R&S FSVA with I/Q bandwidth extension option B600..... 423
- R&S FSVA with I/Q bandwidth extension option B1000..... 423

A.1 Bandwidth extension options

Max. usable I/Q BW	Required B-option	Required U-options
40 MHz	B40	
200 MHz	B200	
400 MHz	B400	B200+U400
600 MHz	B600	
1000 MHz	B1000	B600+U1006

A.2 Relationship between sample rate, record length and usable I/Q bandwidth

Up to the maximum bandwidth, the following rule applies:

$$\text{Usable I/Q bandwidth} = 0.8 * \text{Output sample rate}$$

Regarding the record length, the following rule applies:

$$\text{Record length} = \text{Measurement time} * \text{sample rate}$$

Maximum record length for RF input

The absolute maximum record length (AbsMaxRecordLength), that is, the maximum number of samples that can be captured, is 100 Msamples (with option B114: 800 Msamples).

When using bandwidth extension options R&S FSV3-B600/-B1000, the maximum record length depends on the analysis bandwidth.

Table A-1: Maximum record length with I/Q bandwidth extension option B600/B1000

Analysis bandwidth *)	Max. meas time	Maximum record length
80 Hz to 400 MHz	<Capture-Length> / <SampleRate>	AbsMaxRecordLength
400 MHz to 800 MHz (B600: 400 MHz to 600 MHz)	<Capture-Length> / <SampleRate> with B114: 819.2 ms	AbsMaxRecordLength * <SampleRate> / (1024*10 ⁶) For sample rates ≥2048 MHz: AbsMaxRecordLength
>800 MHz to 1000 MHz	<Capture-Length> / <SampleRate> with B114: 409.6 ms	AbsMaxRecordLength * <SampleRate> / (2048*10 ⁶) For sample rates ≥2048 MHz: AbsMaxRecordLength

A.3 R&S FSV/A without additional bandwidth extension options

Sample rate: 100 Hz - 10 GHz

Maximum I/Q bandwidth: 28 MHz

Table A-2: Maximum I/Q bandwidth

Sample rate	Maximum I/Q bandwidth
100 Hz to 35 MHz	Proportional up to maximum 28 MHz
35 MHz to 10 GHz	28 MHz




Figure A-1: Relationship between maximum usable I/Q bandwidth and output sample rate without bandwidth extensions




Figure A-2: Relationship between maximum usable I/Q bandwidth and output sample rate with optional bandwidth extensions

A.4 R&S FSV/A with I/Q bandwidth extension option B40 or U40

Sample rate: 100 Hz - 10 GHz

Maximum bandwidth: 40 MHz

Sample rate	Maximum I/Q bandwidth
100 Hz to 50 MHz	Proportional up to maximum 40 MHz
50 MHz to 10 GHz	40 MHz

A.5 R&S FSV/A with I/Q bandwidth extension option B200

Sample rate: 100 Hz - 10 GHz

Maximum bandwidth: 200 MHz

Sample rate	Maximum I/Q bandwidth
100 Hz to 250 MHz	Proportional up to maximum 200 MHz
250 MHz to 10 GHz	200 MHz

A.6 R&S FSVA with I/Q bandwidth extension option B400

Sample rate: 100 Hz - 10 GHz

Maximum bandwidth: 400 MHz

Sample rate	Maximum I/Q bandwidth
100 Hz to 500 MHz	Proportional up to maximum 400 MHz
500 MHz to 10 GHz	400 MHz

A.7 R&S FSVA with I/Q bandwidth extension option B600

Sample rate: 100 Hz - 10 GHz

Maximum bandwidth: 600 MHz

Note that using the bandwidth extension option R&S FSV3-B600, an I/Q bandwidth larger than 400 MHz is only available for frequency ranges above 7.5 GHz.

Center frequency	Sample rate	Maximum I/Q bandwidth
≤7.5 GHz	100 Hz to 500 MHz	Proportional up to maximum 400 MHz
	500 MHz to 10 GHz	400 MHz
>7.5 GHz	100 Hz to 750 MHz	Proportional up to maximum 600 MHz
	750 MHz to 10 GHz	600 MHz

A.8 R&S FSVA with I/Q bandwidth extension option B1000

Sample rate: 100 Hz - 10 GHz

Maximum bandwidth: 1000 MHz

Note that using the bandwidth extension option R&S FSV3-B1000, an I/Q bandwidth larger than 400 MHz is only available for frequency ranges above 7.5 GHz.

Center frequency	Sample rate	Maximum I/Q bandwidth
≤7.5 GHz	100 Hz to 500 MHz	Proportional up to maximum 400 MHz
	500 MHz to 10 GHz	400 MHz

Center frequency	Sample rate	Maximum I/Q bandwidth
>7.5 GHz	100 Hz to 1250 MHz	Proportional up to maximum 1000 MHz
	1250 MHz to 10 GHz	1000 MHz

List of commands (WLAN)

[SENSe:]ADJust:CONFigure:HYSTeresis:LOWer.....	318
[SENSe:]ADJust:CONFigure:HYSTeresis:UPPer.....	319
[SENSe:]ADJust:CONFigure:LEVel:DURation.....	319
[SENSe:]ADJust:CONFigure:LEVel:DURation:MODE.....	319
[SENSe:]ADJust:LEVel.....	320
[SENSe:]BANDwidth:CHANnel:AUTO.....	281
[SENSe:]BANDwidth:CHANnel:AUTO:TYPE.....	282
[SENSe:]BANDwidth[:RESolution]:FILTer:STATe.....	256
[SENSe:]BURSt:COUNT.....	307
[SENSe:]BURSt:COUNT:SELEct:STATe.....	384
[SENSe:]BURSt:COUNT:STATe.....	307
[SENSe:]BURSt:SELEct.....	307
[SENSe:]BURSt:SELEct:STATe.....	308
[SENSe:]CORRection:CVL:BAND.....	236
[SENSe:]CORRection:CVL:BIAS.....	236
[SENSe:]CORRection:CVL:CATalog?.....	236
[SENSe:]CORRection:CVL:CLEar.....	237
[SENSe:]CORRection:CVL:COMMeNt.....	237
[SENSe:]CORRection:CVL:DATA.....	237
[SENSe:]CORRection:CVL:HARMonic.....	237
[SENSe:]CORRection:CVL:MIXer.....	238
[SENSe:]CORRection:CVL:PORTs.....	238
[SENSe:]CORRection:CVL:SELEct.....	238
[SENSe:]CORRection:CVL:SNUMber.....	239
[SENSe:]DEMod:CEStimation.....	409
[SENSe:]DEMod:CEStimation:RANGe.....	274
[SENSe:]DEMod:DATA.....	283
[SENSe:]DEMod:FFT:OFFSet.....	273
[SENSe:]DEMod:FILTer:CATalog?.....	257
[SENSe:]DEMod:FILTer:EFLength.....	257
[SENSe:]DEMod:FILTer:MODulation.....	257
[SENSe:]DEMod:FORMat:BANalyze.....	284
[SENSe:]DEMod:FORMat:BANalyze:BTYPe.....	286
[SENSe:]DEMod:FORMat:BANalyze:BTYPe:AUTO:TYPE.....	287
[SENSe:]DEMod:FORMat:BANalyze:DBYTes:EQUal.....	308
[SENSe:]DEMod:FORMat:BANalyze:DBYTes:MAX.....	309
[SENSe:]DEMod:FORMat:BANalyze:DBYTes:MIN.....	309
[SENSe:]DEMod:FORMat:BANalyze:DURation:EQUal.....	309
[SENSe:]DEMod:FORMat:BANalyze:DURation:MAX.....	310
[SENSe:]DEMod:FORMat:BANalyze:DURation:MIN.....	310
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:EQUal.....	310
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth.....	311
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:LENGth:STATe.....	311
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MAX.....	312
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:MIN.....	312
[SENSe:]DEMod:FORMat:BANalyze:SYMBols:OFFSet.....	313
[SENSe:]DEMod:FORMat:BTRate.....	289

[SENSe:]DEMod:FORMat:MCSIndex.....	289
[SENSe:]DEMod:FORMat:MCSIndex:MODE.....	289
[SENSe:]DEMod:FORMat:NSTSIndex.....	290
[SENSe:]DEMod:FORMat:NSTSIndex:MODE.....	290
[SENSe:]DEMod:FORMat:SIGSymbol.....	291
[SENSe:]DEMod:FORMat[:BCONtent]:AUTO.....	288
[SENSe:]DEMod:INTerpolate.....	275
[SENSe:]DEMod:INTerpolate:WIENer:DSPRead.....	275
[SENSe:]DEMod:INTerpolate:WIENer:DSPRead:STATe.....	276
[SENSe:]DEMod:TXARea.....	273
[SENSe:]FREQUency:CENTer.....	247
[SENSe:]FREQUency:CENTer:STEP.....	248
[SENSe:]FREQUency:CENTer:STEP:AUTO.....	248
[SENSe:]FREQUency:OFFSet.....	248
[SENSe:]FREQUency:SPAN.....	323
[SENSe:]FREQUency:SPAN:FULL.....	323
[SENSe:]FREQUency:START.....	324
[SENSe:]FREQUency:STOP.....	324
[SENSe:]MIXer<x>:BIAS:HIGH.....	228
[SENSe:]MIXer<x>:BIAS[:LOW].....	228
[SENSe:]MIXer<x>:FREQUency:HANDOver.....	230
[SENSe:]MIXer<x>:FREQUency:START.....	230
[SENSe:]MIXer<x>:FREQUency:STOP.....	231
[SENSe:]MIXer<x>:HARMonic:BAND.....	231
[SENSe:]MIXer<x>:HARMonic:BAND:PRESet.....	231
[SENSe:]MIXer<x>:HARMonic:HIGH:STATe.....	232
[SENSe:]MIXer<x>:HARMonic:HIGH[:VALue].....	232
[SENSe:]MIXer<x>:HARMonic:TYPE.....	232
[SENSe:]MIXer<x>:HARMonic[:LOW].....	233
[SENSe:]MIXer<x>:IF?.....	233
[SENSe:]MIXer<x>:LOPower.....	228
[SENSe:]MIXer<x>:LOSS:HIGH.....	233
[SENSe:]MIXer<x>:LOSS:TABLE:HIGH.....	234
[SENSe:]MIXer<x>:LOSS:TABLE[:LOW].....	234
[SENSe:]MIXer<x>:LOSS[:LOW].....	234
[SENSe:]MIXer<x>:PORTs.....	235
[SENSe:]MIXer<x>:RFOVerrange[:STATe].....	235
[SENSe:]MIXer<x>:SIGNal.....	229
[SENSe:]MIXer<x>:THReshold.....	229
[SENSe:]MIXer<x>[:STATe].....	228
[SENSe:]POWer:ACHannel:CBWidth.....	323
[SENSe:]POWer:SEM.....	320
[SENSe:]POWer:SEM:CLASs.....	323
[SENSe:]SWAPiq.....	257
[SENSe:]SWEep:LIMit:ABORT:STATe.....	313
[SENSe:]SWEep:TIME.....	258
[SENSe] (see also SENSe: commands!).....	279
ABORT.....	345
CALCulate<n>:BURSt[:IMMEDIATE].....	346
CALCulate<n>:DELTAmarker<m>:AOFF.....	403

CALCulate<n>:LIMit:ACPoweR:ACHannel:RESult?.....	378
CALCulate<n>:LIMit:ACPoweR:ALTerNate<ch>:RESult?.....	378
CALCulate<n>:LIMit:BURSt:ALL.....	314
CALCulate<n>:LIMit:BURSt:ALL:RESult?.....	370
CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum.....	315
CALCulate<n>:LIMit:BURSt:EVM:ALL:MAXimum:RESult?.....	371
CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge].....	315
CALCulate<n>:LIMit:BURSt:EVM:ALL[:AVERAge]:RESult?.....	371
CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum.....	315
CALCulate<n>:LIMit:BURSt:EVM:DATA:MAXimum:RESult?.....	371
CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge].....	315
CALCulate<n>:LIMit:BURSt:EVM:DATA[:AVERAge]:RESult?.....	371
CALCulate<n>:LIMit:BURSt:EVM:MAXimum.....	316
CALCulate<n>:LIMit:BURSt:EVM:MAXimum:RESult?.....	372
CALCulate<n>:LIMit:BURSt:EVM:PILot:MAXimum.....	316
CALCulate<n>:LIMit:BURSt:EVM:PILot:MAXimum:RESult?.....	372
CALCulate<n>:LIMit:BURSt:EVM:PILot[:AVERAge].....	316
CALCulate<n>:LIMit:BURSt:EVM:PILot[:AVERAge]:RESult?.....	372
CALCulate<n>:LIMit:BURSt:EVM[:AVERAge].....	316
CALCulate<n>:LIMit:BURSt:EVM[:AVERAge]:RESult?.....	372
CALCulate<n>:LIMit:BURSt:FERRor:MAXimum.....	316
CALCulate<n>:LIMit:BURSt:FERRor:MAXimum:RESult?.....	372
CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge].....	316
CALCulate<n>:LIMit:BURSt:FERRor[:AVERAge]:RESult?.....	372
CALCulate<n>:LIMit:BURSt:IQOFfset:MAXimum.....	317
CALCulate<n>:LIMit:BURSt:IQOFfset:MAXimum:RESult?.....	373
CALCulate<n>:LIMit:BURSt:IQOFfset[:AVERAge].....	317
CALCulate<n>:LIMit:BURSt:IQOFfset[:AVERAge]:RESult?.....	373
CALCulate<n>:LIMit:BURSt:SYMBolerror:MAXimum.....	317
CALCulate<n>:LIMit:BURSt:SYMBolerror:MAXimum:RESult?.....	373
CALCulate<n>:LIMit:BURSt:SYMBolerror[:AVERAge].....	317
CALCulate<n>:LIMit:BURSt:SYMBolerror[:AVERAge]:RESult?.....	373
CALCulate<n>:LIMit:BURSt:TFALI:MAXimum.....	317
CALCulate<n>:LIMit:BURSt:TFALI:MAXimum:RESult?.....	374
CALCulate<n>:LIMit:BURSt:TFALI[:AVERAge].....	317
CALCulate<n>:LIMit:BURSt:TFALI[:AVERAge]:RESult?.....	374
CALCulate<n>:LIMit:BURSt:TRISe:MAXimum.....	318
CALCulate<n>:LIMit:BURSt:TRISe:MAXimum:RESult?.....	374
CALCulate<n>:LIMit:BURSt:TRISe[:AVERAge].....	318
CALCulate<n>:LIMit:BURSt:TRISe[:AVERAge]:RESult?.....	374
CALCulate<n>:LIMit:CONTRol[:DATA]?.....	374
CALCulate<n>:LIMit:ESPECTrum:CHECK:X?.....	377
CALCulate<n>:LIMit:ESPECTrum:CHECK:Y?.....	377
CALCulate<n>:LIMit:FAIL?.....	375
CALCulate<n>:LIMit:LOWer:FULL?.....	376
CALCulate<n>:LIMit:SPECTrum:MASK:CHECK:X?.....	377
CALCulate<n>:LIMit:SPECTrum:MASK:CHECK:Y?.....	377
CALCulate<n>:LIMit:TOLerance.....	223
CALCulate<n>:LIMit:UPPer:FULL?.....	376
CALCulate<n>:LIMit:UPPer[:DATA]?.....	376

CALCulate<n>:MARKer<m>:AOFF.....	403
CALCulate<n>:MARKer<m>:BSYMBOL.....	404
CALCulate<n>:MARKer<m>:CARRIER.....	404
CALCulate<n>:MARKer<m>:FUNCTION:POWER:RESULT:MAXHold.....	380
CALCulate<n>:MARKer<m>:FUNCTION:POWER<sb>:RESULT:PHZ.....	380
CALCulate<n>:MARKer<m>:FUNCTION:POWER<sb>:RESULT?.....	378
CALCulate<n>:MARKer<m>:SYMBOL.....	404
CALCulate<n>:MARKer<m>:X.....	381
CALCulate<n>:MARKer<m>:Y?.....	403
CALCulate<n>:MARKer<m>[:STATe].....	403
CALCulate<n>:STATistics:RESULT<res>?.....	381
CALCulate<n>:UNIT:POWER.....	249
CONFigure:BURSt:AM:AM:POLYnomial.....	338
CONFigure:BURSt:AM:AM[:IMMediate].....	216
CONFigure:BURSt:AM:EVM[:IMMediate].....	216
CONFigure:BURSt:AM:PM[:IMMediate].....	216
CONFigure:BURSt:CONST:CARRIER:SElect.....	344
CONFigure:BURSt:CONST:CCARRIER[:IMMediate].....	216
CONFigure:BURSt:CONST:CSYMBOL[:IMMediate].....	216
CONFigure:BURSt:EVM:ECARRIER[:IMMediate].....	217
CONFigure:BURSt:EVM:ESYMBOL[:IMMediate].....	217
CONFigure:BURSt:EVM:ESYMBOL[:IMMediate] (IEEE 802.11b and g (DSSS)).....	217
CONFigure:BURSt:EVM:EVCHIP[:IMMediate].....	217
CONFigure:BURSt:EVM:STANDARD.....	224
CONFigure:BURSt:GAIN:GCARRIER[:IMMediate].....	217
CONFigure:BURSt:PREAmble:SElect.....	218
CONFigure:BURSt:PREAmble[:IMMediate].....	217
CONFigure:BURSt:PTRacking[:IMMediate].....	218
CONFigure:BURSt:PVT:AVERAge.....	306
CONFigure:BURSt:PVT:RPOWER.....	306
CONFigure:BURSt:PVT:SElect.....	218
CONFigure:BURSt:PVT[:IMMediate].....	218
CONFigure:BURSt:QUAD:QCARRIER[:IMMediate].....	219
CONFigure:BURSt:SPECTrum:ACPR[:IMMediate].....	221
CONFigure:BURSt:SPECTrum:FFT[:IMMediate].....	219
CONFigure:BURSt:SPECTrum:FLATness:CSElect.....	337
CONFigure:BURSt:SPECTrum:FLATness:SElect.....	219
CONFigure:BURSt:SPECTrum:FLATness[:IMMediate].....	220
CONFigure:BURSt:SPECTrum:MASK:SElect.....	320
CONFigure:BURSt:SPECTrum:MASK[:IMMediate].....	221
CONFigure:BURSt:SPECTrum:OBWidth[:IMMediate].....	221
CONFigure:BURSt:STATistics:BSTReam[:IMMediate].....	220
CONFigure:BURSt:STATistics:CCDF[:IMMediate].....	221
CONFigure:BURSt:STATistics:SField[:IMMediate].....	220
CONFigure:POWER:AUTO.....	250
CONFigure:POWER:AUTO:OEVm.....	250
CONFigure:POWER:AUTO:SWEEP:TIME.....	251
CONFigure:POWER:EXPECTed:IQ.....	251
CONFigure:POWER:EXPECTed:RF.....	251
CONFigure:STANDARD.....	222

CONFigure:WLAN:ANTMatrix:ADDRess<ant>.....	267
CONFigure:WLAN:ANTMatrix:ANTenna<ant>.....	267
CONFigure:WLAN:ANTMatrix:RLEVel<ant>:OFFSet.....	267
CONFigure:WLAN:ANTMatrix:SOURce:AMPLitude:SOURce.....	268
CONFigure:WLAN:ANTMatrix:SOURce:RLEVel:OFFSet.....	269
CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce.....	269
CONFigure:WLAN:ANTMatrix:SOURce:ROSCillator:SOURce:STAT<ant>.....	270
CONFigure:WLAN:ANTMatrix:STATe<ant>.....	270
CONFigure:WLAN:DUTConfig.....	270
CONFigure:WLAN:EXTension:AUTO:TYPE.....	280
CONFigure:WLAN:GTIme:AUTO.....	280
CONFigure:WLAN:GTIme:AUTO:TYPE.....	409
CONFigure:WLAN:GTIme:SElect.....	281
CONFigure:WLAN:MIMO:CAPTure.....	271
CONFigure:WLAN:MIMO:CAPTure:BUFFer.....	271
CONFigure:WLAN:MIMO:CAPTure:TYPE.....	271
CONFigure:WLAN:MIMO:CSD.....	272
CONFigure:WLAN:MIMO:OSP:ADDRess.....	272
CONFigure:WLAN:MIMO:OSP:MODule.....	272
CONFigure:WLAN:PAYLoad:LENGth:SRC.....	306
CONFigure:WLAN:PVERror:MRANge.....	306
CONFigure:WLAN:RSYNc:JOINed.....	272
CONFigure:WLAN:RUConfig:COUNT:ACTive.....	292
CONFigure:WLAN:RUConfig:COUNT:HIGHest?.....	292
CONFigure:WLAN:RUConfig:EHTPpdu.....	292
CONFigure:WLAN:RUConfig:HEPPdu.....	293
CONFigure:WLAN:RUConfig:NHELf.....	293
CONFigure:WLAN:RUConfig:REFResh.....	293
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:COUNT:HIGHest?.....	294
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:MRUindex.....	294
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RU26index.....	295
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUIndex.....	295
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUSize.....	296
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:RUTSix.....	297
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER:COUNT?.....	297
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:CODing.....	298
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DCM.....	299
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:DELeTe.....	299
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:INSert.....	300
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:MCSindex.....	301
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>:NSTS.....	302
CONFigure:WLAN:RUConfig:SEGMENT<seg>:CHANnel<ch>:RULocation<cf>:USER<mu>: TBEamforming.....	302
CONFigure:WLAN:SMAPping:MODE.....	303
CONFigure:WLAN:SMAPping:NORMalise.....	304
CONFigure:WLAN:SMAPping:TX<ch>.....	304
CONFigure:WLAN:SMAPping:TX<ch>:STReam<ant>.....	304
CONFigure:WLAN:SMAPping:TX<ch>:TIMeshift.....	305
CONFigure:WLAN:STBC:AUTO:TYPE.....	281
DIAGnostic:SERVice:NSource.....	245

DISPlay:FORMat.....	325
DISPlay:WSElect?.....	411
DISPlay[:WINDow<n>]:FLAGs.....	382
DISPlay[:WINDow<n>]:SIZE.....	325
DISPlay[:WINDow<n>]:SUBWindow<w>:SIZE.....	326
DISPlay[:WINDow<n>]:TAB<1..n>:SElect.....	326
DISPlay[:WINDow<n>]:TABLE.....	335
DISPlay[:WINDow<n>]:TABLE:ITEM.....	335
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO.....	338
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:FIXed:RANGe.....	339
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:LOWer:LOWer.....	340
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:LOWer:UPPer.....	339
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:UPPer:LOWer.....	340
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:HYSTeresis:UPPer:UPPer.....	341
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:MEMory:DEPTH.....	341
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:AUTO:MODE.....	342
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:DIVisions.....	342
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:MAXimum.....	343
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:MINimum.....	343
DISPlay[:WINDow<n>]:TRACe<t>:X[:SCALe]:PDIVision.....	344
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO.....	338
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:FIXed:RANGe.....	339
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:LOWer:LOWer.....	340
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:LOWer:UPPer.....	339
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:UPPer:LOWer.....	340
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:HYSTeresis:UPPer:UPPer.....	341
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MEMory:DEPTH.....	341
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:AUTO:MODE.....	342
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:DIVisions.....	342
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MAXimum.....	343
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:MINimum.....	343
DISPlay[:WINDow<n>]:TRACe<t>:Y[:SCALe]:PDIVision.....	344
DISPlay[:WINDow<n>][:SUBWindow<w>]:SElect.....	325
DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe].....	255
DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RLEVel.....	251
DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RLEVel:OFFSet.....	252
DISPlay[:WINDow<n>][:SUBWindow<w>]:TRACe<t>:Y[:SCALe]:RPOSITION.....	256
FETCh:BURSt:ALL:FORMatted?.....	355
FETCh:BURSt:ALL?.....	411
FETCh:BURSt:AM:AM:COEFicients?.....	356
FETCh:BURSt:BERPilot:AVERage?.....	356
FETCh:BURSt:BERPilot:MAXimum?.....	356
FETCh:BURSt:BERPilot:MINimum?.....	356
FETCh:BURSt:CFERror:AVERage?.....	359
FETCh:BURSt:CFERror:MAXimum?.....	359
FETCh:BURSt:CFERror:MINimum?.....	359
FETCh:BURSt:COUNt:ALL?.....	350
FETCh:BURSt:COUNt?.....	350
FETCh:BURSt:CPERror:AVERage?.....	356
FETCh:BURSt:CPERror:MAXimum?.....	356

FETCh:BURSt:CPERror:MINimum?	356
FETCh:BURSt:CRESt:MAXimum?	356
FETCh:BURSt:CRESt:MINimum?	356
FETCh:BURSt:CRESt[:AVERage]?	356
FETCh:BURSt:ECMGain?	357
FETCh:BURSt:EVM:ALL:AVERage?	357
FETCh:BURSt:EVM:ALL:MAXimum?	357
FETCh:BURSt:EVM:ALL:MINimum?	357
FETCh:BURSt:EVM:DATA:AVERage?	358
FETCh:BURSt:EVM:DATA:MAXimum?	358
FETCh:BURSt:EVM:DATA:MINimum?	358
FETCh:BURSt:EVM:DIReCt:AVERage?	358
FETCh:BURSt:EVM:DIReCt:MAXimum?	358
FETCh:BURSt:EVM:DIReCt:MINimum?	358
FETCh:BURSt:EVM:PILot:AVERage?	358
FETCh:BURSt:EVM:PILot:MAXimum?	358
FETCh:BURSt:EVM:PILot:MINimum?	358
FETCh:BURSt:EVM[:IEEE]:AVERage?	358
FETCh:BURSt:EVM[:IEEE]:MAXimum?	358
FETCh:BURSt:EVM[:IEEE]:MINimum?	358
FETCh:BURSt:FERRor:AVERage?	359
FETCh:BURSt:FERRor:MAXimum?	359
FETCh:BURSt:FERRor:MINimum?	359
FETCh:BURSt:GIMBalance:AVERage?	359
FETCh:BURSt:GIMBalance:MAXimum?	359
FETCh:BURSt:GIMBalance:MINimum?	359
FETCh:BURSt:GINTerval?	350
FETCh:BURSt:IQOffset:AVERage?	359
FETCh:BURSt:IQOffset:MAXimum?	359
FETCh:BURSt:IQOffset:MINimum?	359
FETCh:BURSt:IQSKew:AVERage?	359
FETCh:BURSt:IQSKew:MAXimum?	359
FETCh:BURSt:IQSKew:MINimum?	359
FETCh:BURSt:LENGths?	351
FETCh:BURSt:MCHPower:AVERage?	360
FETCh:BURSt:MCHPower:MAXimum?	360
FETCh:BURSt:MCHPower:MINimum?	360
FETCh:BURSt:MCPower:AVERage?	360
FETCh:BURSt:MCPower:MAXimum?	360
FETCh:BURSt:MCPower:MINimum?	360
FETCh:BURSt:MCSindex?	351
FETCh:BURSt:PAYLoad:MAXimum?	360
FETCh:BURSt:PAYLoad:MINimum?	360
FETCh:BURSt:PAYLoad[:AVERage]?	360
FETCh:BURSt:PCMGain?	357
FETCh:BURSt:PEAK:MAXimum?	360
FETCh:BURSt:PEAK:MINimum?	360
FETCh:BURSt:PEAK[:AVERage]?	360
FETCh:BURSt:PPDU:EVM:ALL:AVERage?	362
FETCh:BURSt:PPDU:EVM:DATA:AVERage?	363

FETCh:BURSt:PPDU:EVM:PILot:AVERAge?	363
FETCh:BURSt:PPDU:STATus?	351
FETCh:BURSt:PPDU:TYPE?	352
FETCh:BURSt:PREamble:MAXimum?	361
FETCh:BURSt:PREamble:MINimum?	361
FETCh:BURSt:PREamble[:AVERAge]?	361
FETCh:BURSt:QUADoffset:AVERAge?	361
FETCh:BURSt:QUADoffset:MAXimum?	361
FETCh:BURSt:QUADoffset:MINimum?	361
FETCh:BURSt:RMS:MAXimum?	361
FETCh:BURSt:RMS:MINimum?	361
FETCh:BURSt:RMS[:AVERAge]?	361
FETCh:BURSt:STARts?	352
FETCh:BURSt:SYMBolerror:AVERAge?	361
FETCh:BURSt:SYMBolerror:MAXimum?	361
FETCh:BURSt:SYMBolerror:MINimum?	361
FETCh:BURSt:TFALI:AVERAge?	362
FETCh:BURSt:TFALI:MAXimum?	362
FETCh:BURSt:TFALI:MINimum?	362
FETCh:BURSt:TRISe:AVERAge?	362
FETCh:BURSt:TRISe:MAXimum?	362
FETCh:BURSt:TRISe:MINimum?	362
FETCh:SCDetailed:ALL?	363
FETCh:SCDetailed:EVM:ALL?	364
FETCh:SCDetailed:EVM:DATA?	365
FETCh:SCDetailed:EVM:PILot?	365
FETCh:SCDetailed:POWer:PPDU?	365
FETCh:SCDetailed:POWer:RU?	366
FETCh:SCDetailed:POWer[:SC]?	366
FETCh:SFIeld:ALL?	367
FETCh:SFSummary:ALL?	368
FETCh:SYMBol:COUNT?	350
FETCh:UTESummary:ALL?	368
FORMat:DEXPort:DSEPARATOR	402
FORMat[:DATA]	383
INITiate:SEQuencer:ABORT	347
INITiate:SEQuencer:IMMediate	347
INITiate:SEQuencer:MODE	347
INITiate<n>:CONTinuous	346
INITiate<n>[:IMMediate]	346
INPut:ATTenuation	252
INPut:ATTenuation:AUTO	253
INPut:ATTenuation:PROTection:RESet	225
INPut:CONNector	225
INPut:DPAth	226
INPut:EATT	253
INPut:EATT:AUTO	253
INPut:EATT:STATe	254
INPut:EGAIin[:STATe]	254
INPut:FILE:PATH	244

INPut:IQ:BALEnced[:STATe].....	242
INPut:IQ:FULLscale:AUTO.....	242
INPut:IQ:FULLscale[:LEVEl].....	242
INPut:IQ:OPTimize.....	242
INPut:IQ:SKEW.....	243
INPut:IQ:TYPE.....	243
INPut<ip>:COUPling.....	225
INPut<ip>:FILTer:YIG[:STATe].....	226
INPut<ip>:GAIN:STATe.....	254
INPut<ip>:GAIN[:VALue].....	255
INPut<ip>:IMPedance.....	226
INPut<ip>:SELEct.....	227
INSTRument:CREate:DUPLicate.....	211
INSTRument:CREate:REPLace.....	212
INSTRument:CREate[:NEw].....	211
INSTRument:DELEte.....	212
INSTRument:LIST?.....	212
INSTRument:REName.....	213
INSTRument[:SELEct].....	214
LAYout:ADD[:WINDow]?.....	327
LAYout:CATalog[:WINDow]?.....	330
LAYout:IDENtify[:WINDow]?.....	330
LAYout:MOVE[:WINDow].....	330
LAYout:REMOve[:WINDow].....	331
LAYout:REPLace[:WINDow].....	331
LAYout:SPLitter.....	332
LAYout:WINDow<n>:ADD?.....	333
LAYout:WINDow<n>:IDENtify?.....	333
LAYout:WINDow<n>:REMOve.....	334
LAYout:WINDow<n>:REPLace.....	334
MMEMory:LOAD:IQ:STATe.....	400
MMEMory:LOAD:SEM:STATe.....	412
MMEMory:STORe<n>:IQ:COMMEnt.....	400
MMEMory:STORe<n>:IQ:FORMat.....	400
MMEMory:STORe<n>:IQ:STATe.....	401
MMEMory:STORe<n>:TRACe.....	401
OUTPut<up>:IF:STATe.....	245
OUTPut<up>:TRIGger<tp>:DIRection.....	264
OUTPut<up>:TRIGger<tp>:LEVEl.....	265
OUTPut<up>:TRIGger<tp>:OTYPE.....	265
OUTPut<up>:TRIGger<tp>:PULSe:IMMEdiate.....	266
OUTPut<up>:TRIGger<tp>:PULSe:LENGth.....	266
OUTPut<up>:VIDeo:STATe.....	246
SENSe:TRACking:CROStalk.....	276
SENSe:TRACking:IQMComp.....	276
SENSe:TRACking:LEVEl.....	277
SENSe:TRACking:PHASe.....	277
SENSe:TRACking:PILots.....	278
SENSe:TRACking:PREamble.....	278
SENSe:TRACking:TIME.....	279

STATus:OPERation:CONDition?	407
STATus:OPERation:ENABLE	407
STATus:OPERation:NTRansition	407
STATus:OPERation:PTRansition	408
STATus:OPERation[:EVENT]?	406
STATus:PRESet	406
STATus:QUEStionable:ACPLimit:CONDition?	407
STATus:QUEStionable:ACPLimit:ENABLE	407
STATus:QUEStionable:ACPLimit:NTRansition	408
STATus:QUEStionable:ACPLimit:PTRansition	408
STATus:QUEStionable:ACPLimit[:EVENT]?	406
STATus:QUEStionable:CONDition?	407
STATus:QUEStionable:ENABLE	407
STATus:QUEStionable:LIMit<n>:CONDition?	407
STATus:QUEStionable:LIMit<n>:ENABLE	407
STATus:QUEStionable:LIMit<n>:NTRansition	408
STATus:QUEStionable:LIMit<n>:PTRansition	408
STATus:QUEStionable:LIMit<n>[:EVENT]?	406
STATus:QUEStionable:NTRansition	407
STATus:QUEStionable:PTRansition	408
STATus:QUEStionable:SYNC:CONDition?	407
STATus:QUEStionable:SYNC:ENABLE	407
STATus:QUEStionable:SYNC:NTRansition	408
STATus:QUEStionable:SYNC:PTRansition	408
STATus:QUEStionable:SYNC[:EVENT]?	406
STATus:QUEStionable[:EVENT]?	406
STATus:QUEue[:NEXT]?	406
SYSTem:PRESet:CHANnel[:EXEC]	214
SYSTem:SEQuencer	348
SYSTem:SPEaker:MAXVolume	247
SYSTem:SPEaker:MUTE	247
SYSTem:SPEaker:VOLume	247
SYSTem:SPEaker[:STATe]	246
TRACe:IQ:DATA:MEMory?	398
TRACe:IQ:DATA?	398
TRACe:IQ:SRATe	258
TRACe[:DATA]?	384
TRACe<n>[:DATA]:X?	386
TRIGger[:SEQuence]:DTIME	259
TRIGger[:SEQuence]:HOLDoff[:TIME]	259
TRIGger[:SEQuence]:IFPower:HOLDoff	259
TRIGger[:SEQuence]:IFPower:HYSTerisis	260
TRIGger[:SEQuence]:LEVel:BBPower	260
TRIGger[:SEQuence]:LEVel:IFPower	261
TRIGger[:SEQuence]:LEVel:IQPower	261
TRIGger[:SEQuence]:LEVel:POWer:AUTO	262
TRIGger[:SEQuence]:LEVel[:EXTErnal<port>]	260
TRIGger[:SEQuence]:MODE	412
TRIGger[:SEQuence]:SLOPe	262
TRIGger[:SEQuence]:SOURce	262

TRIGger[:SEquence]:TIME:RINTerval.....	264
UNIT:BURSt.....	352
UNIT:EVM.....	369
UNIT:GIMBalance.....	369
UNIT:PREamble.....	369
UNIT:SFLatness.....	337

Index

A

Abbreviations	
Signal processing IEEE 802.11a, g (OFDM), j, p	63
Aborting	
Sweep	188
AC/DC coupling	110, 120
ACLR	
Configuring (cdma2000)	189
Results	57
Results (remote)	378
Activating	
WLAN measurements (remote)	211
Additive white Gaussian noise (AWGN)	65
Adjacent channel leakage ratio	
see ACLR	57
Adjacent channels	
Filtering out	123, 256
AM/AM	
Polynomial degree	181
Result displays	27
Trace data	390
AM/EVM	
Result displays	28
Trace data	390
AM/PM	
Result displays	28
Trace data	390
Amplitude	
Configuration (remote)	249
Configuration (softkey)	116
Settings	116
Analog Baseband	
Input	112
Analysis	
Bandwidth, definition	419
Remote control	402
RF measurements	193
Settings	193
Antennas	
Assignment (MIMO)	131
Mapping (MIMO)	173
MIMO settings	129
OSP switch box	134
State (MIMO)	130
Application cards	9
Application notes	9
Applications	
Adopted parameters	104
Switching	104
Attenuation	118
Auto	118
Electronic	119
Manual	118
Option	119
Protective (remote)	225
Audio demodulation	
Volume (remote control)	246, 247
Auto ID	
External Mixer (remote)	229
Threshold (External Mixer, remote control)	229

Auto settings	186
Meastime Auto	187
Meastime Manual	187
Remote control	318
Auto track time	
Remote control	251

B

Band	
External Mixer (remote)	231
Bandwidth	
Extension options	419, 420
Maximum usable	419
Menu	104
Relationship to sample rate	420
Bias	
External Mixer (remote)	228
Bit error rate (BER)	
Pilot	14
Bitstream	
Result display	29
Trace data	390
Block diagram	
IEEE 802.11a, g (OFDM), j, p	63
Brochures	8

C

Capture buffer	
Results	40
Capture buffers	
Clearing (MIMO)	135
Used (MIMO)	136
Capture time	14, 17, 123
Displayed	12
see also Measurement time	258
Carriers	
Active	92
CCDF	
Configuring (applications)	192
Results	59
Trace data	391
Center frequency	115
Error	14
Softkey	115
Step size	115
Channel	
Creating (remote)	212
Deleting (remote)	212
Duplicating (remote)	211
Estimating	138, 409
Estimating (IEEE 802.11a, g (OFDM), j, p)	69
Querying (remote)	212
Renaming (remote)	213
Replacing (remote)	212
Channel bandwidth (CBW)	
PPDU	143, 146, 151, 158, 159, 166, 169, 282
Channel bar	
Displayed information	12
Channel estimation	
Remote control	274

- Channel power
 - ACLR, see ACLR 57
- Channels
 - Active carriers 92
 - AWGN (IEEE 802.11a, g (OFDM), j, p) 65
 - Effective 78
 - Physical 78
- Closing
 - Channels (remote) 212
 - Windows (remote) 334
- Compensating
 - IEEE 802.11a, g (OFDM), j, p 68
 - Payload window (IEEE 802.11a, g (OFDM), j, p) 65
- Compensation
 - I/Q Mismatch 140
- Complementary cumulative distribution function
 - see CCDF 59
- Constellation
 - Result display 31
 - vs carrier (result display) 33
 - vs carrier (trace data) 393
 - vs symbol (trace data) 392
- Continue single sweep
 - Softkey 188
- Continuous Sequencer
 - Softkey 103
- Continuous sweep
 - Softkey 188
- Conventions
 - SCPI commands 206
- Conversion loss
 - External Mixer (remote) 233, 234
- Conversion loss tables
 - Available (remote) 236
 - Band (remote) 236
 - Bias (remote) 236
 - Deleting (remote) 237
 - External Mixer (remote) 234
 - Harmonic order (remote) 237
 - Mixer type (remote) 238
 - Selecting (remote) 238
- Copying
 - Channel (remote) 211
- Crest Factor 14
- Crosstalk
 - MIMO 276
- D**
- Data acquisition
 - Manual (MIMO) 134, 135
 - MIMO capture method 130
 - MIMO settings 128
 - see Signal capturing 122
- Data input 108
- Data output 108
- Data sheets 8
- Data streams
 - Mapping (MIMO) 173
- Data symbols
 - Estimating (IEEE 802.11a, g (OFDM), j, p) 69
 - Number 14
 - Number of; displayed 12
 - Required 175, 306
- Demodulation
 - Basics 93
 - Configuring 141
 - Configuring (remote) 279
 - Dependencies 94
 - Parameters 93
 - Settings (MIMO) 172
- Diagram footer 13
- Diagrams
 - Evaluation method 60
- Digital standard 14, 17
 - Channel bandwidths 143, 146, 151, 159, 169
 - Displayed 12
 - Selecting 107
 - Selecting (remote) 222
- Direct path
 - Input configuration 111
- Display
 - Configuration (softkey) 104
 - Understanding 11
- Drop-out time
 - Trigger 98, 127
- Duplicating
 - Channel (remote) 211
- E**
- Electronic input attenuation 118, 119
- Equalizer filter
 - Length 124
- Errors
 - Calculating parameters 67
 - Calculating parameters (IEEE 802.11a, g (OFDM), j, p) 69
 - Center frequency 14
 - crosstalk 276
 - EVM 22
 - Gain imbalance 14, 19, 21
 - I/Q offset 14, 19
 - I/Q skew 21
 - Messages 203
 - Phase drift 140, 277
 - Pilots 140, 278
 - PPDU levels 140, 276, 277
 - PPDU timing 140, 279
 - Quadrature (phase angle I, Q) 20, 21
 - Quadrature offset 14
 - Status bits 405
 - Symbol timing 14
- Estimates
 - Signal processing (IEEE 802.11a, g (OFDM), j, p) 65
- Estimating
 - Channels (IEEE 802.11a, g (OFDM), j, p) 69
- Evaluation methods
 - Frequency sweep measurement 60
 - Remote 327
 - Trace data 386
 - WLAN 26
- Evaluation range
 - Remote 305
 - Result displays 173
 - Settings 193
- EVM
 - All carriers 14
 - Calculating (IEEE 802.11a, g (OFDM), j, p) 69
 - Calculating (WLAN) 22
 - Data carriers 14
 - Data carriers, limit check result (remote) 371
 - I/Q diagram 23
 - IEEE 802.11b, g (DSSS) 23

Limit check result (remote) 370
 Limits (remote) 315, 316
 Optimizing 138, 409
 Pilot carriers 14
 Pilot carriers, limit check result (remote) 372
 PPDU (direct) 22
 Units 369
 vs carrier (result display) 34
 vs carrier (trace data) 393
 vs chip (result display) 35
 vs symbol (result display) 35
 Exporting
 I/Q data 95, 109
 I/Q data (remote) 399
 Trace results (remote) 401
 Extension Spatial Streams
 PPDUs 171, 280
 External Mixer
 Activating (remote) 228
 Band 230, 231
 Programming example 239
 RF overrange 235
 Type 235
 External trigger 125
 Level (remote) 260

F

Fall time
 Limit check result (remote) 374
 FFT
 AWGN channel (IEEE 802.11a, g (OFDM), j, p) 65
 Carriers 92
 Signal processing (IEEE 802.11a, g (OFDM), j, p) 65
 Spectrum (result display) 36
 Spectrum (trace data) 395
 Start offset 136
 Start offset (remote) 273
 Files
 I/Q data input 96, 112
 Filters
 Adjacent channels 256
 Equalizer 124
 Receive 124
 Transmit 124
 YIG (remote) 226
 Format
 PPDU (remote) 287
 Free Run
 Trigger 125
 Freq. Error vs Preamble
 Result displays 37
 Frequency
 Configuration 114
 Configuration (remote) 247
 Deviation 66
 Error limit (remote) 316
 Offset 115
 Frequency offset
 Error, limit check result (remote) 372
 Rx-Tx 65
 Frequency sweep measurements
 Configuring 188
 Selecting 189
 WLAN 56
 Frontend
 Configuration (remote) 247

G

Gain
 Tracking (IEEE 802.11a, g (OFDM), j, p) 67
 Gain imbalance 14, 19, 21
 Units 369
 Getting started 7
 Group delay
 Result display 39
 Trace data 395
 Guard interval 14
 Displayed 12
 Length (PPDUs) 144, 149, 156, 164, 171, 280, 281, 409

H

Handover frequency
 External Mixer (remote) 230
 Harmonics
 External Mixer (remote) 232, 233
 Hysteresis
 Trigger 127

I

I/Q data
 Exporting 109
 Exporting (remote) 399
 Importing 109
 Importing (remote) 399
 Importing/Exporting 95
 Input file 113
 Input files 96, 112
 Maximum bandwidth 419
 Sample rate 419
 I/Q measurements
 Configuring (remote) 221
 I/Q mismatch 21
 I/Q Mismatch
 Compensation 140
 I/Q offset 14, 19
 Limit check result (remote) 373
 Limits (remote) 317
 I/Q Power
 Trigger 126
 Trigger level (remote) 261
 I/Q skew 21
 IEEE 802.11a
 Signal processing 63
 IEEE 802.11a, g (OFDM), j, p
 Literature 70
 Modulation formats 93
 IEEE 802.11g (OFDM)
 Signal processing 63
 IEEE 802.11n
 Modulation formats 93
 IF Power
 Trigger level (remote) 261
 Impedance
 Setting 111, 120
 Importing
 I/Q data 95, 109
 I/Q data (remote) 399
 Input
 Coupling 110, 120
 I/Q data files 112
 Overload (remote) 225

- RF 110
 - Settings 109, 119
 - Source Configuration (softkey) 109
 - Source, Radio frequency (RF) 109
 - Input sample rate 123
 - Displayed 12
 - Remote 258
 - Input sample rate (ISR)
 - Definition 419
 - Input sources
 - I/Q data file 113
 - I/Q data files 96, 112
 - Installation 11
 - Instrument security procedures 8
 - Inter-channel interference (ICI) 65
 - IP address
 - OSP switchbox (MIMO) 133
- J**
- Joined RX Sync and Tracking
 - MIMO 131
- K**
- Keys
 - BW 104
 - LINES 104
 - MKR FUNCT 104
 - RUN CONT 188
 - RUN SINGLE 188
 - SPAN 104
- L**
- Level
 - Tracking 140
 - Tracking (IEEE 802.11a, g (OFDM), j, p) 67
 - Level error tracking 276, 277
 - Limits
 - Defining (remote) 313
 - EVM 315, 316
 - EVM pilot carriers, result 372
 - EVM, result 370, 371
 - Fall time, result 374
 - Frequency error 316
 - Frequency error, result 372
 - I/Q offset 317
 - I/Q offset, result 373
 - Rise time, result 374
 - Symbol clock error 317
 - Symbol clock error, result 373
 - Lines
 - Menu 104
 - Literature
 - IEEE 802.11a, g (OFDM), j, p 70
 - LO feedthrough 111
 - Log likelihood function
 - IEEE 802.11a, g (OFDM), j, p 67
 - Logical filter 93
 - Long symbol (LS)
 - IEEE 802.11a, g (OFDM), j, p 65
- M**
- Magnitude Capture
 - Result display 40
 - Trace data 386
 - Marker Functions
 - Menu 104
 - Marker table
 - Evaluation method 61
 - Markers
 - Configuration (remote) 402
 - Table (evaluation method) 61
 - Maximizing
 - Windows (remote) 325
 - Maximum
 - Y-axis 185
 - MCS index 14, 147, 169, 170
 - Displayed 12
 - Displayed information 149, 171
 - Remote 289
 - Measurement channel
 - Creating (remote) 214
 - Selecting (remote) 214
 - Measurement time
 - Auto settings 187
 - Remote 258
 - Measurements
 - Frequency sweep 56
 - RF, results 57
 - RF, types 57
 - Selecting 102, 106
 - Selecting (remote) 214
 - Setup, displayed 12
 - Starting (remote) 344
 - Types 14
 - Messages
 - Signal Field 203
 - MIMO 76
 - Antenna assignment 131
 - Calculating results 135
 - Capture buffers 135, 136
 - Capture method 130
 - Capture settings 128
 - Crosstalk 276
 - Demodulation settings 172
 - DUT configuration 129
 - How to perform measurement 195
 - Joined RX Sync and Tracking 131
 - Manual data capture 135
 - Manual sequential capture 134
 - Normalizing power 173
 - OSP IP address 133
 - PPDU synchronization 131
 - Reference frequency coupling 132
 - Secondary analyzers 130, 131
 - Sequential capture using OSP 132
 - Simultaneous capture settings 130
 - Spatial mapping mode 172
 - User-defined spatial mapping 173
 - Minimum
 - Y-axis 185
 - Modulation
 - Formats 93
 - Inverted (I/Q, remote) 257
 - Inverted (I/Q) 123
 - PPDU 144, 167, 287

- PPDU (remote) 286
- PPDUs 147, 169
- Modulation Accuracy
 - Parameters 14
- Modulation and Coding Scheme
 - see MCS 147, 169
- MSR ACLR
 - Results (remote) 378
- Multiple
 - Measurement channels 102
- N**
- Ness
 - PPDUs 171, 280
- Nof_symbols 65
- Noise
 - Additive white Gaussian (AWG) 65
 - Source 114
- Normalizing
 - Power (MIMO) 173
- Nsts
 - PPDUs 147, 148, 290
- Number of samples
 - Displayed 12
- O**
- OBW
 - Configuring (applications) 191
 - Results 58
- Occupied bandwidth
 - see OBW 58
- Offset
 - Amplification I, Q 19, 21
 - Carriers 19
 - Frequency 115
 - Phase angle I, Q 20, 21
 - Quadrature 20, 21
 - Reference level 117
- Options
 - Bandwidth extension 419, 420
 - Electronic attenuation 119
 - Preamplifier 119
- OSP switch box
 - Antenna connection (MIMO) 134
 - IP address 133
 - Setup 132
 - State (MIMO) 133
- Output
 - Configuration 113
 - Configuration (remote) 245
 - Noise source 114
 - Sample rate, definition 419
 - Settings 113
- Overload
 - RF input (remote) 225
- Overview
 - Configuring WLAN measurements 105
- P**
- Packet search
 - IEEE 802.11a, g (OFDM), j, p 65
- Parameters
 - WLAN 14
- Payload
 - Channel estimation 138, 409
 - Length 175, 176, 178, 306
 - Length (source, remote) 306
 - Length (source) 175
 - Window 65
- Peak list
 - Evaluation method 62
- Peak vector error
 - Measurement range 178
- Peak Vector Error 23
- Phase drift 66
 - Tracking 140
 - Tracking (IEEE 802.11a, g (OFDM), j, p) 67
- Phase Error vs Preamble
 - Result displays 40
- Phase tracking 277
- Phase Tracking
 - Result displays 41
- Pilot bit error rate 14
- Pilots
 - for tracking 140, 278
- Polynomial degree
 - AM/AM 181
- Ports
 - External Mixer (remote) 235
- Power
 - Interval search 136
 - PPDU 14
 - vs frequency 36
 - vs time, see PvT 43, 44, 45
- Power interval search 273
- Power normalize
 - MIMO 173
- PPDU
 - Amount to analyze 175, 177, 307
 - Amount to analyze (remote) 307
 - Analysis mode 142, 146, 150, 158, 168
 - Analyzed 12, 93
 - Channel bandwidth
 - 143, 146, 151, 158, 159, 166, 169, 282
 - Count (remote) 349
 - Currently analyzed 14, 17
 - Demodulation 141
 - Displayed 12
 - EVM (Direct) 22
 - Extension Spatial Streams (IEEE 802.11 n) 171, 280
 - Format 143, 146, 151, 158, 166, 169
 - Format (remote) 284, 287
 - Guard interval length (IEEE 802.11 ac, ax, n, be) 409
 - Guard interval length (IEEE 802.11 n, ac)
 - 144, 149, 156, 164, 171, 280, 281
 - Length 352
 - Level errors 140, 276, 277
 - Maximum length (remote) 311, 312
 - Minimum length (remote) 312, 313
 - Modulation 144, 287
 - Modulation (IEEE 802.11 a) 144, 167
 - Modulation (IEEE 802.11 n, ac) 147, 169
 - Modulation (remote) 286
 - Ness (IEEE 802.11 n) 171, 280
 - Nsts 147
 - Nsts (IEEE 802.11 ac) 148, 290
 - Number to analyze 308
 - Number to analyze (remote) 307
 - Payload length 175, 176, 178
 - Payload length (remote) 306

- Phase drift 140, 277
- Physical channel 14, 17
- Pilots 140, 278
- Power 14
- Power search 136, 273
- Recognized 14, 17, 93
- Selecting 384
- Signal field 50, 142, 146, 150, 158, 168, 288
- Start position 352
- STBC (IEEE 802.11 ac,n) 148, 170, 281
- Synchronization (MIMO) 131
- Timing errors 140, 279
- Total analyzed 14, 17
- Valid 93
- PPDUs
 - Evaluation range 174
 - PvT 218
- Preamble
 - Channel estimation 138, 278, 409
 - Units 369
- Preamplifier
 - Setting 119
 - Softkey 119
- Preset
 - Bands (External Mixer, remote) 231
- Presetting
 - Channels 106
- Pretrigger 127
- Programming examples
 - External Mixer 239
 - SEM 416
 - Statistics 413
 - WLAN 413
- Protection
 - RF input (remote) 225
- PvT
 - Falling edge, result display 45
 - Full PPDU 218
 - Full PPDU, result display 43
 - Rising & Falling 218
 - Rising edge, result display 44
- PvT Full Burst
 - Trace data 396
- Q**
- Quadrature offset 20, 21
 - Error 14
- R**
- Range 121
- Receive filter 124
- Record length
 - Definition 419
 - Relationship to sample rate 420
- Reference frequency
 - Coupling (MIMO) 132
- Reference level
 - Auto level (continuous) 117
 - Offset 117
 - Offset (softkey) 117
 - Position 122
 - Unit 117
 - Value 117
- Release notes 8
- Remote commands
 - Basics on syntax 206
 - Boolean values 209
 - Capitalization 207
 - Character data 210
 - Data blocks 210
 - Deprecated 408
 - Numeric values 209
 - Optional keywords 208
 - Parameters 208
 - Strings 210
 - Suffixes 207
- Repetition interval 126
- Resetting
 - RF input protection 225
- Restoring
 - Channel settings 106
- Result configuration
 - Softkey 179
- Result displays
 - AM/AM 27
 - AM/EVM 28
 - AM/PM 28
 - Amplitude Tracking 29
 - Bitstream 29
 - Configuration (remote) 324
 - Configuring 104
 - Constellation 31
 - Constellation vs carrier 33
 - Diagram 60
 - Evaluated data 173
 - EVM vs carrier 34
 - EVM vs chip 35
 - EVM vs Symbol 35
 - FFT spectrum 36
 - Freq. Error vs Preamble 37
 - Gain Imbalance vs Carrier 38
 - Group Delay 39
 - Magnitude Capture 40
 - Marker table 61
 - Peak list 62
 - Phase Error vs Preamble 40
 - Phase Tracking 41
 - PvT Falling Edge 45
 - PvT Full PPDU 43
 - PvT Rising Edge 44
 - Quad Error vs Carrier 45
 - Result Summary 61
 - Result Summary Detailed 46
 - Result Summary Global 47
 - Result Summary, items 179
 - Result Summary, items (remote) 335
 - see also Evaluation methods 14
 - Signal Content Detailed 49
 - Signal Field 50
 - Signal Field (K91/91n) 42
 - Spectrum Flatness 52
 - Spectrum Flatness Result Summary 54
 - Unused Tone Error 54, 55
 - WLAN 26
- Result Summary
 - Detailed (result display) 46
 - Evaluation method 61
 - Global (result display) 47
 - Items to display 179
 - Items to display (remote) 335

- Result display 61
- Trace data 386
- Results
 - AM/AM 390
 - AM/EVM 390
 - AM/PM 390
 - Bitstream 390
 - CCDF 391
 - Constellation vs carrier 393
 - Constellation vs symbol 392
 - Evaluating 193
 - EVM vs Carrier 393
 - Exporting (remote) 401
 - FFT Spectrum 395
 - Group delay 395
 - Magnitude Capture 386
 - Numeric (remote) 349
 - PvT Full Burst 396
 - Result summary 386
 - Retrieving (remote) 348
 - RF (remote) 377
 - Signal field 397
 - Spectrum Flatness 397
 - Trace (remote) 382
 - Trace data query (remote) 386
- Retrieving
 - Numeric results (remote) 349
 - Results (remote) 348
 - RF Results (remote) 377
 - Trace results (remote) 382
- RF attenuation
 - Auto 118
 - Manual 118
- RF input 109
 - Overload protection (remote) 225
 - Remote 224
- RF measurements
 - Analysis 193
 - Configuration (remote) 320
 - Results (remote) 377
 - Step by step 201
- RF overrange
 - External Mixer 235
- Rise time
 - Limit check result (remote) 374
- RUN CONT
 - Key 188
- RUN SINGLE
 - Key 188
- S**
- Safety instructions 8
- Sample rate 14, 17
 - Definition 419
 - Displayed 12
 - Maximum 419
 - Relationship to bandwidth 420
 - Remote 258
- Samples
 - Number 14, 17
- Scaling
 - Y-axis 185
- Secondary analyzers
 - IP address (MIMO) 131
 - State (MIMO) 130
- Security procedures 8
- Select meas 102
- SEM
 - Configuring (cdma2000) 190
 - Programming example 416
 - Results 58
- Sequencer 102
 - Activating (remote) 347
 - Mode 103
 - Remote 346
 - Softkey 103
 - State 103
- Sequences
 - Aborting (remote) 347
 - Mode (remote) 347
- Sequential
 - MIMO capture method 132
- Sequential (manual)
 - MIMO capture method 134
- Service manual 8
- Settings
 - Overview 105
- Short symbol (SS)
 - IEEE 802.11a, g (OFDM), j, p 65
- Signal capturing
 - Duration 123
 - Duration (remote) 258
 - Remote control 256
 - Softkey 122
- Signal Content
 - Detailed (result display) 49
- Signal description
 - Configuring 107
 - Remote control 222
 - Softkey 107
- Signal field 288
- Signal Field
 - PPDU analysis 142, 146, 150, 158, 168
 - Result display 50
 - Trace data 397
- Signal ID
 - External Mixer (remote) 229
- Signal processing
 - IEEE 802.11a, g (OFDM), j, p 63
 - IEEE 802.11b, g (DSSS) 70
- Simultaneous
 - MIMO capture method 130
- Single Sequencer
 - Softkey 103
- Single sweep
 - Softkey 188
- SISO 76
- Skew 21
- Slope
 - Trigger 128, 262
- SmartGrid 26, 104
- softkey
 - Average Length (K91/91n) 178
 - Ref Pow Max/Mean (K91/91n) 178
- Softkeys
 - Amplitude Config 116
 - Center 115
 - Continue Single Sweep 188
 - Continuous Sequencer 103
 - Continuous Sweep 188
 - Display Config 104
 - External 125
 - Free Run 125

- Frequency Config 114
- Input Source Config 109
- Meastime Auto 187
- Meastime Manual 187
- Outputs Config 113
- Preamp 119
- Ref Level Offset 117
- Result Config 179
- RF Atten Auto 118
- RF Atten Manual 118
- Sequencer 103
- Signal Capture 122
- Signal Description 107
- Single Sequencer 103
- Single Sweep 188
- Sweep Config 187
- Time 126
- Trigger Config 124
- Trigger Offset 127
- Space-Time Block Coding
 - see STBC 148, 170
- Space-time stream 78
- Span
 - Menu 104
- Spatial mapping mode
 - MIMO 172
 - User-defined (MIMO) 173
- Speaker
 - Remote control 246, 247
- Specifics for
 - Configuration 106
- Spectrum Emission Mask
 - see SEM 58
- Spectrum Flatness
 - Parameters 14
 - Result display 52
 - Trace data 397
 - Units 337
- Standard
 - see Digital standard 12
- Standard WLAN measurements 14
- Starting
 - WLAN application 11
- Statistic count 175, 177, 307
 - Remote 307
- Statistics
 - PPDUs 19
 - Programming example 413
- Status bar 13
 - Error messages 203
- Status registers
 - Contents 405
 - Querying 405, 406
 - STAT:QUES:POW 225
 - STATus:QUEStionable:SYNC 405
 - WLAN 405
- STBC
 - PPDUs 148, 170
 - PPDUs (remote) 281
- Suffixes
 - Common 205
 - Remote commands 207
- Swap I/Q 123
 - Remote 257
- Sweep
 - Aborting 188
 - Configuration (softkey) 187
 - Time (remote) 258
- Symbol clock
 - Error 14
 - error limit (remote) 317
 - Error, limit check result (remote) 373
- Symbols
 - Count (remote) 349
 - Data 69
 - Long (IEEE 802.11a, g (OFDM), j, p) 65
 - Short (IEEE 802.11a, g (OFDM), j, p) 65
- Synchronization 136
 - Remote control 273
- T**
- Time trigger
 - Repetition interval 126
 - Softkey 126
- Timing
 - Coarse 65
 - Detection (IEEE 802.11a, g (OFDM), j, p) 65
 - Deviations 39
 - Fine 65
 - Tracking 140
 - Tracking (IEEE 802.11a, g (OFDM), j, p) 67
- Timing error tracking 279
- Tolerance
 - Parameters 14
- Traces
 - Exporting (remote) 401
 - Querying results 26
 - Results (remote) 382
 - Retrieving (remote) 398
- Tracking 67
 - crosstalk 276
 - Level errors 140, 276, 277
 - Phase drift 140, 277
 - Pilots 140, 278
 - Remote control 274
 - Timing errors 140, 279
- Transmit filter 124
- Trigger
 - Configuration (remote) 258
 - Configuration (softkey) 124
 - Drop-out time 127
 - Drop-Out Time 98
 - External (remote) 262
 - Holdoff 99, 127
 - Hysteresis 98, 127
 - Measurements 97
 - Offset 97, 127
 - Slope 128, 262
 - Synchronization 100
- Trigger level 126
 - Auto 126
 - Auto (remote) 262
 - External trigger (remote) 260
 - I/Q Power (remote) 261
 - IF Power (remote) 261
- Trigger source 125
 - External 125
 - Free Run 125
 - I/Q Power 126
 - Time 126

Troubleshooting	202
Input overload	225

U

Units	
EVM results	369
Gain imbalance results	369
PPDU length results	352
Preamble results	369
Reference level	117
Spectrum Flatness results	337
Unused tone error	24
Unused Tone Error	54, 55
Usable I/Q bandwidth	
Definition	419
User sample rate	
Definition	419

V

Videos	9
Volume	
Remote control	246, 247

W

White papers	9
Window title bar	13
Windows	
Adding (remote)	327
Closing (remote)	334
Configuring	106
Layout (remote)	332
Maximizing (remote)	325
Querying (remote)	330
Replacing (remote)	331
Splitting (remote)	325
Types (remote)	327
WLAN	
Measurements	14
Measurements, step by step	194
Parameters	14
Programming examples	413
Remote control	205
Results	14

Y

Y-maximum, Y-minimum	
Scaling	185
YIG-preselector	
Activating/Deactivating	111
Activating/Deactivating (remote)	226