

# R&S<sup>®</sup>SMCVB-KS19

## Extended HDTV Streams

### User Manual



1179273102  
Version 02

**ROHDE & SCHWARZ**  
Make ideas real



This document describes the following software options:

- R&S®SMCVB-KS19 Extended HDTV Streams (1434.5257.xx)

The software contained in this product makes use of valuable open-source software packages. For information, see the document `LIB-K58 K70 K71 K72 K73 OpenSourceAcknowledgement.pdf` on the "Vector Signal Generator Customer Web" at the global Rohde & Schwarz information system (GLORIS). Rohde & Schwarz would like to thank the open-source community for their valuable contribution to embedded computing.

© 2022 Rohde & Schwarz GmbH & Co. KG  
Muehldorfstr. 15, 81671 Muenchen, Germany  
Phone: +49 89 41 29 - 0

Email: [info@rohde-schwarz.com](mailto:info@rohde-schwarz.com)

Internet: [www.rohde-schwarz.com](http://www.rohde-schwarz.com)

Subject to change – data without tolerance limits is not binding.

R&S® is a registered trademark of Rohde & Schwarz GmbH & Co. KG.

Trade names are trademarks of the owners.

1179.2731.02 | Version 02 | R&S®SMCVB-KS19

The following abbreviations are used throughout this manual: R&S®SMCV100B is abbreviated as R&S SMCV100B.

# Contents

<b>1</b>	<b>Welcome to the R&amp;S SMCVB-KS19 option.....</b>	<b>7</b>
1.1	Key features.....	7
1.2	Installation.....	7
1.3	What's new.....	7
1.4	Documentation overview.....	8
1.4.1	Getting started manual.....	8
1.4.2	User manuals and help.....	8
1.4.3	Service manual.....	8
1.4.4	Instrument security procedures.....	8
1.4.5	Printed safety instructions.....	9
1.4.6	Data sheets and brochures.....	9
1.4.7	Release notes and open source acknowledgment (OSA).....	9
1.4.8	Application notes, application cards, white papers, etc.....	9
<b>2</b>	<b>Video test patterns and audio test sequences.....</b>	<b>10</b>
2.1	Video.....	10
2.1.1	Moving video scenes.....	10
2.2	Audio.....	12
2.2.1	Background musical audio.....	12
<b>3</b>	<b>DVB transport streams.....</b>	<b>13</b>
3.1	Overview.....	13
3.2	HDTV_MPEG_LOCATIONS (23 Hz).....	14
3.2.1	Video.....	14
3.2.2	Audio.....	14
3.3	HDTV_AVC_LOCATIONS (23 Hz).....	15
3.3.1	Video.....	15
3.3.2	Audio.....	15
3.4	HDTV_MPEG_LOCATIONS (24 Hz).....	16
3.4.1	Video.....	16
3.4.2	Audio.....	16
3.5	HDTV_AVC_LOCATIONS (24 Hz).....	16
3.5.1	Video.....	17

3.5.2	Audio.....	17
<b>3.6</b>	<b>HDTV_MPEG_LOCATIONS (25 Hz).....</b>	<b>17</b>
3.6.1	Video.....	18
3.6.2	Audio.....	18
<b>3.7</b>	<b>HDTV_AVC_LOCATIONS (25 Hz).....</b>	<b>18</b>
3.7.1	Video.....	18
3.7.2	Audio.....	19
<b>3.8</b>	<b>HDTV_MPEG_LOCATIONS (29 Hz).....</b>	<b>19</b>
3.8.1	Video.....	19
3.8.2	Audio.....	20
<b>3.9</b>	<b>HDTV_AVC_LOCATIONS (29 Hz).....</b>	<b>20</b>
3.9.1	Video.....	20
3.9.2	Audio.....	20
<b>3.10</b>	<b>HDTV_MPEG_LOCATIONS (50 Hz).....</b>	<b>21</b>
3.10.1	Video.....	21
3.10.2	Audio.....	21
<b>3.11</b>	<b>HDTV_AVC_LOCATIONS (50 Hz).....</b>	<b>22</b>
3.11.1	Video.....	22
3.11.2	Audio.....	22
<b>3.12</b>	<b>HDTV_MPEG_LOCATIONS (59 Hz).....</b>	<b>23</b>
3.12.1	Video.....	23
3.12.2	Audio.....	23
<b>3.13</b>	<b>HDTV_AVC_LOCATIONS (59 Hz).....</b>	<b>23</b>
3.13.1	Video.....	24
3.13.2	Audio.....	24
<b>3.14</b>	<b>FULL_HDTV_AVC_LOCATIONS (50 Hz).....</b>	<b>24</b>
3.14.1	Video.....	25
3.14.2	Audio.....	25
<b>3.15</b>	<b>FULL_HDTV_AVC_LOCATIONS (59 Hz).....</b>	<b>25</b>
3.15.1	Video.....	25
3.15.2	Audio.....	26
<b>4</b>	<b>ATSC transport streams.....</b>	<b>27</b>
4.1	Overview.....	27

<b>4.2</b>	<b>HDTV_MPEG_LOCATIONS (23 Hz)</b> .....	<b>28</b>
4.2.1	Video.....	28
4.2.2	Audio.....	28
<b>4.3</b>	<b>HDTV_MPEG_LOCATIONS (29 Hz)</b> .....	<b>29</b>
4.3.1	Video.....	29
4.3.2	Audio.....	29
<b>4.4</b>	<b>HDTV_MPEG_LOCATIONS (59 Hz)</b> .....	<b>29</b>
4.4.1	Video.....	30
4.4.2	Audio.....	30
<b>5</b>	<b>ISDB-T transport streams</b> .....	<b>31</b>
<b>5.1</b>	<b>Overview</b> .....	<b>31</b>
<b>5.2</b>	<b>HDTV_MPEG_LOCATIONS (29 Hz)</b> .....	<b>31</b>
5.2.1	Video.....	32
5.2.2	Audio.....	32
<b>5.3</b>	<b>HDTV_MPEG_LOCATIONS (59 Hz)</b> .....	<b>32</b>
5.3.1	Video.....	32
5.3.2	Audio.....	33
	<b>Index</b> .....	<b>34</b>



# 1 Welcome to the R&S SMCVB-KS19 option

The R&S SMCVB-KS19 is a stream library that provides stream files for testing high-definition television (HDTV) of the systems DVB, ATSC and ISDB-T. The files are additional to the HDTV stream files provided in the Basic Streams library R&S SMCVB-KS17.

This user manual contains a reference description of the functionality that the stream library provides. All functions not discussed in this manual are described in the R&S SMCV100B user manual. The latest version is available at:

[www.rohde-schwarz.com/manual/SMCV100B](http://www.rohde-schwarz.com/manual/SMCV100B)

## 1.1 Key features

The R&S SMCVB-KS19 stream library consists of the same video content signal to provide a comprehensive functional testing on the receivers:

- Moving video scenes signal

### Transport streams with moving scenes

Moving picture scenes can be used for a basic functional test of decoders, multiplexers and terminals. For example, use moving picture scenes for testing set-top boxes (STBs) in final production. Due to the movement of the picture scenes, any interruption or transmission error in the data stream or any processing error in the decoder is immediately recognizable. Due to digital processing, the last frame that was received is always output in the decoder, even if there are transmission errors. The limitations imply that images are less useful in functional testing.

## 1.2 Installation

You can find detailed installation instructions in the supplement document of the R&S SMCV100B user manual and in the R&S SMCV100B user manual describing firmware versions FW 4.90.002.xx and later of the R&S SMCV100B.

## 1.3 What's new

Compared to the previous version there are editorial changes only.

## 1.4 Documentation overview

This section provides an overview of the R&S SMCV100B user documentation. Unless specified otherwise, you find the documents on the R&S SMCV100B product page at:

[www.rohde-schwarz.com/manual/smcv100b](http://www.rohde-schwarz.com/manual/smcv100b)

### 1.4.1 Getting started manual

Introduces the R&S SMCV100B and describes how to set up and start working with the product. Includes basic operations, typical measurement examples, and general information, e.g. safety instructions, etc. A printed version is delivered with the instrument.

### 1.4.2 User manuals and help

Separate manuals for the base unit and the software options are provided for download:

- **Base unit manual**  
Contains the description of all instrument modes and functions. It also provides an introduction to remote control, a complete description of the remote control commands with programming examples, and information on maintenance, instrument interfaces and error messages. Includes the contents of the getting started manual.
- **Software option manual**  
Contains the description of the specific functions of an option. Basic information on operating the R&S SMCV100B is not included.

The contents of the user manuals are available as help in the R&S SMCV100B. The help offers quick, context-sensitive access to the complete information for the base unit and the software options.

All user manuals are also available for download or for immediate display on the Internet.

### 1.4.3 Service manual

Describes the performance test for checking compliance with rated specifications, firmware update, troubleshooting, adjustments, installing options and maintenance.

The service manual is available for registered users on the global Rohde & Schwarz information system (GLORIS):

<https://gloris.rohde-schwarz.com>

### 1.4.4 Instrument security procedures

Deals with security issues when working with the R&S SMCV100B in secure areas. It is available for download on the Internet.



### 1.4.5 Printed safety instructions

Provides safety information in many languages. The printed document is delivered with the product.

### 1.4.6 Data sheets and brochures

The data sheet contains the technical specifications of the R&S SMCV100B. It also lists the options and their order numbers and optional accessories.

The brochure provides an overview of the instrument and deals with the specific characteristics.

See [www.rohde-schwarz.com/brochure-datasheet/smcv100b](http://www.rohde-schwarz.com/brochure-datasheet/smcv100b)

### 1.4.7 Release notes and open source acknowledgment (OSA)

The release notes list new features, improvements and known issues of the current firmware version, and describe the firmware installation.

The open-source acknowledgment document provides verbatim license texts of the used open source software.

See [www.rohde-schwarz.com/firmware/smcv100b](http://www.rohde-schwarz.com/firmware/smcv100b)

### 1.4.8 Application notes, application cards, white papers, etc.

These documents deal with special applications or background information on particular topics.

See [www.rohde-schwarz.com/application/smcv100b](http://www.rohde-schwarz.com/application/smcv100b)

## 2 Video test patterns and audio test sequences

In this chapter, moving video sequences that are used in the HDTV transport streams are described in detail.

### 2.1 Video

The video scenes are recorded and provided by



TestVid

4 Cheyne Road

Bristol BS9 2DH

United Kingdom

[www.testvid.com/](http://www.testvid.com/)


#### 2.1.1 Moving video scenes

The moving video scenes used in the HDTV transport streams library are made up of five different moving video sequences:

- "The Strip" (see [Figure 2-1](#))
- "Monorail" (see [Figure 2-2](#))
- "Fountain" (see [Figure 2-3](#))
- "Golden Gate" (see [Figure 2-4](#))
- "The Matthew" (see [Figure 2-5](#))

These video sequences are combined together to form a complete video content.

Example of use: General function test for vision and sound, demonstration of picture quality as a function of data rate.



*Figure 2-1: Video scene for "The Strip"*



*Figure 2-2: Video scene for "Monorail"*



*Figure 2-3: Video scene for "Fountain"*



*Figure 2-4: Video scene for "Golden Gate"*



*Figure 2-5: Video scene for “The Matthew”*

## 2.2 Audio

### 2.2.1 Background musical audio



Background musical audio was selected for the entire HDTV transport streams library.


## 3 DVB transport streams

### 3.1 Overview

Each of the DVB transport streams consists of one video elementary streams (MPEG2 or AVC) and two audio elementary streams (MPEG1-L2 and MPEG4 HE-AACv1 LOAS or AAC-LC LOAS).

The file name gives information about the video information (scene or pattern) and format (MPEG2 or AVC) of the coded video picture.

Video source	DVB test stream & video elementary stream	
<b>Locations 16:9</b> 1080 lines (23 Hz, 24Hz) Progressive 2880 frames 	<b>DVB_24Hz</b>  24.000 frames per second 120.000 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.012 Mbps <b>HDTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 14.566 Mbps	<b>DVB_23Hz</b>  23.976 frames per second 120.120 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.012 Mbps H <b>DTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 15.540 Mbps
	<b>DVB_25Hz</b>  25.000 frames per second 115.200 seconds H <b>DTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.013 Mbps H <b>DTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 13.956 Mbps	<b>DVB_29Hz</b>  29.970 frames per second 96.096 seconds H <b>DTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.021 Mbps H <b>DTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 17.860 Mbps
<b>Locations 16:9</b> 1080i lines (25Hz, 29Hz) Interlaced 2880 frames 	<b>DVB_50Hz</b>  50.000 frames per second 115.200 seconds H <b>DTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 15.998 Mbps H <b>DTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 14.858 Mbps	<b>DVB_59Hz</b>  59.940 frames per second 96.096 seconds H <b>DTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 15.998 Mbps H <b>DTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.0 17.811 Mbps

Locations 16:9	DVB_50Hz	DVB_59Hz
1080p lines (50 Hz, 59Hz) 5760 frames 	50.000 frames per second 115.200 seconds F <b>ULL_HDTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.2 14.935 Mbps	59.940 frames per second 96.096 seconds F <b>ULL_HDTV_AVC_LOCATIONS</b> AVC (H.264) hp@L4.2 17.904 Mbps

## 3.2 HDTV\_MPEG\_LOCATIONS (23 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (480.480 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.2.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 23.976 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.012 Mbit/s
- Moving picture

### 3.2.2 Audio

Background musical audio.

#### **MPEG-1 Layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (AAC-LC LOAS)**

- 48 ksample/s

- 256 kbit/s
- Stereo

### 3.3 HDTV\_AVC\_LOCATIONS (23 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (480.480 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

#### 3.3.1 Video

Moving video scene.

##### **MPEG4 AVC HP@L4.0**

- 23.976 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 15.540 Mbit/s
- Moving picture

#### 3.3.2 Audio

Background musical audio.

##### **MPEG-1 Layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

##### **MPEG4 (AAC-LC LOAS)**

- 48 ksample/s
- 256 kbit/s
- Stereo

## 3.4 HDTV\_MPEG\_LOCATIONS (24 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (480.000 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.4.1 Video

Moving video scene.

**MPEG2 (H.262) main profile @ high level**

- 24 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.012 Mbit/s
- Moving picture

### 3.4.2 Audio

Background musical audio.

**MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

**MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.5 HDTV\_AVC\_LOCATIONS (24 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (480.00 s)

Tables: DVB-T (terrestrial)



Program

Service\_name: R&S CH 1

### 3.5.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) HP@L4.0**

- 24 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 15.555 Mbit/s
- Moving picture

### 3.5.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.6 HDTV\_MPEG\_LOCATIONS (25 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (460.800 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.6.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 25 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.013 Mbit/s
- Moving picture

### 3.6.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.7 HDTV\_AVC\_LOCATIONS (25 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (460.800 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.7.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) high profile @ level 4.0**

- 25 frames/s

- 1920 pixels/line
- 1080 lines/picture
- 14.898 Mbit/s
- Moving picture

### 3.7.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.8 HDTV\_MPEG\_LOCATIONS (29 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (384.384 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.8.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 29.970 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.021 Mbit/s
- Moving picture

### 3.8.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.9 HDTV\_AVC\_LOCATIONS (29 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (384.384 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.9.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) high profile @ level 4.0**

- 29.970 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 17.860 Mbit/s
- Moving picture

### 3.9.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s

- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## **3.10 HDTV\_MPEG\_LOCATIONS (50 Hz)**

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (460.800 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### **3.10.1 Video**

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 50 frames/s
- 1280 pixels/line
- 720 lines/picture
- 15.998 Mbit/s
- Moving picture

### **3.10.2 Audio**

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s

- 128 kbit/s
- Stereo

## 3.11 HDTV\_AVC\_LOCATIONS (50 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (460.800 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.11.1 Video

Moving video scene.

**MPEG4 AVC (H.264) high profile @ level 4.0**

- 50 frames/s
- 1280 pixels/line
- 720 lines/picture
- 14.858Mbit/s
- Moving picture

### 3.11.2 Audio

Background musical audio.

**MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

**MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.12 HDTV\_MPEG\_LOCATIONS (59 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (384.384 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.12.1 Video

Moving video scene.

**MPEG2 (H.262) main profile @ high level**

- 59.940 frames/s
- 1280 pixels/line
- 720 lines/picture
- 15.998 Mbit/s
- Moving picture

### 3.12.2 Audio

Background musical audio.

**MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

**MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.13 HDTV\_AVC\_LOCATIONS (59 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (384.384 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.13.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) high profile @ level 4.0**

- 59.940 frames/s
- 1280 pixels/line
- 720 lines/picture
- 17.811 Mbit/s
- Moving picture

### 3.13.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.14 FULL\_HDTV\_AVC\_LOCATIONS (50 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (460.800 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1



### 3.14.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) high profile @ level 4.2**

- 50 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 14.935 Mbit/s
- Moving picture

### 3.14.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**

- 48 ksample/s
- 128 kbit/s
- Stereo

## 3.15 FULL\_HDTV\_AVC\_LOCATIONS (59 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 5760 video frames (384.384 s)

Tables: DVB-T (terrestrial)

Program

Service\_name: R&S CH 1

### 3.15.1 Video

Moving video scene.

#### **MPEG4 AVC (H.264) high profile @ level 4.2**

- 59.940 frames/s

- 1920 pixels/line
- 1080 lines/picture
- 17.904 Mbit/s
- Moving picture

### 3.15.2 Audio

Background musical audio.

#### **MPEG1 layer 2**

- 48 ksample/s
- 384 kbit/s
- Stereo

Background musical audio.

#### **MPEG4 (HE-AACv1 LOAS)**


- 48 ksample/s
- 128 kbit/s
- Stereo


## 4 ATSC transport streams

### 4.1 Overview

Each of the ATSC transport streams consists of one video-elementary stream (MPEG2) and an AC3 audio elementary stream with respective number of video streams.

The file name gives information about the video information (scene or pattern) and the coded video picture.

Video source	ATSC test stream & video elementary stream
<p><b>Locations 16:9</b> 1080p lines (23 Hz) 2880 frames progressive</p> 	<p><b>ATSC_23Hz</b> 23.976 frames per second 120.120 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.012 Mbps</p>
<p><b>Locations 16:9</b> 1080i lines (29 Hz) 2880 frames interlaced</p> 	<p><b>ATSC_29Hz</b> 29.970 frames per second 96.096 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.012 Mbps</p>

<p><b>Locations 16:9</b> 720p lines (59 Hz) 5760 frames progressive</p> 	<p><b>ATSC_59Hz</b> 59.940 frames per second 96.096 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 15.998 Mbps</p>
---	---

## 4.2 HDTV\_MPEG\_LOCATIONS (23 Hz)

TS ID: 2011 (0x07BD)

Length: 4 times 2880 video frames (480.480 s)

Tables: ATSC terrestrial (TVCT)

Program

Major\_channel\_number: 1

Program 1: minor\_channel\_number 1

Short\_name: CH1

### 4.2.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 23.976 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.012 Mbit/s
- Moving picture
- ATSC identifier

### 4.2.2 Audio

Background musical audio.

#### **AC-3**

- 48 ksample/s
- 384 kbit/s

- 2/0 (L,R)

### 4.3 HDTV\_MPEG\_LOCATIONS (29 Hz)

TS ID: 2011 (0x07DB)

Length: 4 times 2880 video frames (384.384 seconds)

Tables: ATSC terrestrial (TVCT)

Program

Major\_channel\_number: 1

Program 1: minor\_channel\_number 1

Short\_name: CH1

#### 4.3.1 Video

Moving video scene.

**MPEG2 (H.262) main profile @ high level**

- 29.970 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.021 Mbit/s
- Moving picture
- ATSC identifier

#### 4.3.2 Audio

Background musical audio.

**AC-3**

- 48 ksample/s
- 384 kbit/s
- 2/0 (L,R)

### 4.4 HDTV\_MPEG\_LOCATIONS (59 Hz)

TS ID: 2011 (0x07BD)

Length: 4 times 5760 video frames (384.384 seconds)

Tables: ATSC terrestrial (TVCT)

Program

Major\_channel\_number: 1

Program 1: minor\_channel\_number 1

Short\_name: CH1

#### 4.4.1 Video

Moving video scene.

**MPEG2 (H.262) main profile @ high level**

- 59.940frames/s
- 1280 lines/picture
- 720 pixels/line
- 15.998 Mbit/s
- Moving picture
- ATSC identifier

#### 4.4.2 Audio

Background musical audioAC-3.


- 48 ksample/s
- 384 kbit/s
- 2/0 (L,R)

## 5 ISDB-T transport streams

### 5.1 Overview

Each of the ISDB-T transport streams consists of a video elementary stream (MPEG2) and an AAC-LC ADTS audio elementary stream.

The file name gives information about the video information (scene or pattern) of the coded picture.

Video source	ISDB-T test stream & video elementary stream
<b>Locations 16:9</b> 1080i lines (29 Hz) 2880 frames interlaced 	<b>ISDBT_29Hz</b> 29.970 frames per second 96.096 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 16.021 Mbps
<b>Locations 16:9</b> 720p lines (59Hz) 5760 frames progressive 	<b>ISDBT_59Hz</b> 59.940 frames per second 96.096 seconds <b>HDTV_MPEG_LOCATIONS</b> MPEG-2 (H.262) mp@hl 15.998 Mbps

### 5.2 HDTV\_MPEG\_LOCATIONS (29 Hz)

TSID: 32736 (0x7FE0)

SID: 1024 (0x0400)

Length: 4 times 2880 video frames (384.384 s)

Tables: ISDB-T

Program

Program number: 1024

Service name: CH 1

### 5.2.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 29.970 frames/s
- 1920 pixels/line
- 1080 lines/picture
- 16.021 Mbit/s
- Moving picture

### 5.2.2 Audio

Background musical audio.

#### **MPEG4 (AAC-LC ADTS)**

- 48 ksample/s
- 144 kbit/s
- Stereo

## 5.3 HDTV\_MPEG\_LOCATIONS (59 Hz)

TSID: 32736 (0x7FE0)

SID: 1024 (0x0400)

Length: 4 times 5760 video frames (384.384 s)

Tables: ISDB-T

Program

Program number: 1024

Service name: CH 1

### 5.3.1 Video

Moving video scene.

#### **MPEG2 (H.262) main profile @ high level**

- 59.940 frames/s



- 720 lines/picture
- 1280 pixels/line
- 15.998 Mbit/s
- Moving picture

### 5.3.2 Audio

Background musical audio.

#### **MPEG4 (AAC-LC ADTS)**

- 48 ksample/s
- 144 kbit/s
- Stereo

# Index

## A

Application cards .....	9
Application notes .....	9
ATSC transport streams .....	27
Audio test sequences .....	10

## B

Brochures .....	9
-----------------	---

## D

Data sheets .....	9
Documentation overview .....	8
DVB transport streams .....	13

## G

Getting started .....	8
-----------------------	---

## H

Help .....	8
------------	---

## I

Installation .....	7
Instrument help .....	8
Instrument security procedures .....	8
ISDB-T transport streams .....	31

## K

Key features .....	7
--------------------	---

## O

Open source acknowledgment (OSA) .....	9
--	---

## R

Release notes .....	9
---------------------	---

## S

Safety instructions .....	9
Security procedures .....	8
Service manual .....	8

## U

User manual .....	8
-------------------	---

## V

Video test patterns .....	10
---------------------------	----

## W

Welcome .....	7
What's new .....	7
White papers .....	9